

GG2043: Biogeography

View Online



[1]

Abrahams, M.V. et al. 2001. Predator Avoidance. *Encyclopedia of Life Sciences*. Wiley Interscience.

[2]

Aguirre, L.F. et al. 2002. Ecomorphological Analysis of Trophic Niche Partitioning in a Tropical Savannah Bat Community. *Proceedings: Biological Sciences*. 269, 1497 (2002), 1271–1278.

[3]

Aguirre, M.L. et al. 2006. Palaeoenvironments and Palaeoclimates of the Quaternary Molluscan Faunas From the Coastal Area of Bahía Vera-Camarones (Chubut, Patagonia). *Palaeogeography, Palaeoclimatology, Palaeoecology*. 229, 4 (2006), 251–286.
<https://doi.org/10.1016/j.palaeo.2005.06.025>.

[4]

Alcover, J.A. et al. 1998. The Extent of Extinctions of Mammals on Islands. *Journal of Biogeography*. 25, 5 (1998), 913–918.

[5]

Alvarez, W. et al. 1984. Impact Theory of Mass Extinctions and the Invertebrate Fossil Record. *Science*. 223, 4641 (1984), 1135–1141.
<https://doi.org/10.1126/science.223.4641.1135>.

[6]

Arribas, A. and Palmqvist, P. 1999. On the Ecological Connection Between Sabre-tooths and Hominids: Faunal Dispersal Events in the Lower Pleistocene and a Review of the Evidence for the First Human Arrival in Europe. *Journal of Archaeological Science*. 26, 5 (1999), 571–585. <https://doi.org/10.1006/jasc.1998.0346>.

[7]

Baker, A.J. et al. 2005. Reconstructing the Tempo and Mode of Evolution in an Extinct Clade of Birds with Ancient DNA: The Giant Moas of New Zealand. *Proceedings of the National Academy of Sciences of the United States of America*. 102, 23 (2005), 8257–8262.

[8]

Baker, B.J. et al. 1988. The Origin and Antiquity of Syphilis: Paleopathological Diagnosis and Interpretation [and Comments and Reply]. *Current Anthropology*. 29, 5 (1988), 703–737.

[9]

Balbo, A. et al. 2011. Shell Midden Research: An Interdisciplinary Agenda for the Quaternary and Social Sciences. *Quaternary International*. 239, 1–2 (2011), 147–152. <https://doi.org/10.1016/j.quaint.2011.03.032>.

[10]

Balshine, S. 2012. *Patterns of Parental Care in Vertebrates. The Evolution of Parental Care*. Oxford University Press. 62–80.

[11]

Balshine, S. 2012. *Patterns of Parental Care in Vertebrates. The Evolution of Parental Care*. Oxford University Press. 62–80.

[12]

Baquero, R.A. and Telleria, J.L. Exceptional Record of Mid-Pleistocene Vertebrates Helps Differentiate Climatic From Anthropogenic Ecosystem Perturbations.

[13]

Baquero, R.A. and Tellería, J.L. 2001. Species Richness, Rarity and Endemicity of European Mammals: A Biogeographical Approach. *Biodiversity and Conservation*. 10, 1 (2001), 29–44. <https://doi.org/10.1023/A:1016698921404>.

[14]

Begon, M. 1990. Extract. *Ecology: Individuals, Populations and Communities*. Blackwell Scientific. 166–173.

[15]

Bennett, K.D. 2004. Continuing the Debate on the Role of Quaternary Environmental Change for Macroevolution. *Philosophical Transactions: Biological Sciences*. 359, 1442 (2004), 295–303.

[16]

van den Bergh, G.D. et al. 2001. The Late Quaternary Palaeogeography of Mammal Evolution in the Indonesian Archipelago. *Palaeogeography, Palaeoclimatology, Palaeoecology*. 171, 3–4 (2001), 385–408. [https://doi.org/10.1016/S0031-0182\(01\)00255-3](https://doi.org/10.1016/S0031-0182(01)00255-3).

[17]

Blumenthal, D. and Augustine, D. 2001. Plant Interactions with Herbivores. *Encyclopedia of Life Sciences*. Wiley Interscience.

[18]

Bodmer, R.E. 1990. Responses of Ungulates to Seasonal Inundations in the Amazon Floodplain. *Journal of Tropical Ecology*. 6, 2 (1990), 191–201.

[19]

Boeskorov, G.G. et al. 2011. Woolly Rhino Discovery in the Lower Kolyma River. *Quaternary Science Reviews*. 30, 17–18 (2011), 2262–2272.

<https://doi.org/10.1016/j.quascirev.2011.02.010>.

[20]

Bond, W.J. et al. 2008. The Antiquity of Madagascar's Grasslands and the Rise of C₄ Grassy Biomes. *Journal of Biogeography*. 35, 10 (2008), 1743–1758.

[21]

Bond, W.J. et al. 2004. The Global Distribution of Ecosystems in a World Without Fire. *New Phytologist*. 165, 2 (2004), 525–538. <https://doi.org/10.1111/j.1469-8137.2004.01252.x>.

[22]

Brace, S. et al. 2012. Serial Population Extinctions in a Small Mammal Indicate Late Pleistocene Ecosystem Instability. *Proceedings of the National Academy of Sciences of the United States of America*. 109, 50 (2012), 20532–20536.

[23]

Brown, J.H. 1971. Mammals on Mountaintops: Nonequilibrium Insular Biogeography. *The American Naturalist*. 105, Sep-Oct (1971), 467–478.

[24]

Brubaker, L.B. et al. 2005. Beringia as a Glacial Refugium for Boreal Trees and Shrubs: New Perspectives from Mapped Pollen Data. *Journal of Biogeography*. 32, 5 (2005), 833–848.

[25]

Buckland, P.C. and Sadler, Jon.P. 1989. A Biogeography of the Human Flea, *Pulex irritans* L. (Siphonaptera: Pulicidae). *Journal of Biogeography*. 16, 2 (1989), 115–120.

[26]

Bunce, M. et al. 2005. Ancient DNA Provides New Insights Into the Evolutionary History of

New Zealand's Extinct Giant Eagle. *PLoS Biology*. 3, 1 (2005).
<https://doi.org/10.1371/journal.pbio.0030009>.

[27]

Burghouts, T.B.A. et al. 1994. Effects of Tree Species Heterogeneity on Leaf Fall in Primary and Logged Dipterocarp Forest in the Ulu Segama Forest Reserve, Sabah, Malaysia. *Journal of Tropical Ecology*. 10, 1 (1994), 1–26.

[28]

Castellano, S. and Cermelli, P. 2015. Preys' Exploitation of Predators' Fear: When the Caterpillar Plays the Gruffalo. *Proceedings of the Royal Society B: Biological Sciences*. 282, 1820 (2015). <https://doi.org/10.1098/rspb.2015.1786>.

[29]

de Castro, M.C. and Singer, B.H. 2005. Was Malaria Present in the Amazon Before the European Conquest? Available Evidence and Future Research Agenda. *Journal of Archaeological Science*. 32, 3 (2005), 337–340. <https://doi.org/10.1016/j.jas.2004.10.004>.

[30]

Cerling, T.E. 1992. Development of Grasslands and Savannas in East Africa During the Neogene. *Palaeogeography, Palaeoclimatology, Palaeoecology*. 97, 3 (1992), 241–247. [https://doi.org/10.1016/0031-0182\(92\)90211-M](https://doi.org/10.1016/0031-0182(92)90211-M).

[31]

Clauss, M. et al. 2003. The Maximum Attainable Body Size of Herbivorous Mammals: Morphophysiological Constraints on Foregut, and Adaptations of Hindgut Fermenters. *Oecologia*. 136, 1 (2003), 14–27.

[32]

Cleaveland, S. et al. 2001. Diseases of Humans and Their Domestic Mammals: Pathogen Characteristics, Host Range and the Risk of Emergence. *Philosophical Transactions: Biological Sciences*. 356, 1411 (2001), 991–999.

[33]

Colinvaux, P. 1986. Chapter 8 and Chapter 9. Ecology. Wiley.

[34]

Connell, J.H. 1961. The Influence of Interspecific Competition and Other Factors on the Distribution of the Barnacle *Chthamalus Stellatus*. Ecology. 42, 4 (1961), 710–723.

[35]

Coope, G.R. 2010. Coleopteran Faunas as Indicators of Interglacial Climates in Central and Southern England. Quaternary Science Reviews. 29, 13–14 (2010), 1507–1514.
<https://doi.org/10.1016/j.quascirev.2009.12.017>.

[36]

Corlett, R.T. and Primack, R.B. 2006. Tropical Rainforests and the Need for Cross-Continental Comparisons. Trends in Ecology & Evolution. 21, 2 (2006), 104–110.
<https://doi.org/10.1016/j.tree.2005.12.002>.

[37]

Courchamp, F. et al. 2014. Climate Change, Sea-Level Rise, and Conservation: Keeping Island Biodiversity Afloat. Trends in Ecology & Evolution. 29, 3 (2014), 127–130.
<https://doi.org/10.1016/j.tree.2014.01.001>.

[38]

Cox, C.B. and Moore, P.D. 2010. Biogeography: An Ecological and Evolutionary Approach. Wiley.

[39]

Cox, C.B. and Moore, P.D. 2010. Biogeography: An Ecological and Evolutionary Approach. Wiley.

[40]

Cox, C.B. and Moore, P.D. 2005. *Biogeography: An Ecological and Evolutionary Approach*. Blackwell.

[41]

Cox, C.B. and Moore, P.D. 2010. *Biogeography: An Ecological and Evolutionary Approach*. Wiley.

[42]

Cox, C.B. and Moore, P.D. 2005. *Biogeography: An Ecological and Evolutionary Approach*. Blackwell.

[43]

Cox, C.B. and Moore, P.D. 2010. *Biogeography: An Ecological and Evolutionary Approach*. Wiley.

[44]

Cox, C.B. and Moore, P.D. 2005. *Biogeography: An Ecological and Evolutionary Approach*. Blackwell.

[45]

Cox, C.B. and Moore, P.D. 2010. *Biogeography: An Ecological and Evolutionary Approach*. Wiley.

[46]

Cox, C.B. and Moore, P.D. 2005. *Living in the Past. Biogeography: An Ecological and Evolutionary Approach*. Blackwell. 201-224.

[47]

Cox, C.B. and Moore, P.D. 2010. *Patterns of Distribution. Biogeography: An Ecological and*

Evolutionary Approach. Blackwell. 73–118.

[48]

Cox, X.C.B. and Moore, P.D. 2005. Communities and Ecosystems. *Biogeography: An Ecological and Evolutionary Approach*. Blackwell. 119–142.

[49]

Craw, D. et al. 2008. Evolution of Biological Dispersal Corridors Through a Tectonically Active Mountain Range in New Zealand. *Journal of Biogeography*. 35, 10 (2008), 1790–1802. <https://doi.org/10.1111/j.1365-2699.2008.01936.x>.

[50]

Crowther, T.W. et al. 2015. Mapping Tree Density at a Global Scale. *Nature*. 525, 7568 (2015), 201–205. <https://doi.org/10.1038/nature14967>.

[51]

Crowther, T.W. et al. 2016. Quantifying Global Soil Carbon Losses in Response to Warming. *Nature*. 540, 7631 (2016), 104–108. <https://doi.org/10.1038/nature20150>.

[52]

Curio, E. 1976. *The Ethology of Predation*. Springer.

[53]

Currant, A.P. and Jacobi, R. 2010. The Mammal Faunas of the British Late Pleistocene. *The Ancient Human Occupation of Britain*. Elsevier. 165–180.

[54]

Davidson, E.A. and Reich, P.B. 2010. Permafrost and Wetland Carbon Stocks [with Response]. *Science*. 330, 6008 (2010), 1176–1177.

[55]

Diamon, J.M. and Mayr, E. 1976. Species-Area Relation for Birds of the Solomon Archipelago. *Proceedings of the National Academy of Sciences of the United States of America*. 73, 1 (1976), 262–266.

[56]

Diamond, J.M. 1975. The Island Dilemma: Lessons of Modern Biogeographic Studies for the Design of Natural Reserves. *Biological Conservation*. 7, 2 (1975), 129–146.
[https://doi.org/10.1016/0006-3207\(75\)90052-X](https://doi.org/10.1016/0006-3207(75)90052-X).

[57]

Dobson, A. et al. 2008. Homage to Linnaeus: How Many Parasites? How Many Hosts? *Proceedings of the National Academy of Sciences of the United States of America*. 105, (2008), 11482–11489.

[58]

Douady, C.J. et al. 2003. The Sahara as a Vicariant Agent, and the Role of Miocene Climatic Events, in the Diversification of the Mammalian Order Macroscelidea (Elephant Shrews). *Proceedings of the National Academy of Sciences*. 100, 14 (2003), 8325–8330.
<https://doi.org/10.1073/pnas.0832467100>.

[59]

Dugatkin, L.A. and Godin, J.-G.J. 1992. Prey Approaching Predators: A Cost-Benefit Perspective. *Annales Zoologici Fennici*. 29, 4 (1992), 233–252.

[60]

Elias, S.A. 2010. Insect Zoogeography in the Quaternary. *Advances in Quaternary Entomology*. Elsevier. 79–87.

[61]

Elias, S.A. 2009. Insect Zoogeography in the Quaternary. *Advances in Quaternary Entomology*. Elsevier. 79–87.

[62]

Elias, S.A. et al. 2000. Late Pleistocene Beetle Faunas of Beringia: Where East Met West. *Journal of Biogeography*. 27, 6 (2000), 1349–1363.

[63]

Elias, S.A. 1992. Late Quaternary Zoogeography of the Chihuahuan Desert Insect Fauna, Based on Fossil Records from Packrat Middens. *Journal of Biogeography*. 19, 3 (1992), 285–297.

[64]

Elias, S.A. and Crocker, B. 2008. The Bering Land Bridge: A Moisture Barrier to the Dispersal of Steppe–Tundra Biota? *Quaternary Science Reviews*. 27, 27–28 (2008), 2473–2483. <https://doi.org/10.1016/j.quascirev.2008.09.011>.

[65]

Elias, S.A. and Schreve, D.C. 2013. Vertebrate Records | Late Pleistocene Megafaunal Extinctions. *Encyclopedia of Quaternary Science*. S.A. Elias and C.J. Mock, eds. Elsevier. 700–712.

[66]

Eloy de Amorim, M. et al. 2017. Lizards on Newly Created Islands Independently and Rapidly Adapt in Morphology and Diet. *Proceedings of the National Academy of Sciences*. 114, 33 (2017), 8812–8816. <https://doi.org/10.1073/pnas.1709080114>.

[67]

Erkens, R.H.J. et al. 2007. A Rapid Diversification of Rainforest Trees (Guatteria; Annonaceae) Following Dispersal From Central Into South America. *Molecular Phylogenetics and Evolution*. 44, 1 (2007), 399–411. <https://doi.org/10.1016/j.ympev.2007.02.017>.

[68]

Estes, J.A. et al. 1998. Killer Whale Predation on Sea Otters Linking Oceanic and Nearshore Ecosystems. *Science*. 282, 5388 (1998), 473–476.

[69]

Estes, J.E. et al. 1978. Sea Otter Predation and Community Organization in the Western Aleutian Islands, Alaska. *Ecology*. 59, 4 (1978), 822–833.

[70]

Estrada, A. and Coates-Estrada, R. 1991. Howler Monkeys (*Alouatta palliata*), Dung Beetles (Scarabaeidae) and Seed Dispersal: Ecological Interactions in the Tropical rain Forest of Los Tuxtlas, Mexico. *Journal of Tropical Ecology*. 7, 4 (1991), 459–474.

[71]

Evolutionary and Physiological Adaptations of Aquatic Invasive Animals: R Selection Versus Resistance: 2002. <http://www.nrcresearchpress.com/doi/pdf/10.1139/f02-105>.

[72]

Fisher, D.O. et al. 2013. Sperm Competition Drives the Evolution of Suicidal Reproduction in Mammals. *Proceedings of the National Academy of Sciences*. 110, 44 (2013), 17910–17914. <https://doi.org/10.1073/pnas.1310691110>.

[73]

Fleming, T.H. 1973. Numbers of Mammal Species in North and Central American Forest Communities. *Ecology*. 54, 3 (1973), 555–563.

[74]

Froese, D.G. et al. 2008. Ancient Permafrost and a Future, Warmer Arctic. *Science*. 321, 5896 (2008), 1648–1648.

[75]

Furley, P.A. 1999. The Nature and Diversity of Neotropical Savanna Vegetation With

Particular Reference to the Brazilian Cerrados. *Global Ecology and Biogeography*. 8, 3 (1999), 223–241.

[76]

Gauthier, S. et al. 2015. Boreal Forest Health and Global Change. *Science*. 349, 6250 (2015), 819–822. <https://doi.org/10.1126/science.aaa9092>.

[77]

Gavin, D.G. et al. 2007. Forest Fire and Climate Change in Western North America: Insights From Sediment Charcoal Records. *Frontiers in Ecology and the Environment*. 5, 9 (2007), 499–506. <https://doi.org/10.1890/060161>.

[78]

Genner, M.J. et al. 1999. Foraging of Rocky Habitat Cichlid Fishes in Lake Malawi: Coexistence Through Niche Partitioning? *Oecologia*. 121, 2 (1999), 283–292.

[79]

Girling, M.A. and Greig, J. 1985. A First Fossil Record for *Scolytus Scolytus* (f.) (Elm Bark Beetle): Its Occurrence in Elm Decline Deposits From London and the Implications for Neolithic Elm Disease. *Journal of Archaeological Science*. 12, 5 (1985), 347–351. [https://doi.org/10.1016/0305-4403\(85\)90063-9](https://doi.org/10.1016/0305-4403(85)90063-9).

[80]

Godin, J.-G.J. and McDonough, H.E. 2003. Predator Preference for Brightly Colored Males in the Guppy: A Viability Cost for a Sexually Selected Trait. *Behavioral Ecology*. 14, 2 (2003), 194–200. <https://doi.org/10.1093/beheco/14.2.194>.

[81]

Graham, R.W. et al. 1996. Spatial Response of Mammals to Late Quaternary Environmental Fluctuations. *Science*. 272, 5268 (1996), 1601–1606.

[82]

Grant, P.R. and Boag, P.T. 1980. Rainfall on the Galápagos and the Demography of Darwin's Finches. *The Auk*. 97, 2 (1980), 227–244.

[83]

Grayson, D.K. 2006. The Late Quaternary Biogeographic Histories of Some Great Basin Mammals (Western USA). *Quaternary Science Reviews*. 25, 21–22 (2006), 2964–2991. <https://doi.org/10.1016/j.quascirev.2006.03.004>.

[84]

Grayson, D.K. 2006. The Late Quaternary Biogeographic Histories of Some Great Basin Mammals (Western Usa). *Quaternary Science Reviews*. 25, 21–22 (2006), 2964–2991. <https://doi.org/10.1016/j.quascirev.2006.03.004>.

[85]

Grayson, D.K. and Meltzer, D.J. 2003. A Requiem for North American Overkill. *Journal of Archaeological Science*. 30, 5 (2003), 585–593. [https://doi.org/10.1016/S0305-4403\(02\)00205-4](https://doi.org/10.1016/S0305-4403(02)00205-4).

[86]

Hanewinkel, M. et al. 2013. Climate Change May Cause Severe Loss in the Economic Value of European Forest Land. *Nature Climate Change*. 3, 3 (2013), 203–207.

[87]

Harvell, C.D. et al. 2002. Climate Warming and Disease Risks for Terrestrial and Marine Biota. *Science*. 296, 5576 (2002), 2158–2162.

[88]

Heaney, L.R. 2007. Guest Editorial: Is a New Paradigm Emerging for Oceanic Island Biogeography? *Journal of Biogeography*. 34, 5 (2007), 753–757.

[89]

Hellgren, E.C. et al. 2005. Dynamics of a Black Bear Population Within a Desert Metapopulation. *Biological Conservation*. 122, 1 (2005), 131–140. <https://doi.org/10.1016/j.biocon.2004.07.007>.

[90]

Herbert, T.D. et al. 2016. Late Miocene Global Cooling and the Rise of Modern Ecosystems. *Nature Geoscience*. 9, 11 (2016), 843–847. <https://doi.org/10.1038/ngeo2813>.

[91]

Hewitt, G. 2000. The Genetic Legacy of the Quaternary Ice Ages. *Nature*. 405, 6789 (2000), 907–913. <https://doi.org/10.1038/35016000>.

[92]

Hocknull, S.A. et al. 2009. Dragon's Paradise Lost: Palaeobiogeography, Evolution and Extinction of the Largest-Ever Terrestrial Lizards (Varanidae). *PLoS ONE*. 4, 9 (2009). <https://doi.org/10.1371/journal.pone.0007241>.

[93]

Hooghiemstra, H. and Berrio, J.C. 2013. Pollen Records, Late Pleistocene | South America. *Encyclopedia of Quaternary Science*. S.A. Elias and C.J. Mock, eds. Elsevier. 52–62.

[94]

Howlett, R.J. and Majerus, M.E.N. 1987. The Understanding of Industrial Melanism in the Peppered Moth (*Biston Betularia*) (Lepidoptera: Geometridae). *Biological Journal of the Linnean Society*. 30, 1 (1987), 31–44.

[95]

Huntley, B. 1991. How Plants Respond to Climate Change: Migration Rates, Individualism and the Consequences for Plant Communities. *Annals of Botany*. 67, supp1 (1991), 15–22. <https://doi.org/10.1093/oxfordjournals.aob.a088205>.

[96]

Jackson, S.T. and Hobbs, R.J. 2009. Ecological Restoration in the Light of Ecological History. *Science*. 325, 5940 (2009), 567–569.

[97]

Janis, C.M. 1993. Tertiary Mammal Evolution in the Context of Changing Climates, Vegetation, and Tectonic Events. *Annual Review of Ecology and Systematics*. 24, (1993), 467–500.

[98]

Janis, C.M. and Wilhelm, P.B. 1993. Were There Mammalian Pursuit Predators in the Tertiary? Dances With Wolf Avatars. *Journal of Mammalian Evolution*. 1, 2 (1993), 103–125. <https://doi.org/10.1007/BF01041590>.

[99]

Kathleen Lyons, S. et al. 2004. Was a 'Hyperdisease' Responsible for the Late Pleistocene Megafaunal Extinction? *Ecology Letters*. 7, 9 (2004), 859–868. <https://doi.org/10.1111/j.1461-0248.2004.00643.x>.

[100]

Kauffman, M.J. et al. 2010. Are Wolves Saving Yellowstone's Aspen? A Landscape-Level Test of a Behaviorally Mediated Trophic Cascade. *Ecology*. 91, 9 (2010), 2742–2755.

[101]

Kemper, C. and Bell, D.T. 1985. Small Mammals and Habitat Structure in Lowland Rain Forest of Peninsular Malaysia. *Journal of Tropical Ecology*. 1, 1 (1985), 5–22.

[102]

Krebs, C.J. et al. 2001. What Drives the 10-year Cycle of Snowshoe Hares? *BioScience*. 51, 1 (2001), 25–35. [https://doi.org/10.1641/0006-3568\(2001\)051\[0025:WDTYCO\]2.0.CO;2](https://doi.org/10.1641/0006-3568(2001)051[0025:WDTYCO]2.0.CO;2).

[103]

Krebs, C.J. et al. 2001. What Drives the 10-year Cycle of Snowshoe Hares? *BioScience*. 51,

1 (2001), 25–35.

[104]

Krug, Andrew.Z. et al. 2009. Signature of the End-Cretaceous Mass Extinction in the Modern Biota. *Science*. 323, 5915 (2009), 767–771.
<https://doi.org/10.1126/science.1164905>.

[105]

Laurance, W.F. et al. 2002. Ecosystem Decay of Amazonian Forest Fragments: A 22-Year Investigation. *Conservation Biology*. 16, 3 (2002), 605–618.

[106]

Lawton, J.H.L. and Strong, D.R. 1981. Community Patterns and Competition in Folivorous Insects. *The American Naturalist*. 118, 3 (1981), 317–338.

[107]

Lessa, E.P. et al. 2003. Genetic Footprints of Demographic Expansion in North America, but Not Amazonia, During the Late Quaternary. *Proceedings of the National Academy of Sciences of the United States of America*. 100, 18 (2003), 10331–10334.

[108]

Limondin-Lozouet, N. and Preece, R.C. 2004. Molluscan Successions From the Holocene Tufa of St Germain-Le-Vasson, Normandy(france) and Their Biogeographical Significance. *Journal of Quaternary Science*. 19, 1 (2004), 55–71. <https://doi.org/10.1002/jqs.812>.

[109]

Lister, A.M. 2004. The Impact of Quaternary Ice Ages on Mammalian Evolution. *Philosophical Transactions: Biological Sciences*. 359, 1442 (2004), 221–241.

[110]

Lister, A.M. and Stuart, A.J. 2008. The Impact of Climate Change on Large Mammal

Distribution and Extinction: Evidence From the Last Glacial/interglacial Transition. *Comptes Rendus Geoscience*. 340, 9–10 (2008), 615–620.
<https://doi.org/10.1016/j.crte.2008.04.001>.

[111]

Mabberley, D.J. 1992. *Tropical Rain Forest Ecology*. Blackie.

[112]

MacArthur, R.H. 1958. Population Ecology of Some Warblers of Northeastern Coniferous Forests. *Ecology*. 39, 4 (1958), 599–619.

[113]

Mack, M.C. et al. 2011. Carbon Loss From an Unprecedented Arctic Tundra Wildfire. *Nature*. 475, 7357 (2011), 489–492. <https://doi.org/10.1038/nature10283>.

[114]

McLean, D.M. 1985. Deccan Traps Mantle Degassing in the Terminal Cretaceous Marine Extinctions. *Cretaceous Research*. 6, 3 (1985), 235–259.
[https://doi.org/10.1016/0195-6671\(85\)90048-5](https://doi.org/10.1016/0195-6671(85)90048-5).

[115]

Meijer, T. and Preece, R.C. 2000. A Review of the Occurrence of *Corbicula* in the Pleistocene of North-West Europe. *Netherlands Journal of Geosciences*. 79, 2–3 (2000), 241–255. <https://doi.org/10.1017/S0016774600021739>.

[116]

Meijer, T. and Preece, R.C. 1995. Malacological Evidence Relating to the Insularity of the British Isles During the Quaternary. *Island Britain: A Quaternary perspective*. Geological Society. 89–110.

[117]

Meiri, S. and Dayan, T. 2003. On the Validity of Bergmann's Rule. *Journal of Biogeography*. 30, 3 (2003), 331–351. <https://doi.org/10.1046/j.1365-2699.2003.00837.x>.

[118]

Meyrick, R.A. and Preece, R.C. 2001. Molluscan Successions from Two Holocene Tufas Near Northampton, English Midlands. *Journal of Biogeography*. 28, 1 (2001), 77–93.

[119]

Miller, G.H. et al. 1999. Pleistocene Extinction of *Genyornis Newtoni*: Human Impact on Australian Megafauna. *Science*. 283, 5399 (1999), 205–208.

[120]

Millien-Parra, V. and Jaeger, J.-J. 1999. Island Biogeography of the Japanese Terrestrial Mammal Assemblages: An Example of a Relict Fauna. *Journal of Biogeography*. 26, 5 (1999), 959–972.

[121]

Miura, O. et al. 2010. Molecular Phylogenetics Reveals Differential Divergence of Coastal Snails Separated by the Isthmus of Panama. *Molecular Phylogenetics and Evolution*. 56, 1 (2010), 40–48. <https://doi.org/10.1016/j.ympev.2010.04.012>.

[122]

Morwood, M.J. et al. 2004. Archaeology and Age of a New Hominin From Flores in Eastern Indonesia. *Nature*. 431, 7012 (2004), 1087–1091. <https://doi.org/10.1038/nature02956>.

[123]

Myers, N. et al. 2000. Biodiversity Hotspots for Conservation Priorities. *Nature*. 403, 6772 (2000), 853–858. <https://doi.org/10.1038/35002501>.

[124]

Nolan, C. et al. 2018. Past and Future Global Transformation of Terrestrial Ecosystems Under Climate Change. *Science*. 361, 6405 (2018), 920–923.

<https://doi.org/10.1126/science.aan5360>.

[125]

Ohsawa, M. et al. 1985. Altitudinal Zonation of Forest Vegetation on Mount Kerinci, Sumatra: With Comparisons to Zonation in the Temperate Region of East Asia. *Journal of Tropical Ecology*. 1, 3 (1985), 193–216.

[126]

Paine, R.T. 1966. Food Web Complexity and Species Diversity. *The American Naturalist*. 100, 910 (1966), 65–75.

[127]

Palombo, M.R. 2007. How Can Endemic Proboscideans Help Us Understand the "Island Rule"? a Case Study of Mediterranean Islands. *Quaternary International*. 169–170, July (2007), 105–124. <https://doi.org/10.1016/j.quaint.2006.11.002>.

[128]

Palombo, M.R. and Rozzi, R. 2013. Vertebrate Studies | Dwarfing and Gigantism in Quaternary Vertebrates. *Encyclopedia of Quaternary Science*. S.A. Elias and C.J. Mock, eds. Elsevier. 733–747.

[129]

Parmesan, C. et al. 2005. Empirical Perspectives on Species Borders: From Traditional Biogeography to Global Change. *Oikos*. 108, 1 (2005), 58–75.

[130]

Patz, J.A. and Olson, S.H. 2006. Climate Change and Health: Global to Local Influences on Disease Risk. *Annals of Tropical Medicine & Parasitology*. 100, 5–6 (2006), 535–549.

[131]

Pennington, R.T. and Dick, C.W. 2004. The Role of Immigrants in the Assembly of the South

American Rainforest Tree Flora. *Philosophical Transactions: Biological Sciences*. 359, 1450 (2004), 1611–1622.

[132]

Peres, C.A. 1993. Structure and Spatial Organization of an Amazonian Terra Firme Forest Primate Community. *Journal of Tropical Ecology*. 9, 3 (1993), 259–276.

[133]

Pimm, S.L. et al. 1995. The Future of Biodiversity. *Science*. 269, 5222 (1995), 347–350.

[134]

Pimm, S.L. and Raven, P. 2000. Extinction by Numbers. *Nature*. 403, 6772 (2000), 843–845. <https://doi.org/10.1038/35002708>.

[135]

Pol, M. van de et al. 2009. Oystercatchers' Bill Shapes as a Proxy for Diet Specialization: More Differentiation Than Meets the Eye. *Ardea*. 97, 3 (2009), 335–347. <https://doi.org/10.5253/078.097.0309>.

[136]

Poore, R.Z. 2007. Paleoclimate Reconstruction: Pliocene Environments. *Encyclopedia of Quaternary Science*. Elsevier. 1948–1958.

[137]

Poore, R.Z. 2007. Paleoclimate Reconstruction: Pliocene Environments. *Encyclopedia of Quaternary Science*. (2007), 1948–1958.

[138]

Primack, R.B. 2014. *Essentials of Conservation Biology*. Sinauer Associates, Inc., Publishers.

[139]

Prudic, K.L. 2001. Predation on Animals. Encyclopedia of Life Sciences. Wiley Interscience.

[140]

Putnam, R.J. 1984. The Geography of Animal Communities. Themes in Biogeography. Croom Helm. 163–190.

[141]

Quammen, D. 1997. The Song of the Dodo: Island Biogeography in an Age of Extinctions. Pimlico.

[142]

de Queiroz, A. 2005. The Resurrection of Oceanic Dispersal in Historical Biogeography. Trends in Ecology & Evolution. 20, 2 (2005), 68–73.
<https://doi.org/10.1016/j.tree.2004.11.006>.

[143]

Quinn, T.M. and Schöne, B.R. 2013. Paleoceanography, Biological Proxies | Corals, Sclerosponges and Mollusks. Encyclopedia of Quaternary Science. S.A. Elias and C.J. Mock, eds. Elsevier. 795–799.

[144]

Randerson, J.T. et al. 2006. The Impact of Boreal Forest Fire on Climate Warming. Science. 314, 5802 (2006), 1130–1132.

[145]

Ratter, J.A. et al. 1997. The Brazilian Cerrado Vegetation and Threats to its Biodiversity. Annals of Botany. 80, 3 (1997), 223–230. <https://doi.org/10.1006/anbo.1997.0469>.

[146]

Ricklefs, R.E. 1990. Extract. *Ecology*. Freeman. 560–580.

[147]

Ritz, M.S. et al. 2008. Phylogeography of the Southern Skua Complex—rapid Colonization of the Southern Hemisphere During a Glacial Period and Reticulate Evolution. *Molecular Phylogenetics and Evolution*. 49, 1 (2008), 292–303. <https://doi.org/10.1016/j.ympev.2008.07.014>.

[148]

Roberts, R.G. et al. 2001. New Ages for the Last Australian Megafauna: Continent-Wide Extinction about 46,000 Years Ago. *Science*. 292, 5523 (2001), 1888–1892.

[149]

Rodgers, W.A. et al. 1982. Biogeography of East African Forest Mammals. *Journal of Biogeography*. 9, 1 (1982), 41–54. <https://doi.org/10.2307/2844729>.

[150]

Rousseau, D.-D. et al. 1992. West-European Terrestrial Molluscs Assemblages of Isotopic Stage 11 (Middle Pleistocene): Climatic Implications. *Palaeogeography, Palaeoclimatology, Palaeoecology*. 92, 1–2 (1992), 15–29. [https://doi.org/10.1016/0031-0182\(92\)90132-0](https://doi.org/10.1016/0031-0182(92)90132-0).

[151]

Russell Coope, G. 2006. Insect Faunas Associated with Palaeolithic Industries from Five Sites of Pre-Anglian Age in Central England. *Quaternary Science Reviews*. 25, 15–16 (2006), 1738–1754. <https://doi.org/10.1016/j.quascirev.2006.01.015>.

[152]

Sahney, S. and Benton, M.J. 2008. Recovery from the Most Profound Mass Extinction of All Time. *Proceedings: Biological Sciences*. 275, 1636 (2008), 759–765.

[153]

Santini, A. et al. 2013. Biogeographical Patterns and Determinants of Invasion by Forest Pathogens in Europe. *The New Phytologist*. 197, 1 (2013), 238–250.

[154]

Schardl, C.L. and Chen, F. 2010. Plant Defences Against Herbivore Attack. *Encyclopedia of Life Sciences*. Wiley Interscience.

[155]

Schoener, T.W. 1974. Resource Partitioning in Ecological Communities. *Science*. 185, 4145 (1974), 27–39.

[156]

Schoener, T.W. 1968. The Anolis Lizards of Bimini: Resource Partitioning in a Complex Fauna. *Ecology*. 49, 4 (1968), 704–726.

[157]

Schreve, D.C. 2001. Differentiation of the British Late Middle Pleistocene Interglacials: The Evidence From Mammalian Biostratigraphy. *Quaternary Science Reviews*. 20, 16–17 (2001), 1693–1705. [https://doi.org/10.1016/S0277-3791\(01\)00033-6](https://doi.org/10.1016/S0277-3791(01)00033-6).

[158]

Seddon, P.J. et al. 2014. Reversing Defaunation: Restoring Species in a Changing World. *Science*. 345, 6195 (2014), 406–412. <https://doi.org/10.1126/science.1251818>.

[159]

Simberloff, D. 1976. Species Turnover and Equilibrium Island Biogeography. *Science*. 194, 4265 (1976), 572–278.

[160]

de Souza-Stevaux, M.C. et al. 1994. Seed Dispersal by the Fish *Pterodoras Granulosus* in the Parana River Basin, Brazil. *Journal of Tropical Ecology*. 10, 4 (1994), 621–626.

[161]

Steadman, D.W. 1995. Prehistoric Extinctions of Pacific Island Birds: Biodiversity Meets Zooarchaeology. *Science*. 267, 5201 (1995), 1123–1131.

[162]

Stephens, S.L. et al. 2013. Managing Forests and Fire in Changing Climates. *Science*. 342, 6154 (2013), 41–42. <https://doi.org/10.1126/science.1240294>.

[163]

Stevens, M. 2007. Predator Perception and the Interrelation Between Different Forms of Protective Coloration. *Proceedings: Biological Sciences*. 274, 1617 (2007), 1457–1464.

[164]

Stewart, J.R. 2005. The Ecology and Adaptation of Neanderthals During the Non-Analogue Environment of Oxygen Isotope Stage 3. *Quaternary International*. 137, 1 (2005), 35–46. <https://doi.org/10.1016/j.quaint.2004.11.018>.

[165]

Stork, N. and Gaston, K. 1990. Counting Species One by One. *NewScientist*. (Aug. 1990).

[166]

Stork, N.E. et al. 2015. New Approaches Narrow Global Species Estimates for Beetles, Insects, and Terrestrial Arthropods. *Proceedings of the National Academy of Sciences*. 112, 24 (2015), 7519–7523. <https://doi.org/10.1073/pnas.1502408112>.

[167]

Stork, N.E. 1991. The Composition of the Arthropod Fauna of Bornean Lowland Rain Forest Trees. *Journal of Tropical Ecology*. 7, 2 (1991), 161–180.

[168]

The Community-Level Consequences of Seed Dispersal Patterns: 2003.
<https://www.annualreviews.org/doi/pdf/10.1146/annurev.ecolsys.34.011802.132400>.

[169]

Thompson, R.S. 2013. Pollen Records, Late Pleistocene | Western North America. Encyclopedia of Quaternary Science. S.A. Elias and C.J. Mock, eds. Elsevier. 72–83.

[170]

Tzedakis, C. 2013. Pollen Records, Last Interglacial of Europe. Encyclopedia of Quaternary Science. S.A. Elias and C.J. Mock, eds. Elsevier. 1–8.

[171]

Vucetich, J.A. et al. 2002. The Effect of Prey and Predator Densities on Wolf Predation. Ecology. 83, 11 (2002), 3003–3013.

[172]

Wake, D.B. and Yanev, K.P. 1986. Geographic Variation in Allozymes in a 'Ring Species,' the Plethodontid Salamander *Ensatina eschscholtzii* of Western North America. Evolution. 40, 4 (1986), 702–715. <https://doi.org/10.2307/2408457>.

[173]

Whitlock, C. et al. 2018. Land-Use History as a Guide for Forest Conservation and Management. Conservation Biology. 32, 1 (2018), 84–97.
<https://doi.org/10.1111/cobi.12960>.

[174]

Whittaker, R.J. et al. 2008. A General Dynamic Theory of Oceanic Island Biogeography. Journal of Biogeography. 35, 6 (2008), 977–994.

[175]

Whittaker, R.J. and Fernandez-Palacios, J.M. 2007. *Island Biogeography: Ecology, Evolution, and Conservation*. Oxford University Press.

[176]

Whittaker, R.J. and Fernandez-Palacios, J.M. 2007. *Island Biogeography: Ecology, Evolution, and Conservation*. Oxford University Press.

[177]

Wilbur, H.M. and Rudolf, V.H.W. 2006. Life-History Evolution in Uncertain Environments: Bet Hedging in Time. *The American Naturalist*. 168, 3 (2006), 398–411.
<https://doi.org/10.1086/506258>.

[178]

Wildfire in the Taiga of Alaska.:
https://ac.els-cdn.com/0033589473900094/1-s2.0-0033589473900094-main.pdf?_tid=12de7db0-d8a8-419b-bfab-44c70e2123fe&acdnat=1542816441_54ab8d16b990b204d092df40fb9d6384.

[179]

Williams, R.J. et al. 1996. Variation in the Composition and Structure of Tropical Savannas as a Function of Rainfall and Soil Texture Along a Large-Scale Climatic Gradient in the Northern Territory, Australia. *Journal of Biogeography*. 23, 6 (1996), 747–756.

[180]

Willis, K.J. et al. 2010. Biodiversity Baselines, Thresholds and Resilience: Testing Predictions and Assumptions Using Palaeoecological Data. *Trends in Ecology & Evolution*. 25, 10 (2010), 583–591. <https://doi.org/10.1016/j.tree.2010.07.006>.

[181]

Willis, K.J. and Birks, H.J.B. 2006. What Is Natural? The Need for a Long-Term Perspective in Biodiversity Conservation. *Science*. 314, 5803 (2006), 1261–1265.

[182]

Willis, K.J. and Niklas, K.J. 2004. The Role of Quaternary Environmental Change in Plant Macroevolution: The Exception or the Rule? *Philosophical Transactions: Biological Sciences*. 359, 1442 (2004), 159-172.

[183]

Wilson, J.R.U. et al. 2009. Something in the Way You Move: Dispersal Pathways Affect Invasion Success. *Trends in Ecology & Evolution*. 24, 3 (2009), 136-144. <https://doi.org/10.1016/j.tree.2008.10.007>.

[184]

Wroe, S. and Field, J. 2006. A Review of the Evidence for a Human Role in the Extinction of Australian Megafauna and an Alternative Interpretation. *Quaternary Science Reviews*. 25, 21-22 (2006), 2692-2703. <https://doi.org/10.1016/j.quascirev.2006.03.005>.

[185]

Young, T.P. et al. 1997. Ants on Swollen-Thorn Acacias: Species Coexistence in a Simple System. *Oecologia*. 109, 1 (1997), 98-107.

[186]

Zachos, J. et al. 2001. Trends, Rhythms, and Aberrations in Global Climate 65 Ma to Present. *Science*. 292, 5517 (2001), 686-693.

[187]

Zimov, S.A. et al. 2006. Permafrost and the Global Carbon Budget. *Science*. 312, 5780 (2006), 1612-1613.

[188]

2009. Fire in the Earth System. (2009).

[189]

2004. Forests, Fires and Climate. (2004).

[190]

2014. Learning to Coexist With Wildfires. (2014).

[191]

2017. Paleo Records as a Guide for Ecosystem Management and Biodiversity Conservation. PAGES Magazine.

[192]

2010. The Burning Issue. (2010).