

# GG2043: Biogeography

View Online



---

[1]

C. B. Cox and P. D. Moore, *Biogeography: An Ecological and Evolutionary Approach*, 8th ed. Hoboken, NJ: Wiley, 2010.

[2]

R. J. Whittaker and J. M. Fernandez-Palacios, *Island Biogeography: Ecology, Evolution, and Conservation*, 2nd Edition. Oxford: Oxford University Press, 2007.

[3]

R. J. Whittaker and J. M. Fernandez-Palacios, *Island Biogeography: Ecology, Evolution, and Conservation*, 2nd Edition. Oxford: Oxford University Press, 2007. Available: <https://ebookcentral.proquest.com/lib/rhul/detail.action?docID=415455>

[4]

S. Balshine, 'Patterns of Parental Care in Vertebrates', in *The Evolution of Parental Care*, Oxford: Oxford University Press, 2012, pp. 62–80.

[5]

S. Balshine, 'Patterns of Parental Care in Vertebrates', in *The Evolution of Parental Care*, Oxford: Oxford University Press, 2012, pp. 62–80. doi: 10.1093/acprof:oso/9780199692576.003.0004

[6]

M. Begon, 'Extract', in *Ecology: Individuals, Populations and Communities*, 2nd Edition. Boston, Mass: Blackwell Scientific, 1990, pp. 166–173.

[7]

C. B. Cox and P. D. Moore, *Biogeography: An Ecological and Evolutionary Approach*, 8th ed. Hoboken, NJ: Wiley, 2010.

[8]

C. B. Cox and P. D. Moore, 'Patterns of Distribution', in *Biogeography: An Ecological and Evolutionary Approach*, 7th Edition. Malden, Mass: Blackwell, 2010, pp. 73–118. Available: <https://ebookcentral.proquest.com/lib/rhul/detail.action?docID=428084>

[9]

T. W. Crowther et al., 'Mapping Tree Density at a Global Scale', *Nature*, vol. 525, no. 7568, pp. 201–205, 2015, doi: 10.1038/nature14967

[10]

D. O. Fisher, C. R. Dickman, M. E. Jones, and S. P. Blomberg, 'Sperm Competition Drives the Evolution of Suicidal Reproduction in Mammals.', *Proceedings of the National Academy of Sciences*, vol. 110, no. 44, pp. 17910–17914, 2013, doi: 10.1073/pnas.1310691110. Available: <http://www.pnas.org/content/pnas/110/44/17910.full.pdf>

[11]

T. H. Fleming, 'Numbers of Mammal Species in North and Central American Forest Communities', *Ecology*, vol. 54, no. 3, pp. 555–563, 1973, Available: <https://www.jstor.org/stable/1935340>

[12]

J. M. Levine and D. J. Murrell, 'The Community-Level Consequences of Seed Dispersal Patterns', 2003. Available: <https://www.annualreviews.org/doi/pdf/10.1146/annurev.ecolsys.34.011802.132400>

[13]

R. F. McMahon, 'Evolutionary and Physiological Adaptations of Aquatic Invasive Animals: R Selection Versus Resistance', 2002. Available:  
<http://www.nrcresearchpress.com/doi/pdf/10.1139/f02-105>

[14]

N. Myers, R. A. Mittermeier, C. G. Mittermeier, G. A. B. da Fonseca, and J. Kent, 'Biodiversity Hotspots for Conservation Priorities', *Nature*, vol. 403, no. 6772, pp. 853–858, 2000, doi: 10.1038/35002501

[15]

C. Parmesan et al., 'Empirical Perspectives on Species Borders: From Traditional Biogeography to Global Change', *Oikos*, vol. 108, no. 1, pp. 58–75, 2005, Available:  
<https://www.jstor.org/stable/3548491>

[16]

S. L. Pimm, G. J. Russell, J. L. Gittleman, and T. M. Brooks, 'The Future of Biodiversity', *Science*, vol. 269, no. 5222, pp. 347–350, 1995, Available:  
<http://www.jstor.org/stable/2888268>

[17]

R. J. Putnam, 'The Geography of Animal Communities', in *Themes in Biogeography*, London: Croom Helm, 1984, pp. 163–190.

[18]

R. E. Ricklefs, 'Extract', in *Ecology*, 3rd Edition. New York: Freeman, 1990, pp. 560–580.

[19]

N. Stork and K. Gaston, 'Counting Species One by One', *NewScientist*, Aug. 1990, Available:  
<https://www.newscientist.com/article/mg12717294-100-counting-species-one-by-one-biologists-will-never-be-sure-that-they-have-found-and-named-every-last-species-on-earth-but-they-have-a-long-way-to-go-before-they-can-even-start-to-wonder/>

[20]

N. E. Stork, J. McBroom, C. Gely, and A. J. Hamilton, 'New Approaches Narrow Global Species Estimates for Beetles, Insects, and Terrestrial Arthropods', *Proceedings of the National Academy of Sciences*, vol. 112, no. 24, pp. 7519–7523, 2015, doi: 10.1073/pnas.1502408112

[21]

H. M. Wilbur and V. H. W. Rudolf, 'Life-History Evolution in Uncertain Environments: Bet Hedging in Time', *The American Naturalist*, vol. 168, no. 3, pp. 398–411, 2006, doi: 10.1086/506258

[22]

J. R. U. Wilson, E. E. Dormontt, P. J. Prentis, A. J. Lowe, and D. M. Richardson, 'Something in the Way You Move: Dispersal Pathways Affect Invasion Success', *Trends in Ecology & Evolution*, vol. 24, no. 3, pp. 136–144, 2009, doi: 10.1016/j.tree.2008.10.007

[23]

J. H. Brown, 'Mammals on Mountaintops: Nonequilibrium Insular Biogeography', *The American Naturalist*, vol. 105, no. Sep-Oct, pp. 467–478, 1971, Available: <https://www.jstor.org/stable/2459514>

[24]

C. B. Cox and P. D. Moore, 'Living in the Past', in *Biogeography: An Ecological and Evolutionary Approach*, 7th Edition. Malden, Mass: Blackwell, 2005, pp. 201–224.

[25]

C. B. Cox and P. D. Moore, *Biogeography: An Ecological and Evolutionary Approach*. Malden, Mass: Blackwell, 2005. Available: <http://ezproxy01.rhul.ac.uk/login?url=http://www.dawsonera.com/depp/reader/protected/external/AbstractView/S9781444311174>

[26]

D. Craw, C. P. Burridge, P. Upton, D. L. Rowe, and J. M. Waters, 'Evolution of Biological Dispersal Corridors Through a Tectonically Active Mountain Range in New Zealand', *Journal of Biogeography*, vol. 35, no. 10, pp. 1790–1802, 2008, doi: 10.1111/j.1365-2699.2008.01936.x

[27]

A. de Queiroz, 'The Resurrection of Oceanic Dispersal in Historical Biogeography', *Trends in Ecology & Evolution*, vol. 20, no. 2, pp. 68–73, 2005, doi: 10.1016/j.tree.2004.11.006

[28]

C. J. Douady, F. Catzeflis, J. Raman, M. S. Springer, and M. J. Stanhope, 'The Sahara as a Vicariant Agent, and the Role of Miocene Climatic Events, in the Diversification of the Mammalian Order Macroscelidea (Elephant Shrews)', *Proceedings of the National Academy of Sciences*, vol. 100, no. 14, pp. 8325–8330, 2003, doi: 10.1073/pnas.0832467100

[29]

E. C. Hellgren, D. P. Onorato, and J. R. Skiles, 'Dynamics of a Black Bear Population Within a Desert Metapopulation', *Biological Conservation*, vol. 122, no. 1, pp. 131–140, 2005, doi: 10.1016/j.biocon.2004.07.007

[30]

T. D. Herbert, K. T. Lawrence, A. Tzanova, L. C. Peterson, R. Caballero-Gill, and C. S. Kelly, 'Late Miocene Global Cooling and the Rise of Modern Ecosystems', *Nature Geoscience*, vol. 9, no. 11, pp. 843–847, 2016, doi: 10.1038/ngeo2813

[31]

C. M. Janis and P. B. Wilhelm, 'Were There Mammalian Pursuit Predators in the Tertiary? Dances With Wolf Avatars', *Journal of Mammalian Evolution*, vol. 1, no. 2, pp. 103–125, 1993, doi: 10.1007/BF01041590

[32]

Andrew. Z. Krug, D. Jablonski, and J. W. Valentine, 'Signature of the End-Cretaceous Mass Extinction in the Modern Biota', *Science*, vol. 323, no. 5915, pp. 767–771, 2009, doi: 10.1126/science.1164905

[33]

O. Miura, M. E. Torchin, and E. Bermingham, 'Molecular Phylogenetics Reveals Differential Divergence of Coastal Snails Separated by the Isthmus of Panama', *Molecular Phylogenetics and Evolution*, vol. 56, no. 1, pp. 40–48, 2010, doi: 10.1016/j.ympev.2010.04.012

[34]

R. Z. Poore, 'Paleoclimate Reconstruction: Pliocene Environments', in *Encyclopedia of Quaternary Science*, Amsterdam, Netherlands: Elsevier, 2007, pp. 1948–1958. Available: <https://www-sciencedirect-com.royalholloway.idm.oclc.org/referencework/9780444536426/encyclopedia-of-quaternary-science>

[35]

R. Z. Poore, 'Paleoclimate Reconstruction: Pliocene Environments', *Encyclopedia of Quaternary Science*, pp. 1948–1958, 2007, Available: <https://www-sciencedirect-com/referencework/9780444527479/encyclopedia-of-quaternary-science>

[36]

J. Zachos, M. Pagani, L. Sloan, E. Thomas, and K. Billups, 'Trends, Rhythms, and Aberrations in Global Climate 65 Ma to Present', *Science*, vol. 292, no. 5517, pp. 686–693, 2001, Available: <https://www.jstor.org/stable/3083539>

[37]

R. E. Bodmer, 'Responses of Ungulates to Seasonal Inundations in the Amazon Floodplain', *Journal of Tropical Ecology*, vol. 6, no. 2, pp. 191–201, 1990, Available: <https://www.jstor.org/stable/2559266>

[38]

W. J. Bond, J. A. Silander, J. Ranaivonasy, and J. Ratsirarson, 'The Antiquity of Madagascar's Grasslands and the Rise of C<sub>4</sub> Grassy Biomes', *Journal of Biogeography*, vol. 35, no. 10, pp. 1743–1758, 2008, Available: <https://www.jstor.org/stable/20143395>

[39]

T. B. A. Burghouts, E. J. F. Campbell, and P. J. Kolderman, 'Effects of Tree Species Heterogeneity on Leaf Fall in Primary and Logged Dipterocarp Forest in the Ulu Segama Forest Reserve, Sabah, Malaysia', *Journal of Tropical Ecology*, vol. 10, no. 1, pp. 1–26, 1994, Available: <https://www.jstor.org/stable/2559228>

[40]

T. E. Cerling, 'Development of Grasslands and Savannas in East Africa During the Neogene', *Palaeogeography, Palaeoclimatology, Palaeoecology*, vol. 97, no. 3, pp. 241–247, 1992, doi: 10.1016/0031-0182(92)90211-M

[41]

R. T. Corlett and R. B. Primack, 'Tropical Rainforests and the Need for Cross-Continental Comparisons', *Trends in Ecology & Evolution*, vol. 21, no. 2, pp. 104–110, 2006, doi: 10.1016/j.tree.2005.12.002

[42]

M. C. de Souza-Stevaux, R. R. B. Negrelle, and V. Citadini-Zanette, 'Seed Dispersal by the Fish *Pterodoras Granulosus* in the Parana River Basin, Brazil', *Journal of Tropical Ecology*, vol. 10, no. 4, pp. 621–626, 1994, Available: <https://www.jstor.org/stable/2559995>

[43]

A. Estrada and R. Coates-Estrada, 'Howler Monkeys (*Alouatta palliata*), Dung Beetles (Scarabaeidae) and Seed Dispersal: Ecological Interactions in the Tropical rain Forest of Los Tuxtlas, Mexico', *Journal of Tropical Ecology*, vol. 7, no. 4, pp. 459–474, 1991, Available: <https://www.jstor.org/stable/2559213>

[44]

P. A. Furley, 'The Nature and Diversity of Neotropical Savanna Vegetation With Particular Reference to the Brazilian Cerrados', *Global Ecology and Biogeography*, vol. 8, no. 3, pp. 223–241, 1999, Available: <https://www.jstor.org/stable/2997885>

[45]

C. M. Janis, 'Tertiary Mammal Evolution in the Context of Changing Climates, Vegetation, and Tectonic Events', *Annual Review of Ecology and Systematics*, vol. 24, pp. 467–500, 1993, Available: <https://www.jstor.org/stable/2097187>

[46]

C. Kemper and D. T. Bell, 'Small Mammals and Habitat Structure in Lowland Rain Forest of Peninsular Malaysia', *Journal of Tropical Ecology*, vol. 1, no. 1, pp. 5–22, 1985, Available: <https://www.jstor.org/stable/2559711>

[47]

D. J. Mabberley, *Tropical Rain Forest Ecology*, 2nd Edition. Glasgow: Blackie, 1992.

[48]

M. Ohsawa, P. H. J. Nainggolan, N. Tanaka, and C. Anwar, 'Altitudinal Zonation of Forest Vegetation on Mount Kerinci, Sumatra: With Comparisons to Zonation in the Temperate Region of East Asia', *Journal of Tropical Ecology*, vol. 1, no. 3, pp. 193–216, 1985, Available: <https://www.jstor.org/stable/2559239>

[49]

C. A. Peres, 'Structure and Spatial Organization of an Amazonian Terra Firme Forest Primate Community', *Journal of Tropical Ecology*, vol. 9, no. 3, pp. 259–276, 1993, Available: <https://www.jstor.org/stable/2559524>

[50]

J. A. Ratter, J. F. Ribeiro, and S. Bridgewater, 'The Brazilian Cerrado Vegetation and Threats to its Biodiversity', *Annals of Botany*, vol. 80, no. 3, pp. 223–230, 1997, doi: 10.1006/anbo.1997.0469

[51]

N. E. Stork, 'The Composition of the Arthropod Fauna of Bornean Lowland Rain Forest Trees', *Journal of Tropical Ecology*, vol. 7, no. 2, pp. 161–180, 1991, Available: <https://www.jstor.org/stable/2559565>

[52]

R. J. Williams, G. A. Duff, D. M. J. S. Bowman, and G. D. Cook, 'Variation in the Composition and Structure of Tropical Savannas as a Function of Rainfall and Soil Texture Along a Large-Scale Climatic Gradient in the Northern Territory, Australia', *Journal of Biogeography*, vol. 23, no. 6, pp. 747–756, 1996, Available: <https://www.jstor.org/stable/2846001>

[53]

C. B. Cox and P. D. Moore, *Biogeography: An Ecological and Evolutionary Approach*, 8th ed. Hoboken, NJ: Wiley, 2010.

[54]

C. B. Cox and P. D. Moore, *Biogeography: An Ecological and Evolutionary Approach*. Malden, Mass: Blackwell, 2005. Available: <http://ezproxy01.rhul.ac.uk/login?url=http://www.dawsonera.com/depp/reader/protected/external/AbstractView/S9781444311174>

[55]

T. W. Crowther, K. E. O. Todd-Brown, C. W. Rowe, and W. R. Wieder, 'Quantifying Global Soil Carbon Losses in Response to Warming', *Nature*, vol. 540, no. 7631, pp. 104–108, 2016, doi: 10.1038/nature20150

[56]

E. A. Davidson and P. B. Reich, 'Permafrost and Wetland Carbon Stocks [with Response]', *Science*, vol. 330, no. 6008, pp. 1176–1177, 2010, Available: <https://www.jstor.org/stable/40931502>

[57]

D. G. Froese, J. A. Westgate, A. V. Reyes, R. J. Enkin, and S. J. Preece, 'Ancient Permafrost and a Future, Warmer Arctic', *Science*, vol. 321, no. 5896, pp. 1648–1648, 2008, Available: <https://www.jstor.org/stable/20144836>

[58]

S. Gauthier, P. Bernier, T. Kuuluvainen, A. Z. Shvidenko, and D. G. Schepaschenko, 'Boreal

Forest Health and Global Change', *Science*, vol. 349, no. 6250, pp. 819–822, 2015, doi: 10.1126/science.aaa9092

[59]

C. J. Krebs, R. Boonstra, S. Boutin, and A. R. E. Sinclair, 'What Drives the 10-year Cycle of Snowshoe Hares?', *BioScience*, vol. 51, no. 1, pp. 25–35, 2001, doi: 10.1641/0006-3568(2001)051[0025:WDTYCO]2.0.CO;2

[60]

M. C. Mack et al., 'Carbon Loss From an Unprecedented Arctic Tundra Wildfire', *Nature*, vol. 475, no. 7357, pp. 489–492, 2011, doi: 10.1038/nature10283

[61]

C. Nolan et al., 'Past and Future Global Transformation of Terrestrial Ecosystems Under Climate Change', *Science*, vol. 361, no. 6405, pp. 920–923, 2018, doi: 10.1126/science.aan5360

[62]

J. T. Randerson et al., 'The Impact of Boreal Forest Fire on Climate Warming', *Science*, vol. 314, no. 5802, pp. 1130–1132, 2006, Available: <https://www.jstor.org/stable/20032836>

[63]

L. A. Viereck, 'Wildfire in the Taiga of Alaska.' Available: [https://ac.els-cdn.com/0033589473900094/1-s2.0-0033589473900094-main.pdf?\\_tid=12de7db0-d8a8-419b-bfab-44c70e2123fe&acdnat=1542816441\\_54ab8d16b990b204d092df40fb9d6384](https://ac.els-cdn.com/0033589473900094/1-s2.0-0033589473900094-main.pdf?_tid=12de7db0-d8a8-419b-bfab-44c70e2123fe&acdnat=1542816441_54ab8d16b990b204d092df40fb9d6384)

[64]

S. A. Zimov, E. A. G. Schuur, and F. S. Chapin, 'Permafrost and the Global Carbon Budget', *Science*, vol. 312, no. 5780, pp. 1612–1613, 2006, Available: <https://www.jstor.org/stable/3846485>

[65]

W. J. Bond, F. I. Woodward, and G. F. Midgley, 'The Global Distribution of Ecosystems in a World Without Fire', *New Phytologist*, vol. 165, no. 2, pp. 525–538, 2004, doi: 10.1111/j.1469-8137.2004.01252.x

[66]

'Fire in the Earth System', 2009, Available: <http://science.sciencemag.org/content/sci/324/5926/481.full.pdf>

[67]

D. G. Gavin et al., 'Forest Fire and Climate Change in Western North America: Insights From Sediment Charcoal Records', *Frontiers in Ecology and the Environment*, vol. 5, no. 9, pp. 499–506, 2007, doi: 10.1890/060161

[68]

'Learning to Coexist With Wildfires', 2014, Available: <https://www.nature.com/articles/nature13946.pdf>

[69]

'The Burning Issue', 2010, Available: <http://science.sciencemag.org/content/sci/330/6011/1636.full.pdf?sid=6b0eec35-1f9d-430c-a2b2-97f751525e96>

[70]

S. L. Stephens et al., 'Managing Forests and Fire in Changing Climates', *Science*, vol. 342, no. 6154, pp. 41–42, 2013, doi: 10.1126/science.1240294

[71]

'Forests, Fires and Climate', 2004, Available: <https://www.nature.com/articles/432028a.pdf>

[72]

L. F. Aguirre, A. Herrel, R. van Damme, and E. Matthysen, 'Ecomorphological Analysis of Trophic Niche Partitioning in a Tropical Savannah Bat Community', *Proceedings: Biological Sciences*, vol. 269, no. 1497, pp. 1271–1278, 2002, Available: <http://www.jstor.org/stable/3067902>

[73]

P. Colinvaux, 'Chapter 8 and Chapter 9', in *Ecology*, New York: Wiley, 1986.

[74]

J. H. Connell, 'The Influence of Interspecific Competition and Other Factors on the Distribution of the Barnacle *Chthamalus Stellatus*', *Ecology*, vol. 42, no. 4, pp. 710–723, 1961, Available: <http://www.jstor.org/stable/1933500>

[75]

C. B. Cox and P. D. Moore, *Biogeography: An Ecological and Evolutionary Approach*, 8th ed. Hoboken, NJ: Wiley, 2010.

[76]

J. E. Estes, N. S. Smith, and J. F. Palmisano, 'Sea Otter Predation and Community Organization in the Western Aleutian Islands, Alaska', *Ecology*, vol. 59, no. 4, pp. 822–833, 1978, Available: <http://www.jstor.org/stable/1938786>

[77]

J. A. Estes, M. T. Tinker, T. M. Williams, and D. F. Doak, 'Killer Whale Predation on Sea Otters Linking Oceanic and Nearshore Ecosystems', *Science*, vol. 282, no. 5388, pp. 473–476, 1998, Available: <http://www.jstor.org/stable/2897843>

[78]

M. J. Genner, G. F. Turner, and S. J. Hawkins, 'Foraging of Rocky Habitat Cichlid Fishes in Lake Malawi: Coexistence Through Niche Partitioning?', *Oecologia*, vol. 121, no. 2, pp. 283–292, 1999, Available: <http://www.jstor.org/stable/4222466>

[79]

M. J. Kauffman, J. F. Brodie, and E. S. Jules, 'Are Wolves Saving Yellowstone's Aspen? A Landscape-Level Test of a Behaviorally Mediated Trophic Cascade', *Ecology*, vol. 91, no. 9, pp. 2742–2755, 2010, Available: <http://www.jstor.org/stable/27860850>

[80]

J. H. L. Lawton and D. R. Strong, 'Community Patterns and Competition in Folivorous Insects', *The American Naturalist*, vol. 118, no. 3, pp. 317–338, 1981, Available: <http://www.jstor.org/stable/2460635>

[81]

R. H. MacArthur, 'Population Ecology of Some Warblers of Northeastern Coniferous Forests', *Ecology*, vol. 39, no. 4, pp. 599–619, 1958, Available: <http://www.jstor.org/stable/1931600>

[82]

R. T. Paine, 'Food Web Complexity and Species Diversity', *The American Naturalist*, vol. 100, no. 910, pp. 65–75, 1966, Available: <http://www.jstor.org/stable/2459379>

[83]

T. W. Schoener, 'The Anolis Lizards of Bimini: Resource Partitioning in a Complex Fauna', *Ecology*, vol. 49, no. 4, pp. 704–726, 1968, Available: <http://www.jstor.org/stable/1935534>

[84]

T. W. Schoener, 'Resource Partitioning in Ecological Communities', *Science*, vol. 185, no. 4145, pp. 27–39, 1974, Available: <http://www.jstor.org/stable/1738612>

[85]

M. van de Pol et al., 'Oystercatchers' Bill Shapes as a Proxy for Diet Specialization: More Differentiation Than Meets the Eye', *Ardea*, vol. 97, no. 3, pp. 335–347, 2009, doi:

10.5253/078.097.0309

[86]

T. P. Young, C. H. Stubblefield, and L. A. Isbell, 'Ants on Swollen-Thorn Acacias: Species Coexistence in a Simple System', *Oecologia*, vol. 109, no. 1, pp. 98–107, 1997, Available: <http://www.jstor.org/stable/4221497>

[87]

M. V. Abrahams, M. Pink, and C. Klassen, 'Predator Avoidance', in *Encyclopedia of Life Sciences*, Wiley Interscience, 2001. doi: 10.1002/9780470015902.a0003660

[88]

D. Blumenthal and D. Augustine, 'Plant Interactions with Herbivores', in *Encyclopedia of Life Sciences*, Wiley Interscience, 2001. doi: 10.1002/9780470015902.a0003203.pub2

[89]

S. Castellano and P. Cermelli, 'Preys' Exploitation of Predators' Fear: When the Caterpillar Plays the Gruffalo', *Proceedings of the Royal Society B: Biological Sciences*, vol. 282, no. 1820, 2015, doi: 10.1098/rspb.2015.1786

[90]

E. Curio, *The Ethology of Predation*, vol. Zoophysiology. Berlin: Springer, 1976.

[91]

A. Dobson, K. D. Lafferty, A. M. Kuris, R. F. Hechinger, and W. Jetz, 'Homage to Linnaeus: How Many Parasites? How Many Hosts?', *Proceedings of the National Academy of Sciences of the United States of America*, vol. 105, pp. 11482–11489, 2008, Available: <http://www.jstor.org/stable/25463367>

[92]

L. A. Dugatkin and J.-G. J. Godin, 'Prey Approaching Predators: A Cost-Benefit Perspective',

Annales Zoologici Fennici, vol. 29, no. 4, pp. 233–252, 1992, Available:  
<http://www.jstor.org/stable/23735625>

[93]

K. L. Prudic, 'Predation on Animals', in Encyclopedia of Life Sciences, Wiley Interscience, 2001. doi: 10.1002/9780470015902.a0003284

[94]

C. J. Krebs, R. Boonstra, S. Boutin, and A. R. E. Sinclair, 'What Drives the 10-year Cycle of Snowshoe Hares?', BioScience, vol. 51, no. 1, pp. 25–35, 2001, Available:  
[http://www.jstor.org/stable/10.1641/0006-3568\(2001\)051%5B0025:wdtyc0%5D2.0.co;2](http://www.jstor.org/stable/10.1641/0006-3568(2001)051%5B0025:wdtyc0%5D2.0.co;2)

[95]

C. L. Schardl and F. Chen, 'Plant Defences Against Herbivore Attack', in Encyclopedia of Life Sciences, Wiley Interscience, 2010. doi: 10.1002/9780470015902.a0001324.pub2

[96]

M. Stevens, 'Predator Perception and the Interrelation Between Different Forms of Protective Coloration', Proceedings: Biological Sciences, vol. 274, no. 1617, pp. 1457–1464, 2007, Available: <http://www.jstor.org/stable/25223955>

[97]

J. A. Vucetich, R. O. Peterson, and C. L. Schaefer, 'The Effect of Prey and Predator Densities on Wolf Predation', Ecology, vol. 83, no. 11, pp. 3003–3013, 2002, Available:  
<http://www.jstor.org/stable/3071837>

[98]

X. C. B. Cox and P. D. Moore, 'Communities and Ecosystems', in Biogeography: An Ecological and Evolutionary Approach, 7th Edition. Malden, Mass: Blackwell, 2005, pp. 119–142.

[99]

C. B. Cox and P. D. Moore, *Biogeography: An Ecological and Evolutionary Approach*. Malden, Mass: Blackwell, 2005. Available: <http://ezproxy01.rhul.ac.uk/login?url=http://www.dawsonera.com/depp/reader/protected/external/AbstractView/S9781444311174>

[100]

M. Eloy de Amorim, T. W. Schoener, G. R. C. C. Santoro, A. C. R. Lins, J. Piovita-Scott, and R. A. Brandão, 'Lizards on Newly Created Islands Independently and Rapidly Adapt in Morphology and Diet', *Proceedings of the National Academy of Sciences*, vol. 114, no. 33, pp. 8812–8816, 2017, doi: 10.1073/pnas.1709080114

[101]

J.-G. J. Godin and H. E. McDonough, 'Predator Preference for Brightly Colored Males in the Guppy: A Viability Cost for a Sexually Selected Trait', *Behavioral Ecology*, vol. 14, no. 2, pp. 194–200, 2003, doi: 10.1093/beheco/14.2.194

[102]

P. R. Grant and P. T. Boag, 'Rainfall on the Galápagos and the Demography of Darwin's Finches', *The Auk*, vol. 97, no. 2, pp. 227–244, 1980, Available: <https://www.jstor.org/stable/4085698>

[103]

R. J. Howlett and M. E. N. Majerus, 'The Understanding of Industrial Melanism in the Peppered Moth (*Biston Betularia*) (Lepidoptera: Geometridae)', *Biological Journal of the Linnean Society*, vol. 30, no. 1, pp. 31–44, 1987.

[104]

D. B. Wake and K. P. Yaney, 'Geographic Variation in Allozymes in a "Ring Species," the Plethodontid Salamander *Ensatina eschscholtzii* of Western North America', *Evolution*, vol. 40, no. 4, pp. 702–715, 1986, doi: 10.2307/2408457

[105]

J. A. Alcover, A. Sans, and M. Palmer, 'The Extent of Extinctions of Mammals on Islands', *Journal of Biogeography*, vol. 25, no. 5, pp. 913–918, 1998, Available: <https://www.jstor.org/stable/2846256>

[106]

A. J. Baker, L. J. Huynen, O. Haddrath, C. D. Millar, D. M. Lambert, and S. Pääbo, 'Reconstructing the Tempo and Mode of Evolution in an Extinct Clade of Birds with Ancient DNA: The Giant Moas of New Zealand', *Proceedings of the National Academy of Sciences of the United States of America*, vol. 102, no. 23, pp. 8257–8262, 2005, Available: <https://www.jstor.org/stable/3375826>

[107]

M. Bunce et al., 'Ancient DNA Provides New Insights Into the Evolutionary History of New Zealand's Extinct Giant Eagle', *PLoS Biology*, vol. 3, no. 1, 2005, doi: 10.1371/journal.pbio.0030009. Available: [https://pure.royalholloway.ac.uk/portal/en/publications/ancient-dna-provides-new-insights-into-the-evolutionary-history-of-new-zealands-extinct-giant-eagle\(3f56e2bd-f4c1-4db0-9918-675c76e0fdab\).html](https://pure.royalholloway.ac.uk/portal/en/publications/ancient-dna-provides-new-insights-into-the-evolutionary-history-of-new-zealands-extinct-giant-eagle(3f56e2bd-f4c1-4db0-9918-675c76e0fdab).html)

[108]

M. Clauss et al., 'The Maximum Attainable Body Size of Herbivorous Mammals: Morphophysiological Constraints on Foregut, and Adaptations of Hindgut Fermenters', *Oecologia*, vol. 136, no. 1, pp. 14–27, 2003, Available: <https://www.jstor.org/stable/4223640>

[109]

F. Courchamp, B. D. Hoffmann, J. C. Russell, C. Leclerc, and C. Bellard, 'Climate Change, Sea-Level Rise, and Conservation: Keeping Island Biodiversity Afloat', *Trends in Ecology & Evolution*, vol. 29, no. 3, pp. 127–130, 2014, doi: 10.1016/j.tree.2014.01.001

[110]

C. B. Cox and P. D. Moore, *Biogeography: An Ecological and Evolutionary Approach*, 8th ed. Hoboken, NJ: Wiley, 2010.

[111]

J. M. Diamond, 'The Island Dilemma: Lessons of Modern Biogeographic Studies for the Design of Natural Reserves', *Biological Conservation*, vol. 7, no. 2, pp. 129–146, 1975, doi: 10.1016/0006-3207(75)90052-X

[112]

J. M. Diamond and E. Mayr, 'Species-Area Relation for Birds of the Solomon Archipelago', *Proceedings of the National Academy of Sciences of the United States of America*, vol. 73, no. 1, pp. 262–266, 1976, Available: <https://www.jstor.org/stable/65082>

[113]

L. R. Heaney, 'Guest Editorial: Is a New Paradigm Emerging for Oceanic Island Biogeography?', *Journal of Biogeography*, vol. 34, no. 5, pp. 753–757, 2007, Available: <https://www.jstor.org/stable/4640550>

[114]

S. A. Hocknull, P. J. Piper, G. D. van den Bergh, R. A. Due, M. J. Morwood, and I. Kurniawan, 'Dragon's Paradise Lost: Palaeobiogeography, Evolution and Extinction of the Largest-Ever Terrestrial Lizards (Varanidae)', *PLoS ONE*, vol. 4, no. 9, 2009, doi: 10.1371/journal.pone.0007241

[115]

W. F. Laurance, T. E. Lovejoy, H. L. Vasconcelos, and E. M. Bruna, 'Ecosystem Decay of Amazonian Forest Fragments: A 22-Year Investigation', *Conservation Biology*, vol. 16, no. 3, pp. 605–618, 2002, Available: <https://www.jstor.org/stable/3061207>

[116]

V. Millien-Parra and J.-J. Jaeger, 'Island Biogeography of the Japanese Terrestrial Mammal Assemblages: An Example of a Relict Fauna', *Journal of Biogeography*, vol. 26, no. 5, pp. 959–972, 1999, Available: <https://www.jstor.org/stable/2656237>

[117]

M. J. Morwood et al., 'Archaeology and Age of a New Hominin From Flores in Eastern Indonesia', *Nature*, vol. 431, no. 7012, pp. 1087–1091, 2004, doi: 10.1038/nature02956

[118]

M. R. Palombo, 'How Can Endemic Proboscideans Help Us Understand the "Island Rule"? a Case Study of Mediterranean Islands', *Quaternary International*, vol. 169–170, no. July, pp. 105–124, 2007, doi: 10.1016/j.quaint.2006.11.002

[119]

M. R. Palombo and R. Rozzi, 'Vertebrate Studies | Dwarfing and Gigantism in Quaternary Vertebrates', in *Encyclopedia of Quaternary Science*, S. A. Elias and C. J. Mock, Eds, 2nd Edition. Amsterdam: Elsevier, 2013, pp. 733–747. doi: 10.1016/B978-0-444-53643-3.00257-0

[120]

D. Quammen, *The Song of the Dodo: Island Biogeography in an Age of Extinctions*. London: Pimlico, 1997.

[121]

D. Simberloff, 'Species Turnover and Equilibrium Island Biogeography', *Science*, vol. 194, no. 4265, pp. 572–278, 1976, Available: <https://www.jstor.org/stable/1742997>

[122]

D. W. Steadman, 'Prehistoric Extinctions of Pacific Island Birds: Biodiversity Meets Zooarchaeology', *Science*, vol. 267, no. 5201, pp. 1123–1131, 1995, Available: <https://www.jstor.org/stable/2886080>

[123]

R. J. Whittaker, K. A. Triantis, and R. J. Ladle, 'A General Dynamic Theory of Oceanic Island Biogeography', *Journal of Biogeography*, vol. 35, no. 6, pp. 977–994, 2008, Available: <https://www.jstor.org/stable/20143319>

[124]

A. Arribas and P. Palmqvist, 'On the Ecological Connection Between Sabre-tooths and

Hominids: Faunal Dispersal Events in the Lower Pleistocene and a Review of the Evidence for the First Human Arrival in Europe', *Journal of Archaeological Science*, vol. 26, no. 5, pp. 571–585, 1999, doi: 10.1006/jasc.1998.0346

[125]

R. A. Baquero and J. L. Tellería, 'Species Richness, Rarity and Endemicity of European Mammals: A Biogeographical Approach', *Biodiversity and Conservation*, vol. 10, no. 1, pp. 29–44, 2001, doi: 10.1023/A:1016698921404

[126]

R. A. Baquero and J. L. Tellería, 'Exceptional Record of Mid-Pleistocene Vertebrates Helps Differentiate Climatic From Anthropogenic Ecosystem Perturbations'. Available: <http://www.pnas.org/content/pnas/101/25/9297.full.pdf>

[127]

G. G. Boeskorov et al., 'Woolly Rhino Discovery in the Lower Kolyma River', *Quaternary Science Reviews*, vol. 30, no. 17–18, pp. 2262–2272, 2011, doi: 10.1016/j.quascirev.2011.02.010

[128]

S. Brace et al., 'Serial Population Extinctions in a Small Mammal Indicate Late Pleistocene Ecosystem Instability', *Proceedings of the National Academy of Sciences of the United States of America*, vol. 109, no. 50, pp. 20532–20536, 2012, Available: <https://www.jstor.org/stable/41830560>

[129]

A. P. Currant and R. Jacobi, 'The Mammal Faunas of the British Late Pleistocene', in *The Ancient Human Occupation of Britain*, Amsterdam: Elsevier, 2010, pp. 165–180.

[130]

R. W. Graham, E. L. Lundelius, M. A. Graham, and E. K. Schroeder, 'Spatial Response of Mammals to Late Quaternary Environmental Fluctuations', *Science*, vol. 272, no. 5268, pp. 1601–1606, 1996, Available: <https://www.jstor.org/stable/2890666>

[131]

D. K. Grayson, 'The Late Quaternary Biogeographic Histories of Some Great Basin Mammals (Western USA)', *Quaternary Science Reviews*, vol. 25, no. 21–22, pp. 2964–2991, 2006, doi: 10.1016/j.quascirev.2006.03.004

[132]

D. K. Grayson, 'The Late Quaternary Biogeographic Histories of Some Great Basin Mammals (Western Usa)', *Quaternary Science Reviews*, vol. 25, no. 21–22, pp. 2964–2991, 2006, doi: 10.1016/j.quascirev.2006.03.004

[133]

G. Hewitt, 'The Genetic Legacy of the Quaternary Ice Ages', *Nature*, vol. 405, no. 6789, pp. 907–913, 2000, doi: 10.1038/35016000

[134]

E. P. Lessa, J. A. Cook, and J. L. Patton, 'Genetic Footprints of Demographic Expansion in North America, but Not Amazonia, During the Late Quaternary', *Proceedings of the National Academy of Sciences of the United States of America*, vol. 100, no. 18, pp. 10331–10334, 2003, Available: <https://www.jstor.org/stable/3147716>

[135]

A. M. Lister, 'The Impact of Quaternary Ice Ages on Mammalian Evolution', *Philosophical Transactions: Biological Sciences*, vol. 359, no. 1442, pp. 221–241, 2004, Available: <https://www.jstor.org/stable/4142175>

[136]

S. Meiri and T. Dayan, 'On the Validity of Bergmann's Rule', *Journal of Biogeography*, vol. 30, no. 3, pp. 331–351, 2003, doi: 10.1046/j.1365-2699.2003.00837.x

[137]

M. S. Ritz et al., 'Phylogeography of the Southern Skua Complex—rapid Colonization of the

Southern Hemisphere During a Glacial Period and Reticulate Evolution', *Molecular Phylogenetics and Evolution*, vol. 49, no. 1, pp. 292–303, 2008, doi: 10.1016/j.ympev.2008.07.014

[138]

W. A. Rodgers, C. F. Owen, and K. M. Homewood, 'Biogeography of East African Forest Mammals', *Journal of Biogeography*, vol. 9, no. 1, pp. 41–54, 1982, doi: 10.2307/2844729

[139]

D. C. Schreve, 'Differentiation of the British Late Middle Pleistocene Interglacials: The Evidence From Mammalian Biostratigraphy', *Quaternary Science Reviews*, vol. 20, no. 16–17, pp. 1693–1705, 2001, doi: 10.1016/S0277-3791(01)00033-6

[140]

J. R. Stewart, 'The Ecology and Adaptation of Neanderthals During the Non-Analogue Environment of Oxygen Isotope Stage 3', *Quaternary International*, vol. 137, no. 1, pp. 35–46, 2005, doi: 10.1016/j.quaint.2004.11.018

[141]

G. D. van den Bergh, J. de Vos, and P. Y. Sondaar, 'The Late Quaternary Palaeogeography of Mammal Evolution in the Indonesian Archipelago', *Palaeogeography, Palaeoclimatology, Palaeoecology*, vol. 171, no. 3–4, pp. 385–408, 2001, doi: 10.1016/S0031-0182(01)00255-3

[142]

K. D. Bennett, 'Continuing the Debate on the Role of Quaternary Environmental Change for Macroevolution', *Philosophical Transactions: Biological Sciences*, vol. 359, no. 1442, pp. 295–303, 2004, Available: <https://www.jstor.org/stable/4142181>

[143]

L. B. Brubaker, P. M. Anderson, M. E. Edwards, and A. V. Lozhkin, 'Beringia as a Glacial Refugium for Boreal Trees and Shrubs: New Perspectives from Mapped Pollen Data', *Journal of Biogeography*, vol. 32, no. 5, pp. 833–848, 2005, Available:

<https://www.jstor.org/stable/3566272>

[144]

R. H. J. Erkens, L. W. Chatrou, J. W. Maas, T. van der Niet, and V. Savolainen, 'A Rapid Diversification of Rainforest Trees (Guatteria; Annonaceae) Following Dispersal From Central Into South America', *Molecular Phylogenetics and Evolution*, vol. 44, no. 1, pp. 399–411, 2007, doi: 10.1016/j.ympev.2007.02.017

[145]

H. Hooghiemstra and J. C. Berrio, 'Pollen Records, Late Pleistocene | South America', in *Encyclopedia of Quaternary Science*, S. A. Elias and C. J. Mock, Eds, 2nd Edition. Amsterdam: Elsevier, 2013, pp. 52–62. doi: 10.1016/B978-0-444-53643-3.00188-6

[146]

B. Huntley, 'How Plants Respond to Climate Change: Migration Rates, Individualism and the Consequences for Plant Communities', *Annals of Botany*, vol. 67, no. supp1, pp. 15–22, 1991, doi: 10.1093/oxfordjournals.aob.a088205

[147]

R. T. Pennington and C. W. Dick, 'The Role of Immigrants in the Assembly of the South American Rainforest Tree Flora', *Philosophical Transactions: Biological Sciences*, vol. 359, no. 1450, pp. 1611–1622, 2004, Available: <https://www.jstor.org/stable/4142305>

[148]

C. Tzedakis, 'Pollen Records, Last Interglacial of Europe', in *Encyclopedia of Quaternary Science*, S. A. Elias and C. J. Mock, Eds, 2nd Edition. Amsterdam: Elsevier, 2013, pp. 1–8. doi: 10.1016/B978-0-444-53643-3.00183-7

[149]

R. S. Thompson, 'Pollen Records, Late Pleistocene | Western North America', in *Encyclopedia of Quaternary Science*, S. A. Elias and C. J. Mock, Eds, 2nd Edition. Amsterdam: Elsevier, 2013, pp. 72–83. doi: 10.1016/B978-0-444-53643-3.00190-4

[150]

K. J. Willis and K. J. Niklas, 'The Role of Quaternary Environmental Change in Plant Macroevolution: The Exception or the Rule?', *Philosophical Transactions: Biological Sciences*, vol. 359, no. 1442, pp. 159–172, 2004, Available: <https://www.jstor.org/stable/4142169>

[151]

M. L. Aguirre, S. Richiano, and Y. Negro Sirch, 'Palaeoenvironments and Palaeoclimates of the Quaternary Molluscan Faunas From the Coastal Area of Bahía Vera-Camarones (Chubut, Patagonia)', *Palaeogeography, Palaeoclimatology, Palaeoecology*, vol. 229, no. 4, pp. 251–286, 2006, doi: 10.1016/j.palaeo.2005.06.025

[152]

N. Limondin-Lozouet and R. C. Preece, 'Molluscan Successions From the Holocene Tufa of St Germain-Le-Vasson, Normandy(France) and Their Biogeographical Significance', *Journal of Quaternary Science*, vol. 19, no. 1, pp. 55–71, 2004, doi: 10.1002/jqs.812

[153]

T. Meijer and R. C. Preece, 'Malacological Evidence Relating to the Insularity of the British Isles During the Quaternary', in *Island Britain: A Quaternary perspective*, London: Geological Society, 1995, pp. 89–110.

[154]

T. Meijer and R. C. Preece, 'A Review of the Occurrence of *Corbicula* in the Pleistocene of North-West Europe', *Netherlands Journal of Geosciences*, vol. 79, no. 2–3, pp. 241–255, 2000, doi: 10.1017/S0016774600021739

[155]

R. A. Meyrick and R. C. Preece, 'Molluscan Successions from Two Holocene Tufas Near Northampton, English Midlands', *Journal of Biogeography*, vol. 28, no. 1, pp. 77–93, 2001, Available: <https://www.jstor.org/stable/2656162>

[156]

T. M. Quinn and B. R. Schöne, 'Paleoceanography, Biological Proxies | Corals, Sclerosponges and Mollusks', in *Encyclopedia of Quaternary Science*, S. A. Elias and C. J. Mock, Eds, 2nd Edition. Amsterdam: Elsevier, 2013, pp. 795–799. doi: 10.1016/B978-0-444-53643-3.00282-X

[157]

D.-D. Rousseau, J.-J. Puisségur, and F. Lécalle, 'West-European Terrestrial Molluscs Assemblages of Isotopic Stage 11 (Middle Pleistocene): Climatic Implications', *Palaeogeography, Palaeoclimatology, Palaeoecology*, vol. 92, no. 1–2, pp. 15–29, 1992, doi: 10.1016/0031-0182(92)90132-O

[158]

A. Balbo, M. Madella, I. B. Godino, and M. Álvarez, 'Shell Midden Research: An Interdisciplinary Agenda for the Quaternary and Social Sciences', *Quaternary International*, vol. 239, no. 1–2, pp. 147–152, 2011, doi: 10.1016/j.quaint.2011.03.032

[159]

W. Alvarez, E. G. Kauffman, F. Surlyk, L. W. Alvarez, F. Asaro, and H. V. Michel, 'Impact Theory of Mass Extinctions and the Invertebrate Fossil Record', *Science*, vol. 223, no. 4641, pp. 1135–1141, 1984, doi: 10.1126/science.223.4641.1135

[160]

S. A. Elias and D. C. Schreve, 'Vertebrate Records | Late Pleistocene Megafaunal Extinctions', in *Encyclopedia of Quaternary Science*, S. A. Elias and C. J. Mock, Eds, 2nd Edition. Amsterdam: Elsevier, 2013, pp. 700–712. doi: 10.1016/B978-0-444-53643-3.00245-4

[161]

D. K. Grayson and D. J. Meltzer, 'A Requiem for North American Overkill', *Journal of Archaeological Science*, vol. 30, no. 5, pp. 585–593, 2003, doi: 10.1016/S0305-4403(02)00205-4

[162]

A. M. Lister and A. J. Stuart, 'The Impact of Climate Change on Large Mammal Distribution and Extinction: Evidence From the Last Glacial/interglacial Transition', *Comptes Rendus Geoscience*, vol. 340, no. 9–10, pp. 615–620, 2008, doi: 10.1016/j.crte.2008.04.001

[163]

D. M. McLean, 'Deccan Traps Mantle Degassing in the Terminal Cretaceous Marine Extinctions', *Cretaceous Research*, vol. 6, no. 3, pp. 235–259, 1985, doi: 10.1016/0195-6671(85)90048-5

[164]

G. H. Miller et al., 'Pleistocene Extinction of *Genyornis Newtoni*: Human Impact on Australian Megafauna', *Science*, vol. 283, no. 5399, pp. 205–208, 1999, Available: <https://www.jstor.org/stable/2897399>

[165]

S. L. Pimm and P. Raven, 'Extinction by Numbers', *Nature*, vol. 403, no. 6772, pp. 843–845, 2000, doi: 10.1038/35002708

[166]

R. B. Primack, *Essentials of Conservation Biology*, 6th Edition. Sunderland, Massachusetts: Sinauer Associates, Inc., Publishers, 2014.

[167]

R. G. Roberts et al., 'New Ages for the Last Australian Megafauna: Continent-Wide Extinction about 46,000 Years Ago', *Science*, vol. 292, no. 5523, pp. 1888–1892, 2001, Available: <https://www.jstor.org/stable/3083929>

[168]

S. Sahney and M. J. Benton, 'Recovery from the Most Profound Mass Extinction of All Time', *Proceedings: Biological Sciences*, vol. 275, no. 1636, pp. 759–765, 2008, Available: <https://www.jstor.org/stable/25249572>

[169]

S. Wroe and J. Field, 'A Review of the Evidence for a Human Role in the Extinction of Australian Megafauna and an Alternative Interpretation', *Quaternary Science Reviews*, vol. 25, no. 21-22, pp. 2692-2703, 2006, doi: 10.1016/j.quascirev.2006.03.005

[170]

B. J. Baker, G. J. Armelagos, M. J. Becker, and D. Brothwell, 'The Origin and Antiquity of Syphilis: Paleopathological Diagnosis and Interpretation [and Comments and Reply]', *Current Anthropology*, vol. 29, no. 5, pp. 703-737, 1988, Available: <https://www.jstor.org/stable/2743609>

[171]

M. C. de Castro and B. H. Singer, 'Was Malaria Present in the Amazon Before the European Conquest? Available Evidence and Future Research Agenda', *Journal of Archaeological Science*, vol. 32, no. 3, pp. 337-340, 2005, doi: 10.1016/j.jas.2004.10.004

[172]

S. Cleaveland, M. K. Laurenson, and L. H. Taylor, 'Diseases of Humans and Their Domestic Mammals: Pathogen Characteristics, Host Range and the Risk of Emergence', *Philosophical Transactions: Biological Sciences*, vol. 356, no. 1411, pp. 991-999, 2001, Available: <https://www.jstor.org/stable/3066690>

[173]

M. A. Girling and J. Greig, 'A First Fossil Record for *Scolytus Scolytus* (f.) (Elm Bark Beetle): Its Occurrence in Elm Decline Deposits From London and the Implications for Neolithic Elm Disease', *Journal of Archaeological Science*, vol. 12, no. 5, pp. 347-351, 1985, doi: 10.1016/0305-4403(85)90063-9

[174]

C. D. Harvell, C. E. Mitchell, J. R. Ward, and S. Altizer, 'Climate Warming and Disease Risks for Terrestrial and Marine Biota', *Science*, vol. 296, no. 5576, pp. 2158-2162, 2002, Available: <https://www.jstor.org/stable/3077097>

[175]

S. Kathleen Lyons, F. A. Smith, P. J. Wagner, E. P. White, and J. H. Brown, 'Was a "Hyperdisease" Responsible for the Late Pleistocene Megafaunal Extinction?', *Ecology Letters*, vol. 7, no. 9, pp. 859–868, 2004, doi: 10.1111/j.1461-0248.2004.00643.x

[176]

J. A. Patz and S. H. Olson, 'Climate Change and Health: Global to Local Influences on Disease Risk', *Annals of Tropical Medicine & Parasitology*, vol. 100, no. 5–6, pp. 535–549, 2006.

[177]

A. Santini et al., 'Biogeographical Patterns and Determinants of Invasion by Forest Pathogens in Europe', *The New Phytologist*, vol. 197, no. 1, pp. 238–250, 2013, Available: <https://www.jstor.org/stable/newphytologist.197.1.238>

[178]

P. C. Buckland and Jon. P. Sadler, 'A Biogeography of the Human Flea, *Pulex irritans* L. (Siphonaptera: Pulicidae)', *Journal of Biogeography*, vol. 16, no. 2, pp. 115–120, 1989, Available: <http://www.jstor.org/stable/2845085>

[179]

G. Russell Coope, 'Insect Faunas Associated with Palaeolithic Industries from Five Sites of Pre-Anglian Age in Central England', *Quaternary Science Reviews*, vol. 25, no. 15–16, pp. 1738–1754, 2006, doi: 10.1016/j.quascirev.2006.01.015

[180]

G. R. Coope, 'Coleopteran Faunas as Indicators of Interglacial Climates in Central and Southern England', *Quaternary Science Reviews*, vol. 29, no. 13–14, pp. 1507–1514, 2010, doi: 10.1016/j.quascirev.2009.12.017

[181]

S. A. Elias, 'Late Quaternary Zoogeography of the Chihuahuan Desert Insect Fauna, Based on Fossil Records from Packrat Middens', *Journal of Biogeography*, vol. 19, no. 3, pp. 285–297, 1992, Available: <http://www.jstor.org/stable/2845452>

[182]

S. A. Elias, 'Insect Zoogeography in the Quaternary', in *Advances in Quaternary Entomology*, Amsterdam: Elsevier, 2010, pp. 79–87.

[183]

S. A. Elias, 'Insect Zoogeography in the Quaternary', in *Advances in Quaternary Entomology*, Amsterdam: Elsevier, 2009, pp. 79–87. Available:  
<https://ebookcentral.proquest.com/lib/rhul/detail.action?docID=472897>

[184]

S. A. Elias, D. Berman, and A. Alfimov, 'Late Pleistocene Beetle Faunas of Beringia: Where East Met West', *Journal of Biogeography*, vol. 27, no. 6, pp. 1349–1363, 2000, Available:  
<http://www.jstor.org/stable/2656082>

[185]

S. A. Elias and B. Crocker, 'The Bering Land Bridge: A Moisture Barrier to the Dispersal of Steppe–Tundra Biota?', *Quaternary Science Reviews*, vol. 27, no. 27–28, pp. 2473–2483, 2008, doi: 10.1016/j.quascirev.2008.09.011

[186]

'Paleo Records as a Guide for Ecosystem Management and Biodiversity Conservation'. *PAGES Magazine*, 2017. Available:  
[http://www.pastglobalchanges.org/download/docs/magazine/2017-2/PAGESmagazine\\_2017%282%29\\_78-79.pdf](http://www.pastglobalchanges.org/download/docs/magazine/2017-2/PAGESmagazine_2017%282%29_78-79.pdf)

[187]

S. T. Jackson and R. J. Hobbs, 'Ecological Restoration in the Light of Ecological History', *Science*, vol. 325, no. 5940, pp. 567–569, 2009, Available:  
<https://www.jstor.org/stable/20544198>

[188]

M. Hanewinkel, D. A. Cullmann, M.-J. Schelhaas, G.-J. Nabuurs, and N. E. Zimmermann, 'Climate Change May Cause Severe Loss in the Economic Value of European Forest Land', *Nature Climate Change*, vol. 3, no. 3, pp. 203–207, 2013.

[189]

P. J. Seddon, C. J. Griffiths, P. S. Soorae, and D. P. Armstrong, 'Reversing Defaunation: Restoring Species in a Changing World', *Science*, vol. 345, no. 6195, pp. 406–412, 2014, doi: 10.1126/science.1251818

[190]

K. J. Willis and H. J. B. Birks, 'What Is Natural? The Need for a Long-Term Perspective in Biodiversity Conservation', *Science*, vol. 314, no. 5803, pp. 1261–1265, 2006, Available: <https://www.jstor.org/stable/20032878>

[191]

K. J. Willis, R. M. Bailey, S. A. Bhagwat, and H. J. B. Birks, 'Biodiversity Baselines, Thresholds and Resilience: Testing Predictions and Assumptions Using Palaeoecological Data', *Trends in Ecology & Evolution*, vol. 25, no. 10, pp. 583–591, 2010, doi: 10.1016/j.tree.2010.07.006

[192]

C. Whitlock, D. Colombaroli, M. Conedera, and W. Tinner, 'Land-Use History as a Guide for Forest Conservation and Management', *Conservation Biology*, vol. 32, no. 1, pp. 84–97, 2018, doi: 10.1111/cobi.12960