

# BS2090: Insects, Plants And Fungi: Ecology And Applications

[View Online](#)

Anderson, K.E. et al. (2013) 'Microbial Ecology of the Hive and Pollination Landscape: Bacterial Associates from Floral Nectar, the Alimentary Tract and Stored Food of Honey Bees (*Apis mellifera*)', PLoS ONE, 8(12). Available at: <https://doi.org/10.1371/journal.pone.0083125>.

Appel, H.M. and Cocroft, R.B. (2014) 'Plants Respond to Leaf Vibrations Caused by Insect Herbivore Chewing', Oecologia, 175(4), pp. 1257–1266. Available at: <https://www.jstor.org/stable/24037106>.

Attenborough, D. (2007) 'Wild Orchid Wasp Mimic - David Attenborough | YouTube'. BBC Studios. Available at: <https://www.youtube.com/watch?v=-h8I3cqpgnA&amp;playnext=1&amp;list=PL578C5AA6825008F0>.

Ayres, M.P. et al. (1997) 'Diversity of Structure and Antiherbivore Activity in Condensed Tannins', Ecology, 78(6), pp. 1696–1712. Available at: <https://doi.org/10.2307/2266094>.

Baldwin, J.T. and Schultz, J.C. (1983) 'Rapid Changes in Tree Leaf Chemistry Induced by Damage: Evidence for Communication between Plants', Science, 221(4607), pp. 277–279. Available at: <https://www.jstor.org/stable/1691120>.

Barkham, P. (2014) 'Wall Brown Butterfly "May Be a Victim of Climate Change"', The Guardian [Preprint]. Available at: <https://www.theguardian.com/environment/2014/dec/24/wall-brown-butterfly-may-be-a-victim-of-climate-change>.

Barto, E.K. and Rillig, M.C. (2010) 'Does Herbivory Really Suppress Mycorrhiza? a Meta-Analysis', Journal of Ecology, 98(4), pp. 745–753. Available at: <https://www.jstor.org/stable/40732002>.

Bearchell, S.J. et al. (2005) 'Wheat Archive Links Long-Term Fungal Pathogen Population Dynamics to Air Pollution', Proceedings of the National Academy of Sciences, 102(15), pp. 5438–5442. Available at: <https://doi.org/10.1073/pnas.0501596102>.

Bebber, D.P., Ramotowski, M.A.T. and Gurr, S.J. (2013) 'Crop Pests and Pathogens Move Polewards in a Warming World', Nature Climate Change, 3(11), pp. 985–988. Available at: <https://doi.org/10.1038/nclimate1990>.

Bevan, R.J. and Greenhalgh, G.N. (1976) 'Rhytisma Acerinum as a Biological Indicator of Pollution', Environmental Pollution (1970), 10(4), pp. 271–285. Available at:

[https://doi.org/10.1016/0013-9327\(76\)90009-4.](https://doi.org/10.1016/0013-9327(76)90009-4)

Brown, V.K. and Gange, A.C. (1989) 'Differential Effects of Above- and Below-Ground Insect Herbivory During Early Plant Succession', *Oikos*, 54(1), pp. 67-76. Available at: <https://doi.org/10.2307/3565898>.

Bultman, T.L. and Faeth, S.H. (1986) 'Effect of Within-Leaf Density and Leaf Size on Pupal Weight of a Leaf-Miner, *Cameraria* (Lepidoptera: Gracillariidae)', *The Southwestern Naturalist*, 31(2), pp. 201-206. Available at: <https://doi.org/10.2307/3670560>.

Chalara Dieback of Ash - Tree Pests and Diseases | GOV.UK (no date). Available at: <http://www.forestry.gov.uk/chalara>.

Clay, K. and Holah, J. (1999) 'Fungal Endophyte Symbiosis and Plant Diversity in Successional Fields', *Science*, 285(5434), pp. 1742-1744. Available at: <https://doi.org/10.1126/science.285.5434.1742>.

Couture, J.J. et al. (2015) 'Insect Herbivory Alters Impact of Atmospheric Change on Northern Temperate Forests', *Nature Plants*, 1(3). Available at: <https://doi.org/10.1038/nplants.2015.16>.

Dolch, R. and Tscharntke, T. (2000) 'Defoliation of Alders (*Alnus glutinosa*) Affects Herbivory by Leaf Beetles on Undamaged Neighbours', *Oecologia*, 125(4), pp. 504-511. Available at: <https://www.jstor.org/stable/4222803>.

Douglas, A. (2005) 'Bugs Within Bugs: Symbiotic Bacteria in Garden Insects', *Microbiology Today*, 32(2), pp. 76-79. Available at: <https://microbiologysociety.org/publication/past-issues/microbes-in-the-garden.html>.

Edwards-Jones, G. and Brown, V.K. (1993) 'Successional Trends in Insect Herbivore Population Densities: A Field Test of a Hypothesis', *Oikos*, 66(3), pp. 463-471. Available at: <https://doi.org/10.2307/3544941>.

Engel, P. and Moran, N.A. (2013) 'The Gut Microbiota of Insects - Diversity in Structure and Function.', *FEMS Microbiology Reviews*, 37(5), pp. 699-735. Available at: <https://doi.org/10.1111/1574-6976.12025>.

Find a Specific Tree Pest or Disease | GOV.UK (no date a). Available at: <https://www.gov.uk/guidance/find-a-specific-tree-pest-or-disease>.

Find a Specific Tree Pest or Disease | GOV.UK (no date b). Available at: <https://www.gov.uk/guidance/find-a-specific-tree-pest-or-disease>.

Gange, A.C. (2007) 'Insect-Mycorrhizal Interactions: Patterns, Processes, and Consequences', in T. Ohgushi, T.P. Craig, and P.W. Price (eds) *Ecological communities: plant mediation in indirect interaction webs*. Cambridge: Cambridge University Press, pp. 124-144. Available at: <http://dx.doi.org/10.1017/CBO9780511542701>.

Gange, A.C. et al. (2012) 'Differential Effects of Foliar Endophytic Fungi on Insect Herbivores Attacking a Herbaceous Plant', *Oecologia*, 168(4), pp. 1023-1031. Available at: <https://doi.org/10.1007/s00442-011-2151-5>.

Gange, A.C. and Ayres, R.L. (1999) 'On the Relation between Arbuscular Mycorrhizal Colonization and Plant "Benefit"', *Oikos*, 87(3), pp. 615–621. Available at: <https://doi.org/10.2307/3546829>.

Gange, A.C., Lindsay, D.E. and Ellis, L.S. (1999) 'Can Arbuscular Mycorrhizal Fungi Be Used to Control the Undesirable Grass *Poa annua* on Golf Courses?', *Journal of Applied Ecology*, 36(6), pp. 909–919. Available at: <https://www.jstor.org/stable/2655869>.

Gange, A.C., Stagg, P.G. and Ward, L.K. (2002) 'Arbuscular Mycorrhizal Fungi Affect Phytophagous Insect Specialism', *Ecology Letters*, 5(1), pp. 11–15. Available at: <https://doi.org/10.1046/j.1461-0248.2002.00299.x>.

Ghosheh, H.Z. (2005) 'Constraints in Implementing Biological Weed Control: A Review', *Weed Biology and Management*, 5(3), pp. 83–92. Available at: <https://doi.org/10.1111/j.1445-6664.2005.00163.x>.

Hashim, N. and Ibrahim, Y.B. (no date) 'Efficacy of Entomopathogenic Fungi, *Paecilomyces fumosoroseus*, *Beauveria bassiana* and *Metarrhizium anisopliae* var. *Majus* Against *Crocidolomia binotalis* (Lepidoptera; Pyralidae)', *Pertanika Journal of Tropical Agricultural Science*, 26(2), pp. 103–108. Available at: <http://psasir.upm.edu.my/id/eprint/3439/>.

Hawksworth, D.L. (2001) 'The Magnitude of Fungal Diversity: The 1.5 Million Species Estimate Revisited', *Mycological Research*, 105(12), pp. 1422–1432. Available at: <https://doi.org/10.1017/S0953756201004725>.

van der Heijden, M.G.A. et al. (1998) 'Mycorrhizal Fungal Diversity Determines Plant Biodiversity, Ecosystem Variability and Productivity', *Nature*, 396(6706), pp. 69–72. Available at: <https://doi.org/10.1038/23932>.

Hibbett, D. (2016) 'The Invisible Dimension of Fungal Diversity', *Science*, 351(6278), pp. 1150–1151. Available at: <https://doi.org/10.1126/science.aae0380>.

How Plants Warn Each Other of Danger | BBC (2012). Available at: <https://www.bbc.co.uk/news/science-environment-16916474>.

Hunter, M.D. (2001) 'Out of Sight, Out of Mind: The Impacts of Root-Feeding Insects in Natural and Managed Systems', *Agricultural and Forest Entomology*, 3(1), pp. 3–9. Available at: <https://doi.org/10.1046/j.1461-9563.2001.00083.x>.

Jaber, L.R. and Ownley, B.H. (2018) 'Can We Use Entomopathogenic Fungi as Endophytes for Dual Biological Control of Insect Pests and Plant Pathogens?', *Biological Control*, 116, pp. 36–45. Available at: <https://doi.org/10.1016/j.biocontrol.2017.01.018>.

Jin, L. et al. (2017) 'Mycorrhizal-Induced Growth Depression in Plants', *Symbiosis*, 72(2), pp. 81–88. Available at: <https://doi.org/10.1007/s13199-016-0444-5>.

Johne, A.B., Weissbecker, B. and Schütz, S. (2006) 'Volatile Emissions From *Aesculus Hippocastanum* Induced by Mining of Larval Stages of *Cameraria ohridella* Influence Oviposition by Conspecific Females', *Journal of Chemical Ecology*, 32(10), pp. 2303–2319. Available at: <https://doi.org/10.1007/s10886-006-9146-4>.

Kennedy, C.E.J. and Southwood, T.R.E. (1984) 'The Number of Species of Insects Associated with British Trees: A Re-Analysis', *The Journal of Animal Ecology*, 53(2), pp. 455–478. Available at: <https://doi.org/10.2307/4528>.

Koricheva, J., Gange, A.C. and Jones, T. (2009) 'Effects of Mycorrhizal Fungi on Insect Herbivores: A Meta-Analysis', *Ecology*, 90(8), pp. 2088–2097. Available at: <https://www.jstor.org/stable/25592725>.

Kritsky, G. (1991) 'Darwin's Madagascan Hawk Moth Prediction', *American Entomologist*, 37(4), pp. 206–210. Available at: <https://doi.org/10.1093/ae/37.4.206>.

Larsson, S., Ekbom, B. and Björkman, C. (2000) 'Influence of Plant Quality on Pine Sawfly Population Dynamics', *Oikos*, 89(3), pp. 440–450. Available at: <https://www.jstor.org/stable/3547629>.

'Leafcutter Ants - The First Agriculture | YouTube' (2006). Available at: <https://www.youtube.com/watch?v=RH3KYBMpxOU>.

Leith, I.D. and Fowler, D. (1988) 'Urban Distribution of Rhytisma Acerinum (pers.) Fries (Tar Spot) on Sycamore', *The New Phytologist*, 108(2), pp. 175–181. Available at: <https://www.jstor.org/stable/2433335>.

Macel, M. et al. (2005) 'Differences in Effects of Pyrrolizidine Alkaloids on Five Generalist Insect Herbivore Species', *Journal of Chemical Ecology*, 31(7), pp. 1493–1508. Available at: <https://doi.org/10.1007/s10886-005-5793-0>.

McKinney, L.V. et al. (2011) 'Presence of Natural Genetic Resistance in *Fraxinus Excelsior* (Oleraceae) to Chalara Fraxinea (Ascomycota): An Emerging Infectious Disease', *Heredity*, 106(5), pp. 788–797. Available at: <https://doi.org/10.1038/hdy.2010.119>.

Mcsweeney, R. (3AD) Leaf-Eating Insects May Limit How Much Carbon Forests Absorb, Study Says | Carbon Brief. Available at: <https://www.carbonbrief.org/leaf-eating-insects-may-limit-how-much-carbon-forests-absorb-study-says>.

'Microbes in Sport' (2009) *Microbiology Today*, 36(3). Available at: <https://microbiologysociety.org/publication/past-issues/microbes-in-sport.html>.

Mutune, B. et al. (2016) 'Fungal Endophytes as Promising Tools for the Management of Bean Stem Maggot *Ophiomyia Phaseoli* on Beans *Phaseolus Vulgaris*', *Journal of Pest Science*, 89(4), pp. 993–1001. Available at: <https://doi.org/10.1007/s10340-015-0725-4>.

North, R. (1997) 'Evolutionary Aspects of Ant-Fungus Interactions in Leaf-Cutting Ants', *Trends in Ecology & Evolution*, 12(10), pp. 386–389. Available at: [https://doi.org/10.1016/S0169-5347\(97\)87381-8](https://doi.org/10.1016/S0169-5347(97)87381-8).

Pateman, R.M. et al. (2012) 'Temperature-Dependent Alterations in Host Use Drive Rapid Range Expansion in a Butterfly', *Science*, 336(6084), pp. 1028–1030. Available at: <https://www.jstor.org/stable/41584910>.

Peay, K.G. (2018) 'Timing of Mutualist Arrival Has a Greater Effect on *Pinus Muricata*

'Seedling Growth Than Interspecific Competition', Journal of Ecology, 106(2), pp. 514–523. Available at: <https://doi.org/10.1111/1365-2745.12915>.

Plants Can See, Hear and Smell – And Respond | BBC (no date). Available at: <http://www.bbc.com/earth/story/20170109-plants-can-see-hear-and-smell-and-respond?ocid=fbert>.

Potter, C. et al. (2011) 'Learning From History, Predicting the Future: The UK Dutch Elm Disease Outbreak in Relation to Contemporary Tree Disease Threats', Philosophical Transactions of the Royal Society B: Biological Sciences, 366(1573), pp. 1966–1974. Available at: <https://doi.org/10.1098/rstb.2010.0395>.

Saikkonen, K. et al. (2006) 'Model Systems in Ecology: Dissecting the Endophyte–Grass Literature', Trends in Plant Science, 11(9), pp. 428–433. Available at: <https://doi.org/10.1016/j.tplants.2006.07.001>.

Schoonhoven, L.M., Loon, J.J.A. van and Dicke, M. (2005a) Insect-Plant Biology. 2nd Edition. New York: Oxford University Press.

Schoonhoven, L.M., Loon, J.J.A. van and Dicke, M. (2005b) Insect-Plant Biology. Oxford: Oxford University Press.

Simon, A.L. et al. (2017) 'Unravelling Mycorrhiza-Induced Wheat Susceptibility to the English Grain Aphid Sitobion Avenae', Scientific Reports, 7(1). Available at: <https://doi.org/10.1038/srep46497>.

Sollars, E.S.A. (2017) 'Genome Sequence and Genetic Diversity of European Ash Trees', Nature, 541(7636), pp. 212–216. Available at: <https://doi.org/10.1038/nature20786>.

Stone, G.N. and Schönrogge, K. (2003) 'The Adaptive Significance of Insect Gall Morphology', Trends in Ecology & Evolution, 18(10), pp. 512–522. Available at: [https://doi.org/10.1016/S0169-5347\(03\)00247-7](https://doi.org/10.1016/S0169-5347(03)00247-7).

Stout, M.J., Thaler, J.S. and Thomma, B.P.H.J. (2006a) 'Plant-Mediated Interactions Between Pathogenic Microorganisms and Herbivorous Arthropods', Annual Review of Entomology, 51(1), pp. 663–689. Available at: <https://doi.org/10.1146/annurev.ento.51.110104.151117>.

Stout, M.J., Thaler, J.S. and Thomma, B.P.H.J. (2006b) 'Plant-Mediated Interactions Between Pathogenic Microorganisms and Herbivorous Arthropods', Annual Review of Entomology, 51(1), pp. 663–689. Available at: <https://doi.org/10.1146/annurev.ento.51.110104.151117>.

van Tol, R.W.H.M. et al. (2001) 'Plants Protect Their Roots by Alerting the Enemies of Grubs', Ecology Letters, 4(4), pp. 292–294. Available at: <https://doi.org/10.1046/j.1461-0248.2001.00227.x>.

Tscharntke, T. et al. (2001) 'Herbivory, Induced Resistance, and Interplant Signal Transfer in Alnus Glutinosa', Biochemical Systematics and Ecology, 29(10), pp. 1025–1047. Available at: [https://doi.org/10.1016/S0305-1978\(01\)00048-5](https://doi.org/10.1016/S0305-1978(01)00048-5).

Valladares, G. and Lawton, J.H. (1991) 'Host-Plant Selection in the Holly Leaf-Miner: Does Mother Know Best?', *The Journal of Animal Ecology*, 60(1), pp. 227–240. Available at: <https://doi.org/10.2307/5456>.

Van Bael, S.A. et al. (2009) 'Two Fungal Symbioses Collide: Endophytic Fungi Are Not Welcome in Leaf-Cutting Ant Gardens', *Proceedings of the Royal Society B: Biological Sciences*, 276(1666), pp. 2419–2426. Available at: <https://doi.org/10.1098/rspb.2009.0196>.

Van Dyck, H. et al. (2015) 'The Lost Generation Hypothesis: Could Climate Change Drive Ectotherms Into a Developmental Trap?', *Oikos*, 124(1), pp. 54–61. Available at: <https://doi.org/10.1111/oik.02066>.

Visser, M.E. and Holleman, L.J.M. (2001) 'Warmer Springs Disrupt the Synchrony of Oak and Winter Moth Phenology', *Proceedings of the Royal Society B: Biological Sciences*, 268(1464), pp. 289–294. Available at: <https://doi.org/10.1098/rspb.2000.1363>.

Wainwright, M. (2012) 'British Butterfly Defies Doom Prediction to Thrive in Changing Climate', *The Guardian* [Preprint]. Available at: <https://www.theguardian.com/environment/2012/may/24/brown-argus-butterfly-climate-change>.

Whittaker, J.B. (2001) 'Insects and Plants in a Changing Atmosphere', *Journal of Ecology*, 89(4), pp. 507–518. Available at: <https://doi.org/10.1046/j.0022-0477.2001.00582.x>.

Yang, H. et al. (2014) 'Meta-Analysis of Interactions between Arbuscular Mycorrhizal Fungi and Biotic Stressors of Plants', *The Scientific World Journal*, 2014, pp. 1–7. Available at: <https://doi.org/10.1155/2014/746506>.

Zvereva, E.L. and Kozlov, M.V. (2000) 'Effects of Air Pollution on Natural Enemies of the Leaf Beetle *Melasoma lapponica*', *Journal of Applied Ecology*, 37(2), pp. 298–308. Available at: <https://www.jstor.org/stable/2655911>.

Zvereva, E.L. and Kozlov, M.V. (2006) 'Consequences of Simultaneous Elevation of Carbon Dioxide and Temperature for Plant-Herbivore Interactions: A Metaanalysis', *Global Change Biology*, 12(1), pp. 27–41. Available at: <https://doi.org/10.1111/j.1365-2486.2005.01086.x>.