

BS3090: Entomology - Pure and Applied

View Online



[1]

Agrawal, A.A. 2012. Insect Herbivores Drive Real-Time Ecological and Evolutionary Change in Plant Populations. *Science*. 338, 6103 (2012), 113–116.
DOI:<https://doi.org/10.1126/science.1225977>.

[2]

Alonzo, S.H. and Pizzari, T. 2013. Selection on Female Remating Interval Is Influenced by Male Sperm Competition Strategies and Ejaculate Characteristics. *Philosophical Transactions of the Royal Society B: Biological Sciences*. 368, 1613 (2013), 20120044–20120044. DOI:<https://doi.org/10.1098/rstb.2012.0044>.

[3]

Andersson, K. et al. 2014. High-Accuracy Sampling of Saproxyllic Diversity Indicators at Regional Scales With Pheromones: The Case of *Elater ferrugineus* (Coleoptera, Elateridae). *Biological Conservation*. 171, (2014), 156–166.
DOI:<https://doi.org/10.1016/j.biocon.2014.01.007>.

[4]

Ascunce, M.S. et al. 2011. Global Invasion History of the Fire Ant *Solenopsis invicta*. *Science*. 331, 6020 (2011), 1066–1068.

[5]

Bale, J.S. 1993. Classes of Insect Cold Hardiness. *Functional Ecology*. 7, 6 (1993), 751–753.

[6]

Barbosa, P. et al. 2009. Associational Resistance and Associational Susceptibility: Having Right or Wrong Neighbors Original text. *Annual Review of Ecology, Evolution, and Systematics*. 40, (2009), 1–20.

[7]

Barto, E.K. and Rillig, M.C. 2010. Does Herbivory Really Suppress Mycorrhiza? a Meta-Analysis. *Journal of Ecology*. 98, 4 (2010), 745–753.

[8]

Bass, C. et al. 2014. The Evolution of Insecticide Resistance in the Peach Potato Aphid, *Myzus Persicae*. *Insect Biochemistry and Molecular Biology*. 51, (2014), 41–51.
DOI:<https://doi.org/10.1016/j.ibmb.2014.05.003>.

[9]

Bass, C. et al. 2014. The Evolution of Insecticide Resistance in the Peach Potato Aphid, *Myzus Persicae*. *Insect Biochemistry and Molecular Biology*. 51, (2014), 41–51.
DOI:<https://doi.org/10.1016/j.ibmb.2014.05.003>.

[10]

Becerra, J.X. 1997. Insects on Plants: Macroevolutionary Chemical Trends in Host Use Original text. *Science*. 276, 5310 (1997), 253–256.

[11]

Becerra, J.X. 2009. Macroevolutionary Chemical Escalation in an Ancient Plant-Herbivore Arms Race Original text. *Proceedings of the National Academy of Sciences of the United States of America*. 106, 43 (2009), 18062–18066.

[12]

Becerra, J.X. 2003. Synchronous Coadaptation in an Ancient Case of Herbivory.

Proceedings of the National Academy of Sciences of the United States of America. 100, 22 (2003), 12804–12807.

[13]

Bonduriansky, R. 2001. The Evolution of Male Mate Choice in Insects: A Synthesis of Ideas and Evidence. *Biological Reviews of the Cambridge Philosophical Society*. 76, 3 (2001), 305–339. DOI:<https://doi.org/10.1017/S1464793101005693>.

[14]

Burgevin, L. et al. 2013. Intersexual Correlation for Same-Sex Sexual Behaviour in an Insect. *Animal Behaviour*. 85, 4 (2013), 759–762. DOI:<https://doi.org/10.1016/j.anbehav.2013.01.017>.

[15]

Castagneyrol, B. et al. 2014. Effects of Plant Phylogenetic Diversity on Herbivory Depend on Herbivore Specialization. *Journal of Applied Ecology*. 51, 1 (2014), 134–141. DOI:<https://doi.org/10.1111/1365-2664.12175>.

[16]

Castagneyrol, B. et al. 2013. Plant Apparency, an Overlooked Driver of Associational Resistance to Insect Herbivory. *Journal of Ecology*. 101, 2 (2013), 418–429. DOI:<https://doi.org/10.1111/1365-2745.12055>.

[17]

Chapman, R.F. 2013. *The Insects: Structure and Function*. Cambridge University Press.

[18]

Church, S.C. et al. 1998. Does Lepidopteran Larval Crypsis Extend into the Ultraviolet? *Naturwissenschaften*. 85, 4 (1998), 189–192. DOI:<https://doi.org/10.1007/s001140050483>.

[19]

Cock, M.J.W. et al. 2016. Trends in the Classical Biological Control of Insect Pests by Insects: An Update of the Biocat Database. *BioControl*. 61, 4 (2016), 349–363. DOI:<https://doi.org/10.1007/s10526-016-9726-3>.

[20]

Cocroft, R.B. and Rodriguez, R.L. 2005. The Behavioral Ecology of Insect Vibrational Communication. *BioScience*. 55, 4 (2005). DOI:[https://doi.org/10.1641/0006-3568\(2005\)055\[0323:TBEOIV\]2.0.CO;2](https://doi.org/10.1641/0006-3568(2005)055[0323:TBEOIV]2.0.CO;2).

[21]

Culliney, T.W. 2005. Benefits of Classical Biological Control for Managing Invasive Plants. *Critical Reviews in Plant Sciences*. 24, 2 (2005), 131–150. DOI:<https://doi.org/10.1080/07352680590961649>.

[22]

Douglas, A.E. 2006. Phloem-Sap Feeding by Animals: Problems and Solutions. *Journal of Experimental Botany*. 57, 4 (2006), 747–754. DOI:<https://doi.org/10.1093/jxb/erj067>.

[23]

Edvardsson, M. 2005. Why Do Male *Callosobruchus Maculatus* Harm Their Mates? *Behavioral Ecology*. 16, 4 (2005), 788–793. DOI:<https://doi.org/10.1093/beheco/ari055>.

[24]

Ehrlich, P.R. and Raven, P.H. 1964. Butterflies and Plants: A Study in Coevolution. *Evolution*. 18, 4 (1964), 586–608. DOI:<https://doi.org/10.2307/2406212>.

[25]

Engel, M.S. 2015. Insect Evolution. *Current Biology*. 25, 19 (2015), R868–R872. DOI:<https://doi.org/10.1016/j.cub.2015.07.059>.

[26]

Engel, P. and Moran, N.A. 2013. The Gut Microbiota of Insects – Diversity in Structure and Function. *FEMS Microbiology Reviews*. 37, 5 (2013), 699–735.
DOI:<https://doi.org/10.1111/1574-6976.12025>.

[27]

Faeth, S.H. 2002. Are Endophytic Fungi Defensive Plant Mutualists? *Oikos*. 98, 1 (2002), 25–36.

[28]

Farrell, B.D. 1998. 'Inordinate Fondness' Explained: Why are There so Many Beetles? Original text. *Science*. 281, 5376 (1998), 555–559.

[29]

Gange, A.C. et al. 2012. Differential Effects of Foliar Endophytic Fungi on Insect Herbivores Attacking a Herbaceous Plant. *Oecologia*. 168, 4 (2012).

[30]

Gange, A.C. et al. 2003. Multitrophic Links Between Arbuscular Mycorrhizal Fungi and Insect Parasitoids. *Ecology Letters*. 6, 12 (2003), 1051–1055.
DOI:<https://doi.org/10.1046/j.1461-0248.2003.00540.x>.

[31]

Gange, A.C. and Smith, A.K. 2005. Arbuscular Mycorrhizal Fungi Influence Visitation Rates of Pollinating Insects. *Ecological Entomology*. 30, 5 (2005), 600–606.
DOI:<https://doi.org/10.1111/j.0307-6946.2005.00732.x>.

[32]

Gange, A.C. and West, H.M. 1994. Interactions between Arbuscular Mycorrhizal Fungi and Foliar-Feeding Insects in *Plantago lanceolata* L. *The New Phytologist*. 128, 1 (1994), 79–87.

[33]

Gullan, P.J. and Cranston, P.S. 2014. Insect Development and Life Histories. *The Insects: An Outline of Entomology*. Wiley-Blackwell.

[34]

Gullan, P.J. and Cranston, P.S. 2014. Insect Development and Life Histories. *The Insects: An Outline of Entomology*. John Wiley & Sons, Incorporated.

[35]

Gullan, P.J. and Cranston, P.S. 2014. Insect Predation and Parasitism. *The Insects: An Outline of Entomology*. Wiley-Blackwell.

[36]

Gullan, P.J. and Cranston, P.S. 2014. Insect Predation and Parasitism. *The Insects: An Outline of Entomology*. John Wiley & Sons, Incorporated.

[37]

Gullan, P.J. and Cranston, P.S. 2014. Internal Anatomy and Physiology. *The Insects: An Outline of Entomology*. Wiley-Blackwell.

[38]

Gullan, P.J. and Cranston, P.S. 2014. Internal Anatomy and Physiology. *The Insects: An Outline of Entomology*. John Wiley & Sons, Incorporated.

[39]

Gullan, P.J. and Cranston, P.S. 2014. Reproduction. *The Insects: An Outline of Entomology*. Wiley-Blackwell. 125–156.

[40]

Gullan, P.J. and Cranston, P.S. 2014. Reproduction. *The Insects: An Outline of Entomology*. John Wiley & Sons, Incorporated. 125–155.

[41]

Gullan, P.J. and Cranston, P.S. 2014. Sensory Systems and Behaviour. *The Insects: An Outline of Entomology*. Wiley-Blackwell.

[42]

Gullan, P.J. and Cranston, P.S. 2014. Sensory Systems and Behaviour. *The Insects: An Outline of Entomology*. John Wiley & Sons, Incorporated.

[43]

Gullan, P.J. and Cranston, P.S. 2014. *The Insects: An Outline of Entomology*. Wiley-Blackwell.

[44]

Gullan, P.J. and Cranston, P.S. 2014. *The Insects: An Outline of Entomology*. John Wiley & Sons, Incorporated.

[45]

Gullan, P.J. and Cranston, P.S. 2014. *The Insects: An Outline of Entomology*. Wiley-Blackwell.

[46]

Gullan, P.J. and Cranston, P.S. 2014. *The Insects: An Outline of Entomology*. John Wiley & Sons, Incorporated.

[47]

Hallem, E.A. et al. 2006. Insect Odor and Taste Receptors. *Annual Review of Entomology*. 51, 1 (2006), 113–135. DOI:<https://doi.org/10.1146/annurev.ento.51.051705.113646>.

[48]

Hansson, B.S. 2002. A Bug's Smell – Research Into Insect Olfaction. *Trends in Neurosciences*. 25, 5 (2002), 270–274.
DOI:[https://doi.org/10.1016/S0166-2236\(02\)02140-9](https://doi.org/10.1016/S0166-2236(02)02140-9).

[49]

Hansson, B.S. and Stensmyr, M.C. 2011. Evolution of Insect Olfaction. *Neuron*. 72, 5 (2011), 698–711. DOI:<https://doi.org/10.1016/j.neuron.2011.11.003>.

[50]

Harvey, D. et al. 2011. Bionomics and Distribution of the Stag Beetle, *Lucanus Cervus* (L.) Across Europe. *Insect Conservation and Diversity*. 4, 1 (2011), 23–38.
DOI:<https://doi.org/10.1111/j.1752-4598.2010.00107.x>.

[51]

Harvey, D. et al. 2011. Development of Non-Invasive Monitoring Methods for Larvae and Adults of the Stag Beetle, *Lucanus Cervus*. *Insect Conservation and Diversity*. 4, 1 (2011), 4–14. DOI:<https://doi.org/10.1111/j.1752-4598.2009.00072.x>.

[52]

Harvey, D. and Gange, A. 2006. Size Variation and Mating Success in the Stag Beetle, *Lucanus Cervus*. *Physiological Entomology*. 31, 3 (2006), 218–226.
DOI:<https://doi.org/10.1111/j.1365-3032.2006.00509.x>.

[53]

Harvey, D. and Gange, A. 2011. The Stag Beetle: a Collaborative Conservation Study Across Europe. *Insect Conservation and Diversity*. 4, 1 (2011), 2–3.
DOI:<https://doi.org/10.1111/j.1752-4598.2010.00125.x>.

[54]

Hoback, W.W. and Stanley, D.W. 2001. Insects in Hypoxia. *Journal of Insect Physiology*. 47, 6 (2001), 533–542. DOI:[https://doi.org/10.1016/S0022-1910\(00\)00153-0](https://doi.org/10.1016/S0022-1910(00)00153-0).

[55]

Howse, P.E. 2013. Lepidopteran Wing Patterns and the Evolution of Satyric Mimicry. *Biological Journal of the Linnean Society*. 109, 1 (2013), 203–214. DOI:<https://doi.org/10.1111/bij.12027>.

[56]

Johnstone, R.A. and Keller, L. 2000. How Males Can Gain by Harming Their Mates: Sexual Conflict, Seminal Toxins, and the Cost of Mating. *The American Naturalist*. 156, 4 (2000), 368–377. DOI:<https://doi.org/10.1086/303392>.

[57]

Jones, R.T. 2013. Wing Shape Variation Associated With Mimicry In Butterflies. *Evolution*. 67, 8 (2013), 2323–2334. DOI:<https://doi.org/10.1111/evo.12114>.

[58]

Jonsell, M. 1998. Substrate Requirements of Red-Listed Saproxylic Invertebrates in Sweden. *Biodiversity & Conservation*. 7, 6 (1998), 749–764. DOI:<https://doi.org/10.1023/A:1008888319031>.

[59]

Ju, R.-T. et al. 2011. Rapid Cold Hardening Increases Cold and Chilling Tolerances More Than Acclimation in the Adults of the Sycamore Lace Bug, *Corythucha Ciliata* (Say) (Hemiptera: Tingidae). *Journal of Insect Physiology*. 57, 11 (2011), 1577–1582. DOI:<https://doi.org/10.1016/j.jinsphys.2011.08.012>.

[60]

Kaitaniemi, P. et al. 2007. Experimental Evidence for Associational Resistance Against the European Pine Sawfly in Mixed Tree Stands. *Silva Fennica*. 41, 2 (2007), 259–268.

[61]

Klowden, M.J. 2013. Communication Systems. *Physiological Systems in Insects*. Elsevier/AP. 604–648.

[62]

Klowden, M.J. 2013. Communication Systems. *Physiological Systems in Insects*. Academic Press, an imprint of Elsevier. 603–648.

[63]

Klowden, M.J. 2013. *Physiological Systems in Insects*. Academic Press, an imprint of Elsevier.

[64]

Klowden, M.J. and Klowden, M.J. 2013. *Physiological Systems in Insects*. Elsevier/AP.

[65]

Koricheva, J. et al. 2009. Effects of Mycorrhizal Fungi on Insect Herbivores: A Meta-Analysis. *Ecology*. 90, 8 (2009), 2088–2097.

[66]

Kukor, J.J. 1988. The Role of Ingested Fungal Enzymes in Cellulose Digestion in the Larvae of Cerambycid Beetles Original text. *Physiological Zoology*. 61, 4 (1988), 364–371.

[67]

Larsson, M.C. and Svensson, G.P. 2009. Pheromone Monitoring of Rare and Threatened Insects: Exploiting a Pheromone-Kairomone System to Estimate Prey and Predator Abundance Original text. *Conservation Biology*. 23, 6 (2009), 1516–1525.

[68]

Lee, R.E. 1989. Insect Cold-Hardiness: To Freeze or Not to Freeze. *BioScience*. 39, 5 (1989), 308–313. DOI:<https://doi.org/10.2307/1311113>.

[69]

Letourneau, D.K. et al. 2011. Does Plant Diversity Benefit Agroecosystems? A Synthetic Review. *Ecological Applications*. 21, 1 (2011), 9–21.

[70]

Lihoreau, M. et al. 2008. Mutual Mate Choice: When it Pays Both Sexes to Avoid Inbreeding. *PLoS ONE*. 3, 10 (2008). DOI:<https://doi.org/10.1371/journal.pone.0003365>.

[71]

MacMahon, J.A. 2000. Harvester Ants (*Pogonomyrmex* spp.): Their Community and Ecosystem Influences. Original text. *Annual Review of Ecology and Systematics*. 31, (2000), 265–291.

[72]

MacMillan, H.A. et al. 2014. Cold-Induced Depolarization of Insect Muscle: Differing Roles of Extracellular K⁺ During Acute and Chronic Chilling. *Journal of Experimental Biology*. 217, 16 (2014), 2930–2938. DOI:<https://doi.org/10.1242/jeb.107516>.

[73]

Manfredi, F. et al. 2013. Examining the "Evolution of Increased Competitive Ability" Hypothesis in Response to Parasites and Pathogens in the Invasive Paper Wasp *Polistes dominula*. *Naturwissenschaften*. 100, 3 (2013), 219–228. DOI:<https://doi.org/10.1007/s00114-013-1014-9>.

[74]

McCullough, E.L. and Emlen, D.J. 2013. Evaluating the Costs of a Sexually Selected Weapon: Big Horns at a Small Price. *Animal Behaviour*. 86, 5 (2013), 977–985. DOI:<https://doi.org/10.1016/j.anbehav.2013.08.017>.

[75]

Mcfadyen, R.E.C. 1999. Successes in Biological Control of Weeds. Proceedings of the X International Symposium on Biological Control of Weeds. (1999), 3-14.

[76]

Messing, R. and Brodeur, J. 2018. Current Challenges to the Implementation of Classical Biological Control. *BioControl*. 63, 1 (2018), 1-9.
DOI:<https://doi.org/10.1007/s10526-017-9862-4>.

[77]

Michalczyk, Ł. et al. 2011. Inbreeding Promotes Female Promiscuity. *Science*. 333, 6050 (2011), 1739-1742. DOI:<https://doi.org/10.1126/science.1207314>.

[78]

Moritz, R.F.A. et al. 2005. Global Invasions of the Western Honeybee (*Apis Mellifera*) and the Consequences for Biodiversity. *Écoscience*. 12, 3 (2005), 289-301.
DOI:<https://doi.org/10.2980/i1195-6860-12-3-289.1>.

[79]

Murphy, S.T. and LaSalle, J. 1999. Balancing Biological Control Strategies in the IPM of New World Invasive *Liriomyza* Leafminers in Field Vegetable Crops. *Biocontrol News and Information*. 20, 3 (1999), 91N-104N.

[80]

Musa, N. et al. 2013. Using Sex Pheromone and a Multi-Scale Approach to Predict the Distribution of a Rare Saproxyllic Beetle. *PLoS ONE*. 8, 6 (2013).
DOI:<https://doi.org/10.1371/journal.pone.0066149>.

[81]

Neven, L.G. 2000. Physiological Responses of Insects to Heat. *Postharvest Biology and*

Technology. 21, 1 (2000), 103–111. DOI:[https://doi.org/10.1016/S0925-5214\(00\)00169-1](https://doi.org/10.1016/S0925-5214(00)00169-1).

[82]

Perry, J.C. et al. 2013. The Seminal Symphony: How to Compose an Ejaculate. *Trends in Ecology & Evolution*. 28, 7 (2013), 414–422.
DOI:<https://doi.org/10.1016/j.tree.2013.03.005>.

[83]

Sabree, Z.L. 2009. Nitrogen Recycling and Nutritional Provisioning by Blattabacterium, the Cockroach Endosymbiont Original text. *Proceedings of the National Academy of Sciences of the United States of America*. 106, 46 (2009), 19521–19526.

[84]

Saikkonen, K. et al. 2010. Defensive Mutualism Between Plants and Endophytic Fungi? *Fungal Diversity*. 41, 1 (2010), 101–113. DOI:<https://doi.org/10.1007/s13225-010-0023-7>.

[85]

Schwarzländer, M. et al. 2018. Biological Control of Weeds: An Analysis of Introductions, Rates of Establishment and Estimates of Success, Worldwide. *BioControl*. 63, 3 (2018), 319–331. DOI:<https://doi.org/10.1007/s10526-018-9890-8>.

[86]

Scudder, G.G.E. 2009. The Importance of Insects. *Insect Biodiversity: Science and Society*. Wiley-Blackwell. 7–32.

[87]

Shaw, R.H. et al. 2011. Classical Biological Control of Fallopia Japonica in the United Kingdom - Lessons for Europe. *Weed Research*. 51, 6 (2011), 552–558.
DOI:<https://doi.org/10.1111/j.1365-3180.2011.00880.x>.

[88]

Shaw, R.H. et al. 2018. Weed Biological Control in the European Union: From Serendipity to Strategy. *BioControl*. 63, 3 (2018), 333–347.
DOI:<https://doi.org/10.1007/s10526-017-9844-6>.

[89]

Sheppard, A.W. et al. 2006. Top 20 Environmental Weeds for Classical Biological Control in Europe: A Review of Opportunities, Regulations and Other Barriers to Adoption. *Weed Research*. 46, 2 (2006), 93–117. DOI:<https://doi.org/10.1111/j.1365-3180.2006.00497.x>.

[90]

Siciliano, P. et al. 2014. Identification of Pheromone Components and Their Binding Affinity to the Odorant Binding Protein CcapOBP83a-2 of the Mediterranean Fruit Fly, *Ceratitis Capitata*. *Insect Biochemistry and Molecular Biology*. 48, (2014), 51–62.
DOI:<https://doi.org/10.1016/j.ibmb.2014.02.005>.

[91]

Simmons, L.W. et al. 2013. Sperm and Seminal Fluid Proteomes of the Field Cricket *Teleogryllus Oceanicus*: Identification of Novel Proteins Transferred to Females at Mating. *Insect Molecular Biology*. 22, 1 (2013), 115–130. DOI:<https://doi.org/10.1111/imb.12007>.

[92]

Simon, A.L. et al. 2017. Unravelling Mycorrhiza-Induced Wheat Susceptibility to the English Grain Aphid *Sitobion Avenae*. *Scientific Reports*. 7, 1 (2017).
DOI:<https://doi.org/10.1038/srep46497>.

[93]

Six, D.L. 2013. The Bark Beetle Holobiont: Why Microbes Matter. *Journal of Chemical Ecology*. 39, 7 (2013), 989–1002. DOI:<https://doi.org/10.1007/s10886-013-0318-8>.

[94]

Skelhorn, J. et al. 2007. Masquerade: Camouflage Without Crypsis. *Science*. 327, 5961 (2007), 51–51.

[95]

Svensson, G.P. and Larsson, M.C. 2008. Enantiomeric Specificity in a Pheromone–Kairomone System of Two Threatened Saproxylic Beetles, *Osmoderma Eremita* and *Elater Ferrugineus*. *Journal of Chemical Ecology*. 34, 2 (2008), 189–197. DOI:<https://doi.org/10.1007/s10886-007-9423-x>.

[96]

Teets, N.M. et al. 2013. Calcium Signaling Mediates Cold Sensing in Insect Tissues. *Proceedings of the National Academy of Sciences*. 110, 22 (2013), 9154–9159. DOI:<https://doi.org/10.1073/pnas.1306705110>.

[97]

Tolasch, T. et al. 2007. Sex Pheromone of *Elater ferrugineus* L. (Coleoptera: Elateridae). *Journal of Chemical Ecology*. 33, 11 (2007), 2156–2166. DOI:<https://doi.org/10.1007/s10886-007-9365-3>.

[98]

Tooker, J.F. and Frank, S.D. 2012. Genotypically Diverse Cultivar Mixtures for Insect Pest Management and Increased Crop Yields. *Journal of Applied Ecology*. 49, 5 (2012), 974–985. DOI:<https://doi.org/10.1111/j.1365-2664.2012.02173.x>.

[99]

Ugelvig, L.V. and Cremer, S. 2012. Effects of Social Immunity and Uniclonality on Host-Parasite Interactions in Invasive Insect Societies. *Functional Ecology*. 26, 6 (2012), 1300–1312. DOI:<https://doi.org/10.1111/1365-2435.12013>.

[100]

Wearn, J.A. et al. 2012. Species and Organ Specificity of Fungal Endophytes in Herbaceous Grassland Plants. *Journal of Ecology*. 100, 5 (2012), 1085–1092.

[101]

White, J.A. and Whitham, T.G. 2000. Associational Susceptibility of Cottonwood to a Box Elder Herbivore. *Ecology*. 81, 7 (2000), 1795–1803. DOI:<https://doi.org/10.2307/177271>.

[102]

Williams, F. et al. 2010. The Economic Cost of Invasive Non-Native Species on Great Britain. www.cabi.org.

[103]

Wise, M.J. and Rausher, M.D. 2013. Evolution of Resistance to a Multiple-Herbivore Community: Genetic Correlations, Diffuse Coevolution, and Constraints on the Plant's Response to Selection. *Evolution*. 67, 6 (2013), 1767–1779. DOI:<https://doi.org/10.1111/evo.12061>.

[104]

Yan, J.F. et al. 2015. Do Endophytic Fungi Grow Through Their Hosts Systemically? *Fungal Ecology*. 13, (2015), 53–59. DOI:<https://doi.org/10.1016/j.funeco.2014.07.005>.

[105]

Zust, T. et al. 2012. Natural Enemies Drive Geographic Variation in Plant Defenses. *Science*. 338, 6103 (2012), 116–119. DOI:<https://doi.org/10.1126/science.1226397>.