

PS3110: Adult Psychological Problems

[View Online](#)

[1]

Akram, Y. and Copello, A. 2013. Family-Based Interventions for Substance Misuse: A Systematic Review of Reviews. *The Lancet*. 382, (2013).
DOI:[https://doi.org/10.1016/S0140-6736\(13\)62449-6](https://doi.org/10.1016/S0140-6736(13)62449-6).

[2]

Bailer, J. 2016. Health Anxiety and Hypochondriasis in the Light of DSM-5. *Anxiety, Stress, & Coping*. 29, 2 (2016), 219-239. DOI:<https://doi.org/10.1080/10615806.2015.1036243>.

[3]

Barsky, A.J. 1994. Histories of Childhood Trauma in Adult Hypochondriacal Patients. *American Journal of Psychiatry*. 151, 3 (1994), 397-401.

[4]

Barsky, A.J. and Ahern, D.K. 2004. Cognitive Behavior Therapy for Hypochondriasis: A Randomized Controlled Trial. *Jama*. 291, 12 (2004).

[5]

Bentall, R.P. 1994. The Self, Attributional Processes and Abnormal Beliefs: Towards a Model of Persecutory Delusions. *Behaviour Research and Therapy*. 32, 3 (1994), 331-341.
DOI:[https://doi.org/10.1016/0005-7967\(94\)90131-7](https://doi.org/10.1016/0005-7967(94)90131-7).

[6]

Beynon, S. 2008. Psychosocial Interventions for the Prevention of Relapse in Bipolar Disorder: Systematic Review of Controlled Trials. *The British Journal of Psychiatry*. 192, 1 (2008), 5–11. DOI:<https://doi.org/10.1192/bjp.bp.107.037887>.

[7]

Breen, N. 2000. Towards an Understanding of Delusions of Misidentification: Four Case Studies. *Mind and Language*. 15, 1 (2000), 74–110. DOI:<https://doi.org/10.1111/1468-0017.00124>.

[8]

Breslau, N. 2002. Epidemiologic Studies of Trauma, Posttraumatic Stress Disorder, and Other Psychiatric Disorders. 47, 10 (2002), 923–929.

[9]

Breslau, N. 2006. Intelligence and Other Predisposing Factors in Exposure to Trauma and Posttraumatic Stress Disorder. *Archives of General Psychiatry*. 63, 11 (2006), 1238–1245. DOI:<https://doi.org/10.1001/archpsyc.63.11.1238>.

[10]

Brewin, C.R. 1996. A Dual Representation Theory of Posttraumatic Stress Disorder. *Psychological Review*. 103, 4 (1996), 670–686. DOI:<https://doi.org/10.1037/0033-295X.103.4.670>.

[11]

Brewin, C.R. 2014. Episodic Memory, Perceptual Memory, and Their Interaction: Foundations for a Theory of Posttraumatic Stress Disorder. *Psychological Bulletin*. 140, 1 (2014), 69–97. DOI:<https://doi.org/10.1037/a0033722>.

[12]

Brewin, C.R. 2010. Intrusive Images in Psychological Disorders: Characteristics, Neural Mechanisms, and Treatment Implications. *Psychological Review*. 117, 1 (2010), 210–232.

DOI:<https://doi.org/10.1037/a0018113>.

[13]

Brorson, H.H. 2013. Drop-Out From Addiction Treatment: A Systematic Review of Risk Factors. *Clinical Psychology Review*. 33, 8 (2013), 1010–1024.
DOI:<https://doi.org/10.1016/j.cpr.2013.07.007>.

[14]

Bulik, C.M. 2007. Anorexia Nervosa Treatment: A Systematic Review of Randomized Controlled Trials. *International Journal of Eating Disorders*. 40, 4 (2007), 310–320.
DOI:<https://doi.org/10.1002/eat.20367>.

[15]

Butcher, J.N. et al. 2015. Substance-Related Disorders: Characteristics, Treatments and Outcome. *Abnormal Psychology*. Pearson. 386–422.

[16]

Butcher, J.N. et al. 2015. Substance-Related Disorders: Characteristics, Treatments and Outcome. *Abnormal Psychology*. 386–422.

[17]

Canga, E. 2016. Parental Antecedents of Psychosis Are Associated With Severity of Positive and Negative Symptoms in Schizophrenia Patients. *The Journal of Clinical Psychiatry*. 77, 9 (2016), 1201–1202.

[18]

Caparrotta, L. and Ghaffari, K. 2006. A Historical Overview of the Psychodynamic Contributions to the Understanding of Eating Disorders. *Psychoanalytic Psychotherapy*. 20, 3 (2006), 175–196. DOI:<https://doi.org/10.1080/02668730600868807>.

[19]

Carroll, K.M. 2008. Computer-Assisted Delivery of Cognitive-Behavioral Therapy for Addiction: A Randomized Trial of CBT4CBT. *American Journal of Psychiatry*. 165, 7 (2008), 881–888. DOI:<https://doi.org/10.1176/appi.ajp.2008.07111835>.

[20]

Carroll, K.M. and Onken, L.S. 2005. Behavioral Therapies for Drug Abuse. *American Journal of Psychiatry*. 162, 8 (2005), 1452–1460. DOI:<https://doi.org/10.1176/appi.ajp.162.8.1452>.

[21]

Chadwick, P. 1996. *Cognitive Therapy for Delusions, Voices and Paranoia*. Wiley.

[22]

Coltheart, M. 2010. Abductive Inference and Delusional Belief. *Cognitive Neuropsychiatry*. 15, 1–3 (2010), 261–287. DOI:<https://doi.org/10.1080/13546800903439120>.

[23]

Coltheart, M. et al. 2011. Delusional Belief. *Annual Review of Psychology*. 62, 1 (2011), 271–298. DOI:<https://doi.org/10.1146/annurev.psych.121208.131622>.

[24]

Corlett, P.R. et al. 2007. Disrupted Prediction-Error Signal in Psychosis: Evidence for an Associative Account of Delusions. *Brain*. 130, 9 (2007), 2387–2400. DOI:<https://doi.org/10.1093/brain/awm173>.

[25]

Coville, A.L. 2008. Correlates of High Expressed Emotion Attitudes Among Parents of Bipolar Adolescents. *Journal of Clinical Psychology*. 64, 4 (2008), 438–449.

[26]

Crocq, M.A. 2007. Historical and Cultural Aspects of Man's Relationship With Addictive Drugs. *Dialogues in Clinical Neuroscience*. 9, 4 (2007), 355–361.

[27]

Davis, C. and Carter, J.C. 2009. Compulsive Overeating as an Addiction Disorder. a Review of Theory and Evidence. *Appetite*. 53, 1 (2009), 1–8.
DOI:<https://doi.org/10.1016/j.appet.2009.05.018>.

[28]

Deckersbach, T. 2014. Do Comorbid Anxiety Disorders Moderate the Effects of Psychotherapy for Bipolar Disorder? Results From STEP-BD. *American Journal of Psychiatry*. 171, 2 (2014), 178–186. DOI:<https://doi.org/10.1176/appi.ajp.2013.13020225>.

[29]

Determination of Malingering in Disability Evaluations: 2005.
<http://primarypsychiatry.com/determination-of-malingering-in-disability-evaluations/>.

[30]

Dunn, C. 2001. The Use of Brief Interventions Adapted From Motivational Interviewing Across Behavioral Domains: A Systematic Review. *Addiction*. 96, 12 (2001), 1725–1742.
DOI:<https://doi.org/10.1046/j.1360-0443.2001.961217253.x>.

[31]

Dutra, L. 2008. A Meta-Analytic Review of Psychosocial Interventions for Substance Use Disorders. *American Journal of Psychiatry*. 165, 2 (2008), 179–187.
DOI:<https://doi.org/10.1176/appi.ajp.2007.06111851>.

[32]

Ellett, L. 2003. Paranoia in a Nonclinical Population of College Students. *Journal of Nervous*. 191, 7 (2003), 425–430.

[33]

Fairburn, C.G. and Cooper, Z. 2011. Eating Disorders, DSM-5 and Clinical Reality. *The British Journal of Psychiatry*. 198, 1 (2011), 8–10.
DOI:<https://doi.org/10.1192/bjp.bp.110.083881>.

[34]

Fergusson, D.M. et al. 2006. Cannabis Use and Other Illicit Drug Use: Testing the Cannabis Gateway Hypothesis. *Addiction*. 101, 4 (2006), 556–569.
DOI:<https://doi.org/10.1111/j.1360-0443.2005.01322.x>.

[35]

Fleury, M.-J. et al. 2016. Remission From Substance Use Disorders: A Systematic Review and Meta-Analysis. *Drug and Alcohol Dependence*. 168, November (2016), 293–306.
DOI:<https://doi.org/10.1016/j.drugalcdep.2016.08.625>.

[36]

Fliege, H. 2002. Factitious Disorders and Pathological Self-Harm in a Hospital Population: An Interdisciplinary Challenge. *General Hospital Psychiatry*. 24, 3 (2002), 164–171.
DOI:[https://doi.org/10.1016/S0163-8343\(02\)00171-8](https://doi.org/10.1016/S0163-8343(02)00171-8).

[37]

Fredrickson, B.L. and Roberts, T.-A. 1997. Objectification Theory: Toward Understanding Women's Lived Experiences and Mental Health Risks. *Psychology of Women Quarterly*. 21, 2 (1997), 173–206. DOI:<https://doi.org/10.1111/j.1471-6402.1997.tb00108.x>.

[38]

Freeman, D. 2011. Concomitants of Paranoia in the General Population. *Psychological Medicine*. 41, 05 (2011), 923–936. DOI:<https://doi.org/10.1017/S0033291710001546>.

[39]

Freeman, D. et al. 2015. How Cannabis Causes Paranoia: Using the Intravenous Administration of 9-Tetrahydrocannabinol (THC) to Identify Key Cognitive Mechanisms

Leading to Paranoia. *Schizophrenia Bulletin*. 41, 2 (2015), 391–399.
DOI:<https://doi.org/10.1093/schbul/sbu098>.

[40]

Freimuth, M. et al. 2011. Clarifying Exercise Addiction: Differential Diagnosis, Co-occurring Disorders, and Phases of Addiction. *International Journal of Environmental Research and Public Health*. 8, 12 (2011), 4069–4081. DOI:<https://doi.org/10.3390/ijerph8104069>.

[41]

Galea, S. 2002. Psychological Sequelae of the September 11 Terrorist Attacks in New York City. *New England Journal Of Medicine*. 346, 13 (2002).

[42]

Garety, P.A. 2001. A Cognitive Model of the Positive Symptoms of Psychosis. *Psychological Medicine*. 31, 02 (2001). DOI:<https://doi.org/10.1017/S0033291701003312>.

[43]

Gatchel, R.J. 2007. The Biopsychosocial Approach to Chronic Pain: Scientific Advances and Future Directions. *Psychological Bulletin*. 133, 4 (2007), 581–624.
DOI:<https://doi.org/10.1037/0033-2909.133.4.581>.

[44]

van der Giessen, R.N. 2012. The Effectiveness of Graded Activity in Patients With Non-Specific Low-Back Pain: A Systematic Review. *Disability and Rehabilitation*. 34, 13 (2012), 1070–1076.

[45]

Gillies, D. 1996. Psychological Therapies for the Treatment of Post-Traumatic Stress Disorder in Children and Adolescents. *Cochrane Database of Systematic Reviews*. (1996). DOI:<https://doi.org/10.1002/14651858.CD006726.pub2>.

[46]

Gold, J. and Gold, I. 2012. The "Truman Show" Delusion: Psychosis in the Global Village. *Cognitive Neuropsychiatry*. 17, 6 (2012), 455–472.
DOI:<https://doi.org/10.1080/13546805.2012.666113>.

[47]

Goldstone, E. 2013. The Role of Metacognitive Beliefs in the Proneness to Hallucinations and Delusions: An Analysis Across Clinical and Non-Clinical Populations. *British Journal of Clinical Psychology*. 52, 3 (2013), 330–346. DOI:<https://doi.org/10.1111/bjc.12020>.

[48]

Gossop, M. 2006. Classification of Illegal and Harmful Drugs. *BMJ*. 333, 7562 (2006), 272–273. DOI:<https://doi.org/10.1136/bmj.38929.578414.80>.

[49]

Goubert, L. 2011. Learning About Pain From Others: An Observational Learning Account. *The Journal of Pain*. 12, 2 (2011), 167–174.
DOI:<https://doi.org/10.1016/j.jpain.2010.10.001>.

[50]

Grandin, L.D. et al. 2006. The Social Zeitgeber Theory, Circadian Rhythms, and Mood Disorders: Review and Evaluation. *Clinical Psychology Review*. 26, 6 (2006), 679–694.
DOI:<https://doi.org/10.1016/j.cpr.2006.07.001>.

[51]

Green, M.F. Cognitive Impairment and Functional Outcome in Schizophrenia and Bipolar Disorder. *The Journal of Clinical Psychiatry*. 67, Supplement 9, 3–8.

[52]

Griffiths, M.D. et al. 2016. The Evolution of Internet Addiction: A Global Perspective. *Addictive Behaviors*. 53, February (2016), 193–195.
DOI:<https://doi.org/10.1016/j.addbeh.2015.11.001>.

[53]

Gunnar, M.R. and Fisher, P.A. 2006. Bringing Basic Research on Early Experience and Stress Neurobiology to Bear on Preventive Interventions for Neglected and Maltreated Children. *Development and Psychopathology*. 18, 03 (2006).
DOI:<https://doi.org/10.1017/S0954579406060330>.

[54]

Hay, P. 2013. A Systematic Review of Evidence for Psychological Treatments in Eating Disorders: 2005-2012. *International Journal of Eating Disorders*. 46, 5 (2013), 462-469.
DOI:<https://doi.org/10.1002/eat.22103>.

[55]

Hazell, C.M. 2016. A Systematic Review and Meta-Analysis of Low Intensity CBT for Psychosis. *Clinical Psychology Review*. 45, (2016), 183-192.
DOI:<https://doi.org/10.1016/j.cpr.2016.03.004>.

[56]

Henschke, N. 2010. Behavioural Treatment for Chronic Low-Back Pain. *Cochrane Database of Systematic Reviews*. John Wiley & Sons, Ltd.

[57]

Hirstein, W. and Ramachandran, V.S. 1997. Capgras Syndrome: A Novel Probe for Understanding the Neural Representation of the Identity and Familiarity of Persons. *Proceedings of the Royal Society B: Biological Sciences*. 264, 1380 (1997), 437-444.

[58]

Huq, S.F. 1988. Probabilistic Judgements in Deluded and Non-Deluded Subjects. *The Quarterly Journal of Experimental Psychology Section A*. 40, 4 (1988), 801-812.
DOI:<https://doi.org/10.1080/14640748808402300>.

[59]

Kandel, D. 1975. Stages in Adolescent Involvement in Drug Use. *Science*. 190, 4217 (1975), 912–914. DOI:<https://doi.org/10.1126/science.1188374>.

[60]

Kandel, D.B. 2002. *Stages and Pathways of Drug Involvement: Examining the Gateway Hypothesis*. Cambridge University Press.

[61]

Kearns, M.C. 2012. Early Interventions for PTSD: A Review. *Depression and Anxiety*. 29, 10 (2012), 833–842. DOI:<https://doi.org/10.1002/da.21997>.

[62]

Keefe, F.J. and Lefebvre, J.C. 2003. Behavioral Therapy. *Handbook of Pain Management: A Clinical Companion to Wall and Melzack's Textbook of Pain*. Churchill Livingstone.

[63]

Kilpatrick, D.G. 1985. Mental Health Correlates of Criminal Victimization: A Random Community Survey. *Journal of Consulting and Clinical Psychology*. 53, 6 (1985), 866–873. DOI:<https://doi.org/10.1037/0022-006X.53.6.866>.

[64]

Kingston, J. and Ellett, L. 2014. Self-Affirmation and Nonclinical Paranoia. *Journal of Behavior Therapy and Experimental Psychiatry*. 45, 4 (2014), 502–505. DOI:<https://doi.org/10.1016/j.jbtep.2014.07.004>.

[65]

Krahn, L.E. 2003. Patients Who Strive to Be Ill: Factitious Disorder With Physical Symptoms. *American Journal of Psychiatry*. 160, 6 (2003).

[66]

Krautwurst, S. 2014. Health Anxiety – an Indicator of Higher Interoceptive Sensitivity? *Journal of Behavior Therapy and Experimental Psychiatry*. 45, 2 (2014), 303–309. DOI:<https://doi.org/10.1016/j.jbtep.2014.02.001>.

[67]

van der Leer, L. et al. 2015. Delusion Proneness and 'Jumping to Conclusions': Relative and Absolute Effects. *Psychological Medicine*. 45, 06 (2015), 1253–1262. DOI:<https://doi.org/10.1017/S0033291714002359>.

[68]

van der Leer, L. et al. 2017. Why Do Delusion-Prone Individuals "Jump to Conclusions"? An Investigation Using a Nonserial Data-Gathering Paradigm. *Clinical Psychological Science*. 5, 4 (2017). DOI:<https://doi.org/10.1177/2167702617698811>.

[69]

Leeuw, M. 2008. Exposure in Vivo Versus Operant Graded Activity in Chronic Low Back Pain Patients: Results of a Randomized Controlled Trial. *Pain*. 138, 1 (2008), 192–207. DOI:<https://doi.org/10.1016/j.pain.2007.12.009>.

[70]

Linton, S.J. 2008. A Randomized Controlled Trial of Exposure in Vivo for Patients With Spinal Pain Reporting Fear of Work-Related Activities. *European Journal of Pain*. 12, 6 (2008), 722–730. DOI:<https://doi.org/10.1016/j.ejpain.2007.11.001>.

[71]

Main, C.J. 2002. ABC of Psychological Medicine: Musculoskeletal Pain. *BMJ*. 325, 7363 (2002), 534–537. DOI:<https://doi.org/10.1136/bmj.325.7363.534>.

[72]

Main, C.J. 2005. Early Psychosocial Interventions for Low Back Pain in Primary Care. *BMJ*. 331, 7508 (2005). DOI:<https://doi.org/10.1136/bmj.38498.495000.E0>.

[73]

Marlatt, G.A. et al. 1988. Addictive Behaviors: Etiology and Treatment. *Annual Review of Psychology*. 39, 1 (1988), 223–252.
DOI:<https://doi.org/10.1146/annurev.ps.39.020188.001255>.

[74]

Matheson, S.L. et al. 2013. Childhood Adversity in Schizophrenia: A Systematic Meta-Analysis. *Psychological Medicine*. 43, 2 (2013), 225–238.
DOI:<https://doi.org/10.1017/S0033291712000785>.

[75]

McCracken, L.M. and Turk, D.C. 2002. Behavioral and Cognitive-Behavioral Treatment for Chronic Pain: Outcome, Predictors of Outcome, and Treatment Process. *Spine*. 27, 22 (2002), 2564–2573.

[76]

McKay, R. 2012. Delusional Inference. *Mind & Language*, 27 (3). 27, 3 (2012).

[77]

McKay, R. and Ciolotti, L. 2007. Attributional Style in a Case of Cotard Delusion. *Consciousness and Cognition*. 16, 2 (2007), 349–359.
DOI:<https://doi.org/10.1016/j.concog.2006.06.001>.

[78]

McKay, R. and Kinsbourne, M. 2010. Confabulation, Delusion, and Anosognosia: Motivational Factors and False Claims. *Cognitive Neuropsychiatry*. 15, 1–3 (2010), 288–318. DOI:<https://doi.org/10.1080/13546800903374871>.

[79]

Melzack, R. and Wall, P.D. 1996. *The Challenge of Pain*. Penguin.

[80]

Miklowitz, D.J. et al. 2005. Perceived Criticism From Family Members as a Predictor of the One-Year Course of Bipolar Disorder. *Psychiatry Research*. 136, 2-3 (2005), 101-111. DOI:<https://doi.org/10.1016/j.psychres.2005.04.005>.

[81]

Miklowitz, D.J. and Chang, K.D. 2008. Prevention of Bipolar Disorder in At-Risk Children: Theoretical Assumptions and Empirical Foundations. *Development and Psychopathology*. 20, 3 (2008), 881-897. DOI:<https://doi.org/10.1017/S0954579408000424>.

[82]

Miklowitz, D.J. and Johnson, S.L. 2006. The Psychopathology and Treatment of Bipolar Disorder. *Annual Review Of Clinical Psychology*. 2, (2006), 199-235.

[83]

Miller, P.M. 2009. Evidence-based addiction treatment. Academic.

[84]

Miller, P.M. 2009. Evidence-Based Addiction Treatment. Elsevier/Academic Press.

[85]

Milowitz, D.J. 2006. Psychotherapy, Symptom Outcomes, and Role Functioning Over One Year Among Patients With Bipolar Disorder. *Psychiatric Services*. 57, (2006), 959-965.

[86]

Mittenberg, W. 2002. Base Rates of Malingering and Symptom Exaggeration. *Journal of Clinical and Experimental Neuropsychology (Neuropsychology, Development and Cognition: Section A)*. 24, 8 (2002), 1094-1102. DOI:<https://doi.org/10.1076/jcen.24.8.1094.8379>.

[87]

Moore, S.A. and Zoellner, L.A. 2007. Overgeneral Autobiographical Memory and Traumatic Events: An Evaluative Review. *Psychological Bulletin*. 133, 3 (2007), 419–437. DOI:<https://doi.org/10.1037/0033-2909.133.3.419>.

[88]

Moore, T.H. 2007. Cannabis Use and Risk of Psychotic or Affective Mental Health Outcomes: A Systematic Review. *The Lancet*. 370, 9584 (2007), 319–328. DOI:[https://doi.org/10.1016/S0140-6736\(07\)61162-3](https://doi.org/10.1016/S0140-6736(07)61162-3).

[89]

Morley, S. 2011. Efficacy and Effectiveness of Cognitive Behaviour Therapy for Chronic Pain: Progress and Some Challenges. *Pain*. 152, Supplement (2011), S99–S106.

[90]

Murali, V. et al. 2012. Shopping Addiction. *Advances in Psychiatric Treatment*. 18, 4 (2012), 263–269. DOI:<https://doi.org/10.1192/apt.bp.109.007880>.

[91]

Niemelä, S. et al. 2016. Prenatal Nicotine Exposure and Risk of Schizophrenia Among Offspring in a National Birth Cohort. *American Journal of Psychiatry*. 173, 8 (2016), 799–806. DOI:<https://doi.org/10.1176/appi.ajp.2016.15060800>.

[92]

O'Brien, C.P. and Thomas McLellan, A. 1996. Myths About the Treatment of Addiction. *The Lancet*. 347, 8996 (1996), 237–240. DOI:[https://doi.org/10.1016/S0140-6736\(96\)90409-2](https://doi.org/10.1016/S0140-6736(96)90409-2).

[93]

Olatunji, B.O. 2014. Cognitive-Behavioral Therapy for Hypochondriasis/Health Anxiety: A Meta-Analysis of Treatment Outcome and Moderators. *Behaviour Research and Therapy*. 58, (2014), 65–74. DOI:<https://doi.org/10.1016/j.brat.2014.05.002>.

[94]

van Os, J. 2009. A Systematic Review and Meta-Analysis of the Psychosis Continuum: Evidence for a Psychosis Proneness–persistence–impairment Model of Psychotic Disorder. *Psychological Medicine*. 39, 2 (2009), 179–195.
DOI:<https://doi.org/10.1017/S0033291708003814>.

[95]

van Os, J. and Kapur, S. 2009. Schizophrenia. *The Lancet*. 374, 9690 (2009), 635–645.
DOI:[https://doi.org/10.1016/S0140-6736\(09\)60995-8](https://doi.org/10.1016/S0140-6736(09)60995-8).

[96]

Ozer, E.J. 2003. Predictors of Posttraumatic Stress Disorder and Symptoms in Adults: A Meta-Analysis. *Psychological Bulletin*. 129, 1 (2003), 52–73.
DOI:<https://doi.org/10.1037/0033-2909.129.1.52>.

[97]

Palermo, T.M. 2010. Randomized Controlled Trials of Psychological Therapies for Management of Chronic Pain in Children and Adolescents: An Updated Meta-Analytic Review. *Pain*. 148, 3 (2010), 387–397. DOI:<https://doi.org/10.1016/j.pain.2009.10.004>.

[98]

Palmer, B. 2005. Diagnosing and Assessing Eating Disorders. *Psychiatry*. 4, 4 (2005), 1–5.
DOI:<https://doi.org/10.1383/psyt.4.4.1.63440>.

[99]

Perlis, R.H. et al. 2006. Predictors of Recurrence in Bipolar Disorder: Primary Outcomes From the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). *American Journal of Psychiatry*. 163, 2 (2006).

[100]

Peters, A. 2014. Age at Onset, Course of Illness and Response to Psychotherapy in Bipolar Disorder: Results From the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). *Psychological Medicine*. 44, 16 (2014), 3455–3467.
DOI:<https://doi.org/10.1017/S0033291714000804>.

[101]

Peters, E.R. 1999. Measurement of Delusional Ideation in the Normal Population: Introducing the PDI (Peters et al. Delusions Inventory). *Schizophrenia Bulletin*. 25, 3 (1999), 553–576.

[102]

Phelps, A. 2008. Understanding Posttraumatic Nightmares: An Empirical and Conceptual Review. *Clinical Psychology Review*. 28, 2 (2008), 338–355.
DOI:<https://doi.org/10.1016/j.cpr.2007.06.001>.

[103]

Picchioni, M.M. and Murray, R.M. 2007. Schizophrenia. *BMJ*. 335, 7610 (2007), 91–95.
DOI:<https://doi.org/10.1136/bmj.39227.616447.BE>.

[104]

Pincus, T. and McCracken, L.M. 2013. Psychological Factors and Treatment Opportunities in Low Back Pain. *Best Practice & Research Clinical Rheumatology*. 27, 5 (2013), 625–635.
DOI:<https://doi.org/10.1016/j.berh.2013.09.010>.

[105]

Ramachandran, V.S. and Blakeslee, S. 2005. *Phantoms in the Brain: Human Nature and the Architecture of the Mind*. Harper.

[106]

Reay, B. et al. 2013. Inventing Sex: The Short History of Sex Addiction. *Sexuality & Culture*. 17, 1 (2013), 1–19. DOI:<https://doi.org/10.1007/s12119-012-9136-3>.

[107]

Reifels, L. 2013. Lessons Learned About Psychosocial Responses to Disaster and Mass Trauma: An International Perspective. *European Journal of Psychotraumatology*. 4, (2013). DOI:<https://doi.org/10.3402/ejpt.v4i0.22897>.

[108]

Schöttle, D. 2011. Psychotherapy for Bipolar Disorder: A Review. *Current Opinion in Psychiatry*. 24, 6 (2011), 549–555.

[109]

Shaffer, H.J. et al. 2004. Toward a Syndrome Model of Addiction: Multiple Expressions, Common Etiology. *Harvard Review of Psychiatry*. 12, 6 (2004), 367–374. DOI:<https://doi.org/10.1080/10673220490905705>.

[110]

Skevington, S.M. 1995. *Psychology of Pain*. Wiley.

[111]

Smink, F.R.E. et al. 2012. Epidemiology of Eating Disorders: Incidence, Prevalence and Mortality Rates. *Current Psychiatry Reports*. 14, 4 (2012), 406–414. DOI:<https://doi.org/10.1007/s11920-012-0282-y>.

[112]

Smith, I.D. 2012. Addicted to 'Addiction'? Commentary on... Shopping Addiction and Internet Sex Addiction. *Advances in Psychiatric Treatment*. 18, 4 (2012), 278–279. DOI:<https://doi.org/10.1192/apt.bp.111.009902>.

[113]

Speechley, W.J. et al. 2010. The Contribution of Hypersalience to the 'Jumping to Conclusions' Bias Associated With Delusions in Schizophrenia. *Journal Of Psychiatry & Neuroscience*. 35, 1 (2010), 7–17.

[114]

Stange, J.P. et al. 2013. Extreme Attributions Predict Transition From Depression to Mania or Hypomania in Bipolar Disorder. *Journal of Psychiatric Research*. 47, 10 (2013), 1329–1336. DOI:<https://doi.org/10.1016/j.jpsychires.2013.05.016>.

[115]

Striegel-Moore, R. 1995. Psychological Factors in the Etiology of Binge Eating. *Addictive Behaviors*. 20, 6 (1995), 713–723. DOI:[https://doi.org/10.1016/0306-4603\(95\)00094-1](https://doi.org/10.1016/0306-4603(95)00094-1).

[116]

Tandon, R. 2013. Definition and Description of Schizophrenia in the DSM-5. *Schizophrenia Research*. 150, 1 (2013), 3–10. DOI:<https://doi.org/10.1016/j.schres.2013.05.028>.

[117]

Taylor, S. and Asmundson, G.J.G. Etiology of Hypochondriasis: A Preliminary Behavioral-Genetic Investigation. *International Journal of Genetics and Gene Therapy*. 2, 1–5. DOI:<https://doi.org/10.5348/ijggt20122OA1>.

[118]

Thomas, J.J. 2014. The Eating Disorder Examination: A Semi-Structured Interview for the Assessment of the Specific Psychopathology of Eating Disorders. *Advances in Eating Disorders*. 2, 2 (2014), 190–203. DOI:<https://doi.org/10.1080/21662630.2013.840119>.

[119]

Turk, D.C. 2011. Treatment of Chronic Non-Cancer Pain. *The Lancet*. 377, 9784 (2011), 2226–2235. DOI:[https://doi.org/10.1016/S0140-6736\(11\)60402-9](https://doi.org/10.1016/S0140-6736(11)60402-9).

[120]

Turk, D.C. and Okifuji, A. 2003. A Cognitive Behavioural Approach to Pain Management. *Handbook of Pain Management: A Clinical Companion to Wall and Melzack's Textbook of*

Pain. Churchill Livingstone.

[121]

Turk, D.C. and Okifuji, A. 2002. Psychological Factors in Chronic Pain: Evolution and Revolution. *Journal of Consulting and Clinical Psychology*. 70, 3 (2002), 678–690. DOI:<https://doi.org/10.1037/0022-006X.70.3.678>.

[122]

Turk, D.C. and Wilson, H.D. 2010. Fear of Pain as a Prognostic Factor in Chronic Pain: Conceptual Models, Assessment, and Treatment Implications. *Current Pain and Headache Reports*. 14, 2 (2010), 88–95. DOI:<https://doi.org/10.1007/s11916-010-0094-x>.

[123]

Tyrer, P. and Tyrer, H. 2014. The Departure of Hypochondriasis Is No Loss. *Australian & New Zealand Journal of Psychiatry*. 48, 8 (2014), 772–773. DOI:<https://doi.org/10.1177/0004867414540755>.

[124]

Vall, E. and Wade, T.D. 2015. Predictors of Treatment Outcome in Individuals With Eating Disorders: A Systematic Review and Meta-Analysis. *International Journal of Eating Disorders*. 48, 7 (2015), 946–971. DOI:<https://doi.org/10.1002/eat.22411>.

[125]

Watson, H.J. 2016. Prevention of Eating Disorders: A Systematic Review of Randomized, Controlled Trials. *International Journal of Eating Disorders*. 49, 9 (2016), 833–862. DOI:<https://doi.org/10.1002/eat.22577>.

[126]

Watts, B.V. 2013. Meta-Analysis of the Efficacy of Treatments for Posttraumatic Stress Disorder. *The Journal of Clinical Psychiatry*. 74, 06 (2013), e541–e550. DOI:<https://doi.org/10.4088/JCP.12r08225>.

[127]

Weck, F. 2015. Effectiveness of Cognitive-Behavioral Group Therapy for Patients With Hypochondriasis (Health Anxiety). *Journal of Anxiety Disorders*. 30, (2015), 1–7. DOI:<https://doi.org/10.1016/j.janxdis.2014.12.012>.

[128]

Williams, A.C. de C. 2012. Psychological Therapies for the Management of Chronic Pain (Excluding Headache) in Adults. *Cochrane Database of Systematic Reviews*. John Wiley & Sons, Ltd.

[129]

Young, K.S. 2017. The Evolution of Internet Addiction. *Addictive Behaviors*. 64, January (2017), 229–230. DOI:<https://doi.org/10.1016/j.addbeh.2015.05.016>.

[130]

1999. A Cognitive Behavioural Approach to Pain Management. *The Textbook of Pain*. Churchill Livingstone.

[131]

2013. Feeding and Eating Disorders. *Diagnostic and Statistical Manual of Mental Disorders: DSM-5*. American Psychiatric Publishing.

[132]

2013. Substance-Related and Addictive Disorders. *Diagnostic and Statistical Manual of Mental Disorders: DSM-5-TR*. American Psychiatric Publishing.