

PS3110: Adult Psychological Problems

[View Online](#)

[1]

'Substance-Related and Addictive Disorders', in Diagnostic and Statistical Manual of Mental Disorders: DSM-5-TR, 5th Edition., Washington, D.C.: American Psychiatric Publishing, 2013.

[2]

J. N. Butcher, S. Mineka, and J. M. Hooley, 'Substance-Related Disorders: Characteristics, Treatments and Outcome', in Abnormal Psychology, 16th Edition., Boston: Pearson, 2015, pp. 386-422.

[3]

J. N. Butcher, S. Mineka, and J. M. Hooley, 'Substance-Related Disorders: Characteristics, Treatments and Outcome', in Abnormal Psychology, 2015, pp. 386-422 [Online]. Available: <https://ebookcentral.proquest.com/lib/rhul/detail.action?docID=5137462>

[4]

H. J. Shaffer, D. A. LaPlante, R. A. LaBrie, R. C. Kidman, A. N. Donato, and M. V. Stanton, 'Toward a Syndrome Model of Addiction: Multiple Expressions, Common Etiology', Harvard Review of Psychiatry, vol. 12, no. 6, pp. 367-374, 2004, doi: 10.1080/10673220490905705.

[5]

G. A. Marlatt, J. S. Baer, D. M. Donovan, and D. R. Kivlahan, 'Addictive Behaviors: Etiology and Treatment', Annual Review of Psychology, vol. 39, no. 1, pp. 223-252, 1988, doi: 10.1146/annurev.ps.39.020188.001255.

[6]

D. M. Fergusson, J. M. Boden, and L. J. Horwood, 'Cannabis Use and Other Illicit Drug Use: Testing the Cannabis Gateway Hypothesis', *Addiction*, vol. 101, no. 4, pp. 556–569, 2006, doi: 10.1111/j.1360-0443.2005.01322.x.

[7]

P. M. Miller, *Evidence-based addiction treatment*, 1st ed. London: Academic, 2009.

[8]

P. M. Miller, *Evidence-Based Addiction Treatment*. Burlington, MA: Elsevier/Academic Press, 2009 [Online]. Available:
<http://ezproxy01.rhul.ac.uk/login?url=http://www.sciencedirect.com/science/book/9780123743480>

[9]

K. M. Carroll and L. S. Onken, 'Behavioral Therapies for Drug Abuse', *American Journal of Psychiatry*, vol. 162, no. 8, pp. 1452–1460, 2005, doi: 10.1176/appi.ajp.162.8.1452.

[10]

L. Dutra, 'A Meta-Analytic Review of Psychosocial Interventions for Substance Use Disorders', *American Journal of Psychiatry*, vol. 165, no. 2, pp. 179–187, 2008, doi: 10.1176/appi.ajp.2007.06111851.

[11]

Y. Akram and A. Copello, 'Family-Based Interventions for Substance Misuse: A Systematic Review of Reviews', *The Lancet*, vol. 382, 2013, doi: 10.1016/S0140-6736(13)62449-6.

[12]

C. Dunn, 'The Use of Brief Interventions Adapted From Motivational Interviewing Across Behavioral Domains: A Systematic Review', *Addiction*, vol. 96, no. 12, pp. 1725–1742, 2001, doi: 10.1046/j.1360-0443.2001.961217253.x.

[13]

K. M. Carroll, 'Computer-Assisted Delivery of Cognitive-Behavioral Therapy for Addiction: A Randomized Trial of CBT4CBT', *American Journal of Psychiatry*, vol. 165, no. 7, pp. 881–888, 2008, doi: 10.1176/appi.ajp.2008.07111835.

[14]

H. H. Brorson, 'Drop-Out From Addiction Treatment: A Systematic Review of Risk Factors', *Clinical Psychology Review*, vol. 33, no. 8, pp. 1010–1024, 2013, doi: 10.1016/j.cpr.2013.07.007.

[15]

M.-J. Fleury et al., 'Remission From Substance Use Disorders: A Systematic Review and Meta-Analysis', *Drug and Alcohol Dependence*, vol. 168, no. November, pp. 293–306, 2016, doi: 10.1016/j.drugalcdep.2016.08.625.

[16]

M. A. Crocq, 'Historical and Cultural Aspects of Man's Relationship With Addictive Drugs', *Dialogues in Clinical Neuroscience*, vol. 9, no. 4, pp. 355–361, 2007 [Online]. Available: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3202501/>

[17]

M. Gossop, 'Classification of Illegal and Harmful Drugs', *BMJ*, vol. 333, no. 7562, pp. 272–273, 2006, doi: 10.1136/bmj.38929.578414.80.

[18]

C. P. O'Brien and A. Thomas McLellan, 'Myths About the Treatment of Addiction', *The Lancet*, vol. 347, no. 8996, pp. 237–240, 1996, doi: 10.1016/S0140-6736(96)90409-2.

[19]

B. Reay, N. Attwood, and C. Gooder, 'Inventing Sex: The Short History of Sex Addiction',

Sexuality & Culture, vol. 17, no. 1, pp. 1-19, 2013, doi: 10.1007/s12119-012-9136-3.

[20]

C. Davis and J. C. Carter, 'Compulsive Overeating as an Addiction Disorder. a Review of Theory and Evidence', *Appetite*, vol. 53, no. 1, pp. 1-8, 2009, doi: 10.1016/j.appet.2009.05.018.

[21]

K. S. Young, 'The Evolution of Internet Addiction', *Addictive Behaviors*, vol. 64, no. January, pp. 229-230, 2017, doi: 10.1016/j.addbeh.2015.05.016.

[22]

M. D. Griffiths, D. J. Kuss, J. Billieux, and H. M. Pontes, 'The Evolution of Internet Addiction: A Global Perspective', *Addictive Behaviors*, vol. 53, no. February, pp. 193-195, 2016, doi: 10.1016/j.addbeh.2015.11.001.

[23]

M. Freimuth, S. Moniz, and S. R. Kim, 'Clarifying Exercise Addiction: Differential Diagnosis, Co-occurring Disorders, and Phases of Addiction', *International Journal of Environmental Research and Public Health*, vol. 8, no. 12, pp. 4069-4081, 2011, doi: 10.3390/ijerph8104069.

[24]

V. Murali, R. Ray, and M. Shaffiullha, 'Shopping Addiction', *Advances in Psychiatric Treatment*, vol. 18, no. 4, pp. 263-269, 2012, doi: 10.1192/apt.bp.109.007880.

[25]

I. D. Smith, 'Addicted to "Addiction"? Commentary on... Shopping Addiction and Internet Sex Addiction', *Advances in Psychiatric Treatment*, vol. 18, no. 4, pp. 278-279, 2012, doi: 10.1192/apt.bp.111.009902.

[26]

D. Kandel, 'Stages in Adolescent Involvement in Drug Use', *Science*, vol. 190, no. 4217, pp. 912–914, 1975, doi: 10.1126/science.1188374.

[27]

D. B. Kandel, *Stages and Pathways of Drug Involvement: Examining the Gateway Hypothesis*. Cambridge: Cambridge University Press, 2002.

[28]

'Feeding and Eating Disorders', in *Diagnostic and Statistical Manual of Mental Disorders: DSM-5*, Fifth edition., Washington, D.C.: American Psychiatric Publishing, 2013.

[29]

C. G. Fairburn and Z. Cooper, 'Eating Disorders, DSM-5 and Clinical Reality', *The British Journal of Psychiatry*, vol. 198, no. 1, pp. 8–10, 2011, doi: 10.1192/bjp.bp.110.083881.

[30]

F. R. E. Smink, D. van Hoeken, and H. W. Hoek, 'Epidemiology of Eating Disorders: Incidence, Prevalence and Mortality Rates', *Current Psychiatry Reports*, vol. 14, no. 4, pp. 406–414, 2012, doi: 10.1007/s11920-012-0282-y.

[31]

R. Striegel-Moore, 'Psychological Factors in the Etiology of Binge Eating', *Addictive Behaviors*, vol. 20, no. 6, pp. 713–723, 1995, doi: 10.1016/0306-4603(95)00094-1.

[32]

L. Caparrotta and K. Ghaffari, 'A Historical Overview of the Psychodynamic Contributions to the Understanding of Eating Disorders', *Psychoanalytic Psychotherapy*, vol. 20, no. 3, pp. 175–196, 2006, doi: 10.1080/02668730600868807.

[33]

B. L. Fredrickson and T.-A. Roberts, 'Objectification Theory: Toward Understanding Women's Lived Experiences and Mental Health Risks', *Psychology of Women Quarterly*, vol. 21, no. 2, pp. 173–206, 1997, doi: 10.1111/j.1471-6402.1997.tb00108.x.

[34]

B. Palmer, 'Diagnosing and Assessing Eating Disorders', *Psychiatry*, vol. 4, no. 4, pp. 1–5, 2005, doi: 10.1383/psyt.4.4.1.63440.

[35]

J. J. Thomas, 'The Eating Disorder Examination: A Semi-Structured Interview for the Assessment of the Specific Psychopathology of Eating Disorders', *Advances in Eating Disorders*, vol. 2, no. 2, pp. 190–203, 2014, doi: 10.1080/21662630.2013.840119.

[36]

E. Vall and T. D. Wade, 'Predictors of Treatment Outcome in Individuals With Eating Disorders: A Systematic Review and Meta-Analysis', *International Journal of Eating Disorders*, vol. 48, no. 7, pp. 946–971, 2015, doi: 10.1002/eat.22411.

[37]

C. M. Bulik, 'Anorexia Nervosa Treatment: A Systematic Review of Randomized Controlled Trials', *International Journal of Eating Disorders*, vol. 40, no. 4, pp. 310–320, 2007, doi: 10.1002/eat.20367.

[38]

H. J. Watson, 'Prevention of Eating Disorders: A Systematic Review of Randomized, Controlled Trials', *International Journal of Eating Disorders*, vol. 49, no. 9, pp. 833–862, 2016, doi: 10.1002/eat.22577.

[39]

P. Hay, 'A Systematic Review of Evidence for Psychological Treatments in Eating Disorders: 2005–2012', *International Journal of Eating Disorders*, vol. 46, no. 5, pp. 462–469, 2013,

doi: 10.1002/eat.22103.

[40]

N. Breslau, 'Intelligence and Other Predisposing Factors in Exposure to Trauma and Posttraumatic Stress Disorder', *Archives of General Psychiatry*, vol. 63, no. 11, pp. 1238-1245, 2006, doi: 10.1001/archpsyc.63.11.1238. [Online]. Available: <http://jamanetwork.com/journals/jamapsychiatry/fullarticle/668228>

[41]

N. Breslau, 'Epidemiologic Studies of Trauma, Posttraumatic Stress Disorder, and Other Psychiatric Disorders', *vol. 47, no. 10, pp. 923-929, 2002* [Online]. Available: <http://journals.sagepub.com/doi/abs/10.1177/070674370204701003>

[42]

C. R. Brewin, 'A Dual Representation Theory of Posttraumatic Stress Disorder', *Psychological Review*, vol. 103, no. 4, pp. 670-686, 1996, doi: 10.1037/0033-295X.103.4.670. [Online]. Available: <http://web.a.ebscohost.com/ehost/detail/detail?sid=0e3511bf-1c21-43a1-8721-4dca4dc55613%40sessionmgr4006&vid=0&hid=4209&bdata=JnNpdGU9ZWhvc3QtbgI2ZQ%3d%3d#AN=1996-06397-003&db=pdh>

[43]

C. R. Brewin, 'Intrusive Images in Psychological Disorders: Characteristics, Neural Mechanisms, and Treatment Implications', *Psychological Review*, vol. 117, no. 1, pp. 210-232, 2010, doi: 10.1037/a0018113.

[44]

C. R. Brewin, 'Episodic Memory, Perceptual Memory, and Their Interaction: Foundations for a Theory of Posttraumatic Stress Disorder', *Psychological Bulletin*, vol. 140, no. 1, pp. 69-97, 2014, doi: 10.1037/a0033722. [Online]. Available: <http://web.a.ebscohost.com/ehost/detail/detail?vid=1&sid=4919764a-e7d2-4fdb-9cf4-b8fc870ca743%40sessionmgr4010&hid=4209&bdata=JnNpdGU9ZWhvc3QtbgI2ZQ%3d%3d#AN=2013-27991-001&db=pdh>

[45]

S. Galea, 'Psychological Sequelae of the September 11 Terrorist Attacks in New York City', New England Journal Of Medicine, vol. 346, no. 13, 2002 [Online]. Available: <http://www.nejm.org/doi/full/10.1056/NEJMsa013404>

[46]

M. R. Gunnar and P. A. Fisher, 'Bringing Basic Research on Early Experience and Stress Neurobiology to Bear on Preventive Interventions for Neglected and Maltreated Children', Development and Psychopathology, vol. 18, no. 03, 2006, doi: 10.1017/S0954579406060330.

[47]

D. Gillies, 'Psychological Therapies for the Treatment of Post-Traumatic Stress Disorder in Children and Adolescents', Cochrane Database of Systematic Reviews, 1996, doi: 10.1002/14651858.CD006726.pub2. [Online]. Available: <http://doi.wiley.com/10.1002/14651858.CD006726.pub2>

[48]

M. C. Kearns, 'Early Interventions for PTSD: A Review', Depression and Anxiety, vol. 29, no. 10, pp. 833–842, 2012, doi: 10.1002/da.21997.

[49]

D. G. Kilpatrick, 'Mental Health Correlates of Criminal Victimization: A Random Community Survey', Journal of Consulting and Clinical Psychology, vol. 53, no. 6, pp. 866–873, 1985, doi: 10.1037/0022-006X.53.6.866. [Online]. Available: <http://web.a.ebscohost.com/ehost/detail/detail?sid=991ae47d-3e70-4384-9bfd-49ee1ba3c5a1%40sessionmgr4009&vid=0&hid=4209&bdata=JnNpdGU9ZWhvc3QtbgI2ZQ%3d%3d#AN=1986-11874-001&db=pdh>

[50]

S. A. Moore and L. A. Zoellner, 'Overgeneral Autobiographical Memory and Traumatic Events: An Evaluative Review', Psychological Bulletin, vol. 133, no. 3, pp. 419–437, 2007, doi: 10.1037/0033-2909.133.3.419. [Online]. Available: <http://web.b.ebscohost.com/ehost/detail/detail?vid=1&sid=75122b3d-6d88-4d43-a17d-70fa11114730%40sessionmgr120&hid=124&bdata=JnNpdGU9ZWhvc3QtbgI2>

ZQ%3d%3d#AN=2007-06095-003&db=pdh

[51]

E. J. Ozer, 'Predictors of Posttraumatic Stress Disorder and Symptoms in Adults: A Meta-Analysis', *Psychological Bulletin*, vol. 129, no. 1, pp. 52–73, 2003, doi: 10.1037/0033-2909.129.1.52. [Online]. Available: <http://web.b.ebscohost.com/ehost/detail/detail?vid=1&sid=c0c8f591-b0c1-4471-9279-011e37ca3644%40sessionmgr104&hid=124&bdata=JnNpdGU9ZWhvc3QtbGI2ZQ%3d%3d#AN=2002-11509-005&db=pdh>

[52]

A. Phelps, 'Understanding Posttraumatic Nightmares: An Empirical and Conceptual Review', *Clinical Psychology Review*, vol. 28, no. 2, pp. 338–355, 2008, doi: 10.1016/j.cpr.2007.06.001.

[53]

L. Reifels, 'Lessons Learned About Psychosocial Responses to Disaster and Mass Trauma: An International Perspective', *European Journal of Psychotraumatology*, vol. 4, 2013, doi: 10.3402/ejpt.v4i0.22897.

[54]

B. V. Watts, 'Meta-Analysis of the Efficacy of Treatments for Posttraumatic Stress Disorder', *The Journal of Clinical Psychiatry*, vol. 74, no. 06, pp. e541–e550, 2013, doi: 10.4088/JCP.12r08225.

[55]

R. Melzack and P. D. Wall, *The Challenge of Pain*, Updated 2nd ed., vol. Penguin Science. London: Penguin, 1996.

[56]

F. J. Keefe and J. C. Lefebvre, 'Behavioral Therapy', in *Handbook of Pain Management: A Clinical Companion to Wall and Melzack's Textbook of Pain*, Edinburgh: Churchill Livingstone, 2003.

[57]

'A Cognitive Behavioural Approach to Pain Management', in The Textbook of Pain, Churchill Livingstone, 1999.

[58]

D. C. Turk and A. Okifuji, 'A Cognitive Behavioural Approach to Pain Management', in Handbook of Pain Management: A Clinical Companion to Wall and Melzack's Textbook of Pain, Edinburgh: Churchill Livingstone, 2003.

[59]

S. M. Skevington, Psychology of Pain. Wiley, 1995.

[60]

T. Pincus and L. M. McCracken, 'Psychological Factors and Treatment Opportunities in Low Back Pain', Best Practice & Research Clinical Rheumatology, vol. 27, no. 5, pp. 625–635, 2013, doi: 10.1016/j.berh.2013.09.010.

[61]

C. J. Main, 'Early Psychosocial Interventions for Low Back Pain in Primary Care', BMJ, vol. 331, no. 7508, 2005, doi: 10.1136/bmj.38498.495000.E0.

[62]

L. M. McCracken and D. C. Turk, 'Behavioral and Cognitive-Behavioral Treatment for Chronic Pain: Outcome, Predictors of Outcome, and Treatment Process', Spine, vol. 27, no. 22, pp. 2564–2573, 2002.

[63]

D. C. Turk and A. Okifuji, 'Psychological Factors in Chronic Pain: Evolution and Revolution', Journal of Consulting and Clinical Psychology, vol. 70, no. 3, pp. 678–690, 2002, doi: 10.1037/0022-006X.70.3.678. [Online]. Available:

<http://web.a.ebscohost.com/ehost/detail/detail?sid=0bd458fe-fa68-4631-bf4d-f5707a5cc90d%40sessionmgr4009&vid=0&hid=4209&bdata=JnNpdGU9ZWhvc3QtbGI2ZQ%3d%3d#AN=2002-01415-015&db=pdh>

[64]

C. J. Main, 'ABC of Psychological Medicine: Musculoskeletal Pain', *BMJ*, vol. 325, no. 7363, pp. 534–537, 2002, doi: 10.1136/bmj.325.7363.534.

[65]

D. C. Turk, 'Treatment of Chronic Non-Cancer Pain', *The Lancet*, vol. 377, no. 9784, pp. 2226–2235, 2011, doi: 10.1016/S0140-6736(11)60402-9.

[66]

D. C. Turk and H. D. Wilson, 'Fear of Pain as a Prognostic Factor in Chronic Pain: Conceptual Models, Assessment, and Treatment Implications', *Current Pain and Headache Reports*, vol. 14, no. 2, pp. 88–95, 2010, doi: 10.1007/s11916-010-0094-x.

[67]

R. J. Gatchel, 'The Biopsychosocial Approach to Chronic Pain: Scientific Advances and Future Directions', *Psychological Bulletin*, vol. 133, no. 4, pp. 581–624, 2007, doi: 10.1037/0033-2909.133.4.581. [Online]. Available: <http://search.ebscohost.com/login.aspx?direct=true&db=pdh&AN=2007-09203-002&site=ehost-live>

[68]

L. Goubert, 'Learning About Pain From Others: An Observational Learning Account', *The Journal of Pain*, vol. 12, no. 2, pp. 167–174, 2011, doi: 10.1016/j.jpain.2010.10.001.

[69]

R. N. van der Giessen, 'The Effectiveness of Graded Activity in Patients With Non-Specific Low-Back Pain: A Systematic Review', *Disability and Rehabilitation*, vol. 34, no. 13, pp. 1070–1076, 2012.

[70]

S. Morley, 'Efficacy and Effectiveness of Cognitive Behaviour Therapy for Chronic Pain: Progress and Some Challenges', *Pain*, vol. 152, no. Supplement, pp. S99-S106, 2011.

[71]

N. Henschke, 'Behavioural Treatment for Chronic Low-Back Pain', in Cochrane Database of Systematic Reviews, Chichester, UK: John Wiley & Sons, Ltd, 2010 [Online]. Available: <http://doi.wiley.com/10.1002/14651858.CD002014.pub3>

[72]

T. M. Palermo, 'Randomized Controlled Trials of Psychological Therapies for Management of Chronic Pain in Children and Adolescents: An Updated Meta-Analytic Review', *Pain*, vol. 148, no. 3, pp. 387-397, 2010, doi: 10.1016/j.pain.2009.10.004. [Online]. Available: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2823996/>

[73]

A. C. de C. Williams, 'Psychological Therapies for the Management of Chronic Pain (Excluding Headache) in Adults', in Cochrane Database of Systematic Reviews, Chichester, UK: John Wiley & Sons, Ltd, 2012 [Online]. Available: <http://doi.wiley.com/10.1002/14651858.CD007407.pub3>

[74]

M. Leeuw, 'Exposure in Vivo Versus Operant Graded Activity in Chronic Low Back Pain Patients: Results of a Randomized Controlled Trial', *Pain*, vol. 138, no. 1, pp. 192-207, 2008, doi: 10.1016/j.pain.2007.12.009. [Online]. Available: https://www.researchgate.net/profile/Rob_Smeets/publication/5609052_Exposure_in_vivo_versus_operant_graded_activity_in_chronic_low_back_pain_patients_Results_of_a_randomized_controlled_trial/links/0fcfd50746d1229a43000000/Exposure-in-vivo-versus-operant-graded-activity-in-chronic-low-back-pain-patients-Results-of-a-randomized-controlled-trial.pdf

[75]

S. J. Linton, 'A Randomized Controlled Trial of Exposure in Vivo for Patients With Spinal

Pain Reporting Fear of Work-Related Activities', European Journal of Pain, vol. 12, no. 6, pp. 722-730, 2008, doi: 10.1016/j.ejpain.2007.11.001.

[76]

S. Beynon, 'Psychosocial Interventions for the Prevention of Relapse in Bipolar Disorder: Systematic Review of Controlled Trials', The British Journal of Psychiatry, vol. 192, no. 1, pp. 5-11, 2008, doi: 10.1192/bjp.bp.107.037887.

[77]

L. D. Grandin, L. B. Alloy, and L. Y. Abramson, 'The Social Zeitgeber Theory, Circadian Rhythms, and Mood Disorders: Review and Evaluation', Clinical Psychology Review, vol. 26, no. 6, pp. 679-694, 2006, doi: 10.1016/j.cpr.2006.07.001.

[78]

D. J. Miklowitz and S. L. Johnson, 'The Psychopathology and Treatment of Bipolar Disorder', Annual Review Of Clinical Psychology, vol. 2, pp. 199-235, 2006 [Online]. Available: <http://www.annualreviews.org/doi/10.1146/annurev.clinpsy.2.022305.095332>

[79]

D. J. Milowitz, 'Psychotherapy, Symptom Outcomes, and Role Functioning Over One Year Among Patients With Bipolar Disorder', Psychiatric Services, vol. 57, pp. 959-965, 2006 [Online]. Available: <http://ps.psychiatryonline.org/doi/full/10.1176/ps.2006.57.7.959>

[80]

D. J. Miklowitz, S. R. Wisniewski, S. Miyahara, M. W. Otto, and G. S. Sachs, 'Perceived Criticism From Family Members as a Predictor of the One-Year Course of Bipolar Disorder', Psychiatry Research, vol. 136, no. 2-3, pp. 101-111, 2005, doi: 10.1016/j.psychres.2005.04.005.

[81]

R. H. Perlis et al., 'Predictors of Recurrence in Bipolar Disorder: Primary Outcomes From the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD)', American Journal of Psychiatry, vol. 163, no. 2, 2006 [Online]. Available:

<http://ajp.psychiatryonline.org/doi/full/10.1176/appi.ajp.163.2.217>

[82]

D. J. Miklowitz and K. D. Chang, 'Prevention of Bipolar Disorder in At-Risk Children: Theoretical Assumptions and Empirical Foundations', *Development and Psychopathology*, vol. 20, no. 3, pp. 881–897, 2008, doi: 10.1017/S0954579408000424.

[83]

A. L. Coville, 'Correlates of High Expressed Emotion Attitudes Among Parents of Bipolar Adolescents', *Journal of Clinical Psychology*, vol. 64, no. 4, pp. 438–449, 2008.

[84]

D. Schöttle, 'Psychotherapy for Bipolar Disorder: A Review', *Current Opinion in Psychiatry*, vol. 24, no. 6, pp. 549–555, 2011.

[85]

A. Peters, 'Age at Onset, Course of Illness and Response to Psychotherapy in Bipolar Disorder: Results From the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD)', *Psychological Medicine*, vol. 44, no. 16, pp. 3455–3467, 2014, doi: 10.1017/S0033291714000804.

[86]

T. Deckersbach, 'Do Comorbid Anxiety Disorders Moderate the Effects of Psychotherapy for Bipolar Disorder? Results From STEP-BD', *American Journal of Psychiatry*, vol. 171, no. 2, pp. 178–186, 2014, doi: 10.1176/appi.ajp.2013.13020225.

[87]

J. P. Stange et al., 'Extreme Attributions Predict Transition From Depression to Mania or Hypomania in Bipolar Disorder', *Journal of Psychiatric Research*, vol. 47, no. 10, pp. 1329–1336, 2013, doi: 10.1016/j.jpsychires.2013.05.016.

[88]

R. P. Bentall, 'The Self, Attributional Processes and Abnormal Beliefs: Towards a Model of Persecutory Delusions', *Behaviour Research and Therapy*, vol. 32, no. 3, pp. 331–341, 1994, doi: 10.1016/0005-7967(94)90131-7.

[89]

E. Canga, 'Parental Antecedents of Psychosis Are Associated With Severity of Positive and Negative Symptoms in Schizophrenia Patients', *The Journal of Clinical Psychiatry*, vol. 77, no. 9, pp. 1201–1202, 2016 [Online]. Available: <https://www.psychiatrist.com/jcp/article/Pages/2016/v77n09/v77n0921.aspx>

[90]

P. Chadwick, *Cognitive Therapy for Delusions, Voices and Paranoia*. Chichester: Wiley, 1996.

[91]

L. Ellett, 'Paranoia in a Nonclinical Population of College Students', *Journal of Nervous, vol. 191, no. 7, pp. 425–430, 2003.*

[92]

D. Freeman, 'Concomitants of Paranoia in the General Population', *Psychological Medicine*, vol. 41, no. 05, pp. 923–936, 2011, doi: 10.1017/S0033291710001546.

[93]

D. Freeman et al., 'How Cannabis Causes Paranoia: Using the Intravenous Administration of 9-Tetrahydrocannabinol (THC) to Identify Key Cognitive Mechanisms Leading to Paranoia', *Schizophrenia Bulletin*, vol. 41, no. 2, pp. 391–399, 2015, doi: 10.1093/schbul/sbu098.

[94]

P. A. Garety, 'A Cognitive Model of the Positive Symptoms of Psychosis', *Psychological Medicine*, vol. 31, no. 02, 2001, doi: 10.1017/S0033291701003312.

[95]

E. Goldstone, 'The Role of Metacognitive Beliefs in the Proneness to Hallucinations and Delusions: An Analysis Across Clinical and Non-Clinical Populations', *British Journal of Clinical Psychology*, vol. 52, no. 3, pp. 330–346, 2013, doi: 10.1111/bjc.12020.

[96]

M. F. Green, 'Cognitive Impairment and Functional Outcome in Schizophrenia and Bipolar Disorder', *The Journal of Clinical Psychiatry*, vol. 67, no. Supplement 9, pp. 3-8 [Online]. Available: <http://www.psychiatrist.com/jcp/article/Pages/2006/v67s09/v67s0901.aspx>

[97]

C. M. Hazell, 'A Systematic Review and Meta-Analysis of Low Intensity CBT for Psychosis', *Clinical Psychology Review*, vol. 45, pp. 183–192, 2016, doi: 10.1016/j.cpr.2016.03.004.

[98]

S. F. Huq, 'Probabilistic Judgements in Deluded and Non-Deluded Subjects', *The Quarterly Journal of Experimental Psychology Section A*, vol. 40, no. 4, pp. 801–812, 1988, doi: 10.1080/14640748808402300.

[99]

J. Kingston and L. Ellett, 'Self-Affirmation and Nonclinical Paranoia', *Journal of Behavior Therapy and Experimental Psychiatry*, vol. 45, no. 4, pp. 502–505, 2014, doi: 10.1016/j.jbtep.2014.07.004.

[100]

S. L. Matheson, M. Shepherd, R. M. Pinchbeck, K. R. Laurens, and V. J. Carr, 'Childhood Adversity in Schizophrenia: A Systematic Meta-Analysis', *Psychological Medicine*, vol. 43, no. 2, pp. 225–238, 2013, doi: 10.1017/S0033291712000785.

[101]

T. H. Moore, 'Cannabis Use and Risk of Psychotic or Affective Mental Health Outcomes: A Systematic Review', *The Lancet*, vol. 370, no. 9584, pp. 319–328, 2007, doi: 10.1016/S0140-6736(07)61162-3.

[102]

S. Niemelä et al., 'Prenatal Nicotine Exposure and Risk of Schizophrenia Among Offspring in a National Birth Cohort', *American Journal of Psychiatry*, vol. 173, no. 8, pp. 799–806, 2016, doi: 10.1176/appi.ajp.2016.15060800.

[103]

E. R. Peters, 'Measurement of Delusional Ideation in the Normal Population: Introducing the PDI (Peters et al. Delusions Inventory)', *Schizophrenia Bulletin*, vol. 25, no. 3, pp. 553–576, 1999 [Online]. Available: <https://academic.oup.com/schizophreniabulletin/article/25/3/553/1849522/Measurement-of-Delusional-Ideation-in-the-Normal>

[104]

M. M. Picchioni and R. M. Murray, 'Schizophrenia', *BMJ*, vol. 335, no. 7610, pp. 91–95, 2007, doi: 10.1136/bmj.39227.616447.BE.

[105]

R. Tandon, 'Definition and Description of Schizophrenia in the DSM-5', *Schizophrenia Research*, vol. 150, no. 1, pp. 3–10, 2013, doi: 10.1016/j.schres.2013.05.028.

[106]

J. van Os and S. Kapur, 'Schizophrenia', *The Lancet*, vol. 374, no. 9690, pp. 635–645, 2009, doi: 10.1016/S0140-6736(09)60995-8.

[107]

J. van Os, 'A Systematic Review and Meta-Analysis of the Psychosis Continuum: Evidence for a Psychosis Proneness-persistence-impairment Model of Psychotic Disorder', *Psychological Medicine*, vol. 39, no. 2, pp. 179–195, 2009, doi: 10.1017/S0033291708003814.

[108]

J. Bailer, 'Health Anxiety and Hypochondriasis in the Light of DSM-5', *Anxiety, Stress, & Coping*, vol. 29, no. 2, pp. 219–239, 2016, doi: 10.1080/10615806.2015.1036243.

[109]

A. J. Barsky, 'Histories of Childhood Trauma in Adult Hypochondriacal Patients', *American Journal of Psychiatry*, vol. 151, no. 3, pp. 397–401, 1994.

[110]

A. J. Barsky and D. K. Ahern, 'Cognitive Behavior Therapy for Hypochondriasis: A Randomized Controlled Trial', *Jama*, vol. 291, no. 12, 2004 [Online]. Available: <http://jamanetwork.com/journals/jama/fullarticle/198437>

[111]

B. O. Olatunji, 'Cognitive-Behavioral Therapy for Hypochondriasis/Health Anxiety: A Meta-Analysis of Treatment Outcome and Moderators', *Behaviour Research and Therapy*, vol. 58, pp. 65–74, 2014, doi: 10.1016/j.brat.2014.05.002.

[112]

H. Fliege, 'Factitious Disorders and Pathological Self-Harm in a Hospital Population: An Interdisciplinary Challenge', *General Hospital Psychiatry*, vol. 24, no. 3, pp. 164–171, 2002, doi: 10.1016/S0163-8343(02)00171-8.

[113]

L. E. Krahn, 'Patients Who Strive to Be Ill: Factitious Disorder With Physical Symptoms', *American Journal of Psychiatry*, vol. 160, no. 6, 2003 [Online]. Available: <http://ajp.psychiatryonline.org/doi/full/10.1176/appi.ajp.160.6.1163>

[114]

S. Krautwurst, 'Health Anxiety – an Indicator of Higher Interoceptive Sensitivity?', *Journal of*

Behavior Therapy and Experimental Psychiatry, vol. 45, no. 2, pp. 303–309, 2014, doi: 10.1016/j.jbtep.2014.02.001.

[115]

W. Mittenberg, 'Base Rates of Malingering and Symptom Exaggeration', Journal of Clinical and Experimental Neuropsychology (Neuropsychology, Development and Cognition: Section A), vol. 24, no. 8, pp. 1094–1102, 2002, doi: 10.1076/jcen.24.8.1094.8379.

[116]

Z. S. Roger and M. Mittenberg, 'Determination of Malingering in Disability Evaluations', 2005. [Online]. Available: <http://primarypsychiatry.com/determination-of-malingering-in-disability-evaluations/>

[117]

S. Taylor and G. J. G. Asmundson, 'Etiology of Hypochondriasis: A Preliminary Behavioral-Genetic Investigation', International Journal of Genetics and Gene Therapy, vol. 2, pp. 1–5, doi: 10.5348/ijggt20122OA1. [Online]. Available: <https://pdfs.semanticscholar.org/ce6f/24455f83e7dd68d239e12b9e5afdb43c8520.pdf>

[118]

P. Tyrer and H. Tyrer, 'The Departure of Hypochondriasis Is No Loss', Australian & New Zealand Journal of Psychiatry, vol. 48, no. 8, pp. 772–773, 2014, doi: 10.1177/0004867414540755.

[119]

F. Weck, 'Effectiveness of Cognitive-Behavioral Group Therapy for Patients With Hypochondriasis (Health Anxiety)', Journal of Anxiety Disorders, vol. 30, pp. 1–7, 2015, doi: 10.1016/j.janxdis.2014.12.012.

[120]

M. Coltheart, R. Langdon, and R. McKay, 'Delusional Belief', Annual Review of Psychology, vol. 62, no. 1, pp. 271–298, 2011, doi: 10.1146/annurev.psych.121208.131622.

[121]

R. McKay and M. Kinsbourne, 'Confabulation, Delusion, and Anosognosia: Motivational Factors and False Claims', *Cognitive Neuropsychiatry*, vol. 15, no. 1-3, pp. 288-318, 2010, doi: 10.1080/13546800903374871.

[122]

W. J. Speechley, J. C. Whitman, and T. S. Woodward, 'The Contribution of Hypersalience to the "Jumping to Conclusions" Bias Associated With Delusions in Schizophrenia', *Journal Of Psychiatry & Neuroscience*, vol. 35, no. 1, pp. 7-17, 2010 [Online]. Available: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2799500/>

[123]

L. van der Leer, B. Hartig, M. Goldmanis, and R. McKay, 'Delusion Proneness and "Jumping to Conclusions": Relative and Absolute Effects', *Psychological Medicine*, vol. 45, no. 06, pp. 1253-1262, 2015, doi: 10.1017/S0033291714002359.

[124]

L. van der Leer, B. Hartig, M. Goldmanis, and R. McKay, 'Why Do Delusion-Prone Individuals "Jump to Conclusions"? An Investigation Using a Nonserial Data-Gathering Paradigm', *Clinical Psychological Science*, vol. 5, no. 4, 2017, doi: 10.1177/2167702617698811.

[125]

P. R. Corlett et al., 'Disrupted Prediction-Error Signal in Psychosis: Evidence for an Associative Account of Delusions', *Brain*, vol. 130, no. 9, pp. 2387-2400, 2007, doi: 10.1093/brain/awm173.

[126]

M. Coltheart, 'Abductive Inference and Delusional Belief', *Cognitive Neuropsychiatry*, vol. 15, no. 1-3, pp. 261-287, 2010, doi: 10.1080/13546800903439120.

[127]

R. McKay, 'Delusional Inference', *Mind & Language*, 27 (3), vol. 27, no. 3, 2012 [Online]. Available: <https://repository.royalholloway.ac.uk/items/37f28a0e-90c9-8af0-e09c-9e33d398cb79/5/>

[128]

N. Breen, 'Towards an Understanding of Delusions of Misidentification: Four Case Studies', *Mind and Language*, vol. 15, no. 1, pp. 74–110, 2000, doi: 10.1111/1468-0017.00124.

[129]

J. Gold and I. Gold, 'The "Truman Show" Delusion: Psychosis in the Global Village', *Cognitive Neuropsychiatry*, vol. 17, no. 6, pp. 455–472, 2012, doi: 10.1080/13546805.2012.666113.

[130]

W. Hirstein and V. S. Ramachandran, 'Capgras Syndrome: A Novel Probe for Understanding the Neural Representation of the Identity and Familiarity of Persons', *Proceedings of the Royal Society B: Biological Sciences*, vol. 264, no. 1380, pp. 437–444, 1997 [Online]. Available: <https://www.jstor.org/stable/50434>

[131]

R. McKay and L. Cipolotti, 'Attributional Style in a Case of Cotard Delusion', *Consciousness and Cognition*, vol. 16, no. 2, pp. 349–359, 2007, doi: 10.1016/j.concog.2006.06.001.

[132]

V. S. Ramachandran and S. Blakeslee, *Phantoms in the Brain: Human Nature and the Architecture of the Mind*. London: Harper, 2005.