

GG3028 Digital Landscapes

View Online



Abalharth, M. et al. (2015) 'Using LiDAR to Characterize Logjams in Lowland Rivers', *Geomorphology*, 246, pp. 531–541. Available at: <https://doi.org/10.1016/j.geomorph.2015.06.036>.

Andreassen, L.M. et al. (2008) 'Landsat-Derived Glacier Inventory for Jotunheimen, Norway, and Deduced Glacier Changes Since the 1930s', *The Cryosphere*, 2(2), pp. 131–145. Available at: <https://doi.org/10.5194/tc-2-131-2008>.

Baccini, A. et al. (2012) 'Estimated Carbon Dioxide Emissions From Tropical Deforestation Improved by Carbon-Density Maps', *Nature Climate Change*, 2(3), pp. 182–185.

Benjamin H. Mackey, Joshua J. Roering and Michael P. Lamb (2011) 'Proceedings of the National Academy of Sciences of the United States of America', 108(47), pp. 18905–18909. Available at: <http://www.jstor.org/stable/23058621>.

Bolch, T., Menounos, B. and Wheate, R. (2010) 'Landsat-Based Inventory of Glaciers in Western Canada, 1985–2005', *Remote Sensing of Environment*, 114(1), pp. 127–137. Available at: <https://doi.org/10.1016/j.rse.2009.08.015>.

Breckenridge, A. (2015) 'The Tintah-Campbell Gap and Implications for Glacial Lake Agassiz Drainage During the Younger Dryas Cold Interval', *Quaternary Science Reviews*, 117, pp. 124–134. Available at: <https://doi.org/10.1016/j.quascirev.2015.04.009>.

Bull, J.M. et al. (2010) 'Assessing Debris Flows Using LIDAR Differencing: 18 May 2005 Matata Event, New Zealand', *Geomorphology*, 124(1–2), pp. 75–84. Available at: <https://doi.org/10.1016/j.geomorph.2010.08.011>.

Campbell, J.B. and Wynne, R.H. (2011a) 'Electromagnetic Radiation', in *Introduction to Remote Sensing*. New York: Guilford Press. Available at: <https://ebookcentral.proquest.com/lib/rhul/reader.action?docID=843851&pg=64>.

Campbell, J.B. and Wynne, R.H. (2011b) *Introduction to Remote Sensing*. New York: Guilford Press. Available at: <https://ebookcentral-proquest-com.ezproxy01.rhul.ac.uk/lib/rhul/detail.action?docID=843851>.

Campbell, J.B. and Wynne, R.H. (2011c) *Introduction to Remote Sensing*. 5th ed. New York: Guilford Press. Available at: <https://ebookcentral.proquest.com/lib/rhul/detail.action?docID=843851>.

Campbell, J.B. and Wynne, R.H. (2011d) *Introduction to Remote Sensing*. 5th ed. New York:

Guilford Press. Available at:
<https://ebookcentral.proquest.com/lib/rhul/detail.action?docID=843851>.

Campbell, J.B. and Wynne, R.H. (2011e) Introduction to Remote Sensing. New York: Guilford Press. Available at:
<https://ebookcentral.proquest.com/lib/rhul/detail.action?docID=843851>.

Campbell, J.B. and Wynne, R.H. (2011f) 'Plant Sciences', in Introduction to Remote Sensing . New York: Guilford Press. Available at:
<https://ebookcentral.proquest.com/lib/rhul/reader.action?docID=843851&ppg=498>.

Campbell, J.B., Wynne, R.H., and MyiLibrary (2011) 'Hydrospheric Sciences', in Introduction to Remote Sensing. New York: Guilford Press. Available at:
<https://ebookcentral.proquest.com/lib/rhul/reader.action?docID=843851&ppg=582>.

'Challenges and Recommendations in Mapping of Glacier Parameters From Space: Results of the 2008 Global Land Ice Measurements From Space (GLIMS) Workshop, Boulder, Colorado, USA' (2009) *Annals of Glaciology*, 50(53), pp. 53-69. Available at:
<https://doi.org/10.5167/uzh-29212>.

Crapoulet, A. et al. (2017) 'Variations in the Response of the Dune Coast of Northern France to Major Storms as a Function of Available Beach Sediment Volume', *Earth Surface Processes and Landforms*, 42(11), pp. 1603-1622. Available at:
<https://doi.org/10.1002/esp.4098>.

Croke, J. et al. (2013) 'The Use of Multi Temporal LiDAR to Assess Basin-Scale Erosion and Deposition Following the Catastrophic January 2011 Lockyer Flood, SE Queensland, Australia', *Geomorphology*, 184, pp. 111-126. Available at:
<https://doi.org/10.1016/j.geomorph.2012.11.023>.

CryoSat | ESA (no date). Available at:
http://www.esa.int/Our_Activities/Observing_the_Earth/CryoSat.

De Angelis, H., Rau, F. and Skvarca, P. (2007) 'Snow Zonation on Hielo Patagónico Sur, Southern Patagonia, Derived From Landsat 5 Tm Data', *Global and Planetary Change*, 59(1-4), pp. 149-158. Available at: <https://doi.org/10.1016/j.gloplacha.2006.11.032>.

De Rose, R.C. and Basher, L.R. (2011) 'Measurement of River Bank and Cliff Erosion From Sequential LIDAR and Historical Aerial Photography', *Geomorphology*, 126(1-2), pp. 132-147. Available at: <https://doi.org/10.1016/j.geomorph.2010.10.037>.

'DEMs of Difference. British Society for Geomorphology' (no date). Available at:
http://geomorphology.org.uk/sites/default/files/geom_tech_chapters/2.3.2_DEMsOfDifference.pdf.

'Direct Acquisition of Data: Airborne Laser Scanning' (no date). Available at:
http://geomorphology.org.uk/sites/default/files/geom_tech_chapters/2.1.4_LiDAR.pdf.

Dowlinga, T.P.F. (no date) 'Morphometry and Core Type of Streamlined Bedforms in Southern Sweden From High Resolution LiDAR', *Morphometry and Core Type of Streamlined Bedforms in Southern Sweden From High Resolution LiDAR*, 236, pp. 54-63. Available at: <https://doi.org/https://doi.org/10.1016/j.geomorph.2015.02.018>.

- Eitel, J.U.H. et al. (2016a) 'Beyond 3-D: The New Spectrum of Lidar Applications for Earth and Ecological Sciences', *Remote Sensing of Environment*, 186, pp. 372–392. Available at: <https://doi.org/10.1016/j.rse.2016.08.018>.
- Eitel, J.U.H. et al. (2016b) 'Beyond 3-D: The New Spectrum of Lidar Applications for Earth and Ecological Sciences', *Remote Sensing of Environment*, 186, pp. 372–392. Available at: <https://doi.org/10.1016/j.rse.2016.08.018>.
- 'Evolution of Analog to Digital Mapping | YouTube' (no date). Available at: <https://www.youtube.com/watch?v=SB1u6-DDwpU>.
- Fifth Assessment Report - Climate Change 2013 (no date). Available at: <http://www.ipcc.ch/report/ar5/wg1/>.
- Fingas, M. and Brown, C. (2014) 'Review of Oil Spill Remote Sensing', *Marine Pollution Bulletin*, 83(1), pp. 9–23. Available at: <https://doi.org/10.1016/j.marpolbul.2014.03.059>.
- Gao, J. and Liu, Y. (2001) 'Applications of Remote Sensing, GIS and GPS in Glaciology: A Review', *Progress in Physical Geography*, 25(4), pp. 520–540. Available at: <https://doi.org/10.1177/030913330102500404>.
- Gawarkiewicz, G.G. et al. (2012) 'Direct Interaction Between the Gulf Stream and the Shelfbreak South of New England', *Scientific Reports*, 2. Available at: <https://doi.org/10.1038/srep00553>.
- Global Forest Change Earth Engine Partners | Earth Engine Partners (no date). Available at: <http://earthenginepartners.appspot.com/science-2013-global-forest>.
- Global Land Ice Measurements from Space (no date). Available at: <http://www.glims.org/>.
- Goodwin, N.R. et al. (2017) 'Monitoring Gully Change: A Comparison of Airborne and Terrestrial Laser Scanning Using a Case Study From Aratula, Queensland', *Geomorphology*, 282, pp. 195–208. Available at: <https://doi.org/10.1016/j.geomorph.2017.01.001>.
- Hansen, M.C. et al. (2008) 'A Method for Integrating MODIS And Landsat Data for Systematic Monitoring of Forest Cover and Change in the Congo Basin', *Remote Sensing of Environment*, 112(5), pp. 2495–2513. Available at: <https://doi.org/10.1016/j.rse.2007.11.012>.
- Hansen, M.C. et al. (2013) 'High-Resolution Global Maps of 21st-Century Forest Cover Change', *Science*, 342(6160), pp. 850–853. Available at: <https://doi.org/10.1126/science.1244693>.
- Hansen, M.C. and Loveland, T.R. (2012) 'A Review of Large Area Monitoring of Land Cover Change Using Landsat Data', *Remote Sensing of Environment*, 122, pp. 66–74. Available at: <https://doi.org/10.1016/j.rse.2011.08.024>.
- Jensen, J.R. (2014a) *Remote Sensing of the Environment: An Earth Resource Perspective*. Second edition. Harlow: Pearson Education Limited.
- Jensen, J.R. (2014b) *Remote Sensing of the Environment: An Earth Resource Perspective*. Second edition. Harlow, Essex, England: Pearson Education Limited. Available at: <https://www-dawsonera-com.ezproxy01.rhul.ac.uk/abstract/9781292034935>.

Jonathan A. Foley, Ruth DeFries, Gregory P. Asner, Carol Barford, Gordon Bonan, Stephen R. Carpenter, F. Stuart Chapin, Michael T. Coe, Gretchen C. Daily, Holly K. Gibbs, Joseph H. Helkowski, Tracey Holloway, Erica A. Howard, Christopher J. Kucharik, Chad Monfreda, Jonathan A. Patz, I. Colin Prentice, Navin Ramankutty and Peter K. Snyder (2005) 'Global Consequences of Land Use', *Science*, 309(5734), pp. 570–574. Available at: http://www.jstor.org/stable/3842335?seq=1#page_scan_tab_contents.

Karim, F. et al. (2015) 'Assessing the Impacts of Climate Change and Dams on Floodplain Inundation and Wetland Connectivity in the Wet-dry Tropics of Northern Australia', *Journal of Hydrology*, 522, pp. 80–94. Available at: <https://doi.org/10.1016/j.jhydrol.2014.12.005>.

Klemas, V. and Yan, X.-H. (2014) 'Subsurface and Deeper Ocean Remote Sensing From Satellites: An Overview and New Results', *Progress in Oceanography*, 122, pp. 1–9. Available at: <https://doi.org/10.1016/j.pocean.2013.11.010>.

Kozlov, I. et al. (2014) 'MODIS-Based Sea Surface Temperature of the Baltic Sea Curonian Lagoon', *Journal of Marine Systems*, 129, pp. 157–165. Available at: <https://doi.org/10.1016/j.jmarsys.2012.05.011>.

Kratzer, S., Therese Harvey, E. and Philipson, P. (2014) 'The Use of Ocean Color Remote Sensing in Integrated Coastal Zone Management—a Case Study From Himmerfjärden, Sweden', *Marine Policy*, 43, pp. 29–39. Available at: <https://doi.org/10.1016/j.marpol.2013.03.023>.

Lin, Z. et al. (2013) 'Detection of Subtle Tectonic-geomorphic Features in Densely Forested Mountains by Very High-Resolution Airborne LiDAR Survey', *Geomorphology*, 182, pp. 104–115. Available at: <https://doi.org/10.1016/j.geomorph.2012.11.001>.

Linde, J. and Grab, S. (2011) 'The Changing Trajectory of Snow Mapping', *Progress in Physical Geography*, 35(2), pp. 139–160. Available at: <https://doi.org/10.1177/03091333111399493>.

Mäkinen, J. et al. (2017) 'Triangular-Shaped Landforms Reveal Subglacial Drainage Routes in Sw Finland', *Quaternary Science Reviews*, 164, pp. 37–53. Available at: <https://doi.org/10.1016/j.quascirev.2017.03.024>.

McKinna, L.I.W. (2015) 'Three Decades of Ocean-Color Remote-Sensing *Trichodesmium* Spp. in the World's Oceans: A Review', *Progress in Oceanography*, 131, pp. 177–199. Available at: <https://doi.org/10.1016/j.pocean.2014.12.013>.

McMillan, M. et al. (2014) 'Increased Ice Losses From Antarctica Detected by CryoSat-2', *Geophysical Research Letters*, 41(11), pp. 3899–3905. Available at: <https://doi.org/10.1002/2014GL060111>.

Mouw, C.B. et al. (2015) 'Aquatic Color Radiometry Remote Sensing of Coastal and Inland Waters: Challenges and Recommendations for Future Satellite Missions', *Remote Sensing of Environment*, 160, pp. 15–30. Available at: <https://doi.org/10.1016/j.rse.2015.02.001>.

'NASA | Earth Observing Landsat 5 Turns 25 Years Old | YouTube' (no date). Available at: <https://www.youtube.com/watch?v=ArLvDtsewn0>.

Nelson, A. and Dubé, K. (2016) 'Channel Response to an Extreme Flood and Sediment

Pulse in a Mixed Bedrock and Gravel-Bed River', *Earth Surface Processes and Landforms*, 41(2), pp. 178–195. Available at: <https://doi.org/10.1002/esp.3843>.

Notebaert, B. et al. (2009) 'Qualitative and Quantitative Applications of LiDAR Imagery in Fluvial Geomorphology', *Earth Surface Processes and Landforms*, 34(2), pp. 217–231. Available at: <https://doi.org/10.1002/esp.1705>.

'Observing The Biosphere From Space [720p] | YouTube' (no date). Available at: https://www.youtube.com/watch?v=Hn_ffF_KvIU.

Obu, J. et al. (2017) 'Coastal Erosion and Mass Wasting Along the Canadian Beaufort Sea Based on Annual Airborne LiDAR Elevation Data', *Geomorphology*, 293, pp. 331–346. Available at: <https://doi.org/10.1016/j.geomorph.2016.02.014>.

Ogilvie, A. et al. (2015) 'Decadal Monitoring of the Niger Inner Delta Flood Dynamics Using MODIS Optical Data', *Journal of Hydrology*, 523, pp. 368–383. Available at: <https://doi.org/10.1016/j.jhydrol.2015.01.036>.

'On the Accuracy of Glacier Outlines Derived From Remote-Sensing Data' (2013) *Annals of Glaciology*, 54(63), pp. 171–182. Available at: <https://doi.org/10.5167/uzh-83965>.

Palmer, S.C.J., Kutser, T. and Hunter, P.D. (2015) 'Remote Sensing of Inland Waters: Challenges, Progress and Future Directions', *Remote Sensing of Environment*, 157, pp. 1–8. Available at: <https://doi.org/10.1016/j.rse.2014.09.021>.

Paul, F. and Bolch, T. (2015) 'The Glaciers Climate Change Initiative: Methods for Creating Glacier Area, Elevation Change and Velocity Products', *Remote Sensing of Environment*, 162, pp. 408–426. Available at: <https://doi.org/10.1016/j.rse.2013.07.043>.

Pedersen, A. et al. (2015) 'Dune Deformation in a Multi-Directional Wind Regime: White Sands Dune Field, New Mexico', *Earth Surface Processes and Landforms*, 40(7), pp. 925–941. Available at: <https://doi.org/10.1002/esp.3700>.

Pritchard, H.D. et al. (2009) 'Extensive Dynamic Thinning on the Margins of the Greenland and Antarctic Ice Sheets', *Nature*, 461(7266), pp. 971–975. Available at: <https://doi.org/10.1038/nature08471>.

Quincey, D.J. et al. (2005) 'Optical Remote Sensing Techniques in High-Mountain Environments: Application to Glacial Hazards', *Progress in Physical Geography*, 29(4), pp. 475–505. Available at: <https://doi.org/10.1191/0309133305pp456ra>.

Ramankutty, N. et al. (2008) 'Farming the Planet: 1. Geographic Distribution of Global Agricultural Lands in the Year 2000', *Global Biogeochemical Cycles*, 22(1). Available at: <https://doi.org/10.1029/2007GB002952>.

Raup, B. et al. (2007) 'Remote Sensing and GIS Technology in the Global Land Ice Measurements from Space (GLIMS) Project', *Computers & Geosciences*, 33(1), pp. 104–125. Available at: <https://doi.org/10.1016/j.cageo.2006.05.015>.

Reddya, A.D. et al. (no date) 'Quantifying Soil Carbon Loss and Uncertainty From a Peatland Wildfire Using Multi-Temporal LiDAR', *Quantifying soil carbon loss and uncertainty from a peatland wildfire using multi-temporal LiDAR*, 170, pp. 306–316. Available at:

<https://doi.org/https://doi.org/10.1016/j.rse.2015.09.017>.

Reinart, A. and Reinhold, M. (2008) 'Mapping Surface Temperature in Large Lakes With MODIS Data', *Remote Sensing of Environment*, 112(2), pp. 603–611. Available at: <https://doi.org/10.1016/j.rse.2007.05.015>.

Richter, A., Faust, D. and Maas, H.-G. (2013) 'Dune Cliff Erosion and Beach Width Change at the Northern and Southern Spits of Sylt Detected With Multi-Temporal Lidar', *CATENA*, 103, pp. 103–111. Available at: <https://doi.org/10.1016/j.catena.2011.02.007>.

Rignot, E. et al. (2008) 'Recent Antarctic Ice Mass Loss From Radar Interferometry and Regional Climate Modelling', *Nature Geoscience*, 1(2), pp. 106–110. Available at: <https://doi.org/10.1038/ngeo102>.

Rignot, E. et al. (2013) 'Ice-Shelf Melting Around Antarctica', *Science*, 341(6143), pp. 266–270. Available at: <https://doi.org/10.1126/science.1235798>.

Rignot, E., Mouginot, J. and Scheuchl, B. (2011) 'Ice Flow of the Antarctic Ice Sheet', *Science*, 333(6048), pp. 1427–1430. Available at: <https://doi.org/10.1126/science.1208336>.

Robb, C. et al. (2015) 'A Semi-Automated Method for Mapping Glacial Geomorphology Tested at Breiðamerkurjökull, Iceland', *Remote Sensing of Environment*, 163, pp. 80–90. Available at: <https://doi.org/10.1016/j.rse.2015.03.007>.

Roering, J.J. et al. (2013a) "'You are HERE": Connecting the Dots With Airborne Lidar for Geomorphic Fieldwork', *Geomorphology*, 200, pp. 172–183. Available at: <https://doi.org/10.1016/j.geomorph.2013.04.009>.

Roering, J.J. et al. (2013b) "'You are HERE": Connecting the Dots With Airborne Lidar for Geomorphic Fieldwork', *Geomorphology*, 200, pp. 172–183. Available at: <https://doi.org/10.1016/j.geomorph.2013.04.009>.

Ruth S. DeFries, Richard A. Houghton, Matthew C. Hansen, Christopher B. Field, David Skole and John Townshend (2002) 'Carbon Emissions from Tropical Deforestation and Regrowth Based on Satellite Observations for the 1980s and 1990s', *Proceedings of the National Academy of Sciences of the United States of America*, 99(22), pp. 14256–14261. Available at: <http://www.jstor.org/stable/3073573>.

Salcher, B.C., Hinsch, R. and Wagreich, M. (2010) 'High-Resolution Mapping of Glacial Landforms in the North Alpine Foreland, Austria', *Geomorphology*, 122(3–4), pp. 283–293. Available at: <https://doi.org/10.1016/j.geomorph.2009.09.037>.

Smith, M.J. and Clark, C.D. (2005) 'Methods for the Visualization of Digital Elevation Models for Landform Mapping', *Earth Surface Processes and Landforms*, 30(7), pp. 885–900. Available at: <https://doi.org/10.1002/esp.1210>.

Sterling, S. and Ducharme, A. (2008) 'Comprehensive Data Set of Global Land Cover Change for Land Surface Model Applications', *Global Biogeochemical Cycles*, 22(3), p. n/a-n/a. Available at: <https://doi.org/10.1029/2007GB002959>.